BMI: All cancers

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**25725**	**2476**	**10.2**	**12384**	**50.9**	**5872**	**24.1**	**3620**	**14.9**
	Age at baseline	<18	5688	1240	25.1	2654	53.7	693	14.0	357	7.2
		18-19	2152	211	10.3	1214	59.5	391	19.2	223	10.9
		20-24	6024	469	8.1	3149	54.5	1342	23.2	815	14.1
		25-29	5571	302	5.6	2592	47.8	1516	27.9	1016	18.7
		30-34	3885	169	4.4	1760	46.3	1132	29.8	742	19.5
		35+	2405	85	3.6	1015	42.9	798	33.7	467	19.7
	Years since diagnosis	5-9	2592	566	26.3	1131	52.6	299	13.9	156	7.2
		10-14	8345	1067	13.6	4234	54.0	1688	21.5	852	10.9
		15-19	8211	531	6.7	4103	51.6	2031	25.6	1279	16.1
		20+	6577	312	4.9	2916	45.5	1854	28.9	1333	20.8
	Age at diagnosis	<1	1933	373	20.9	974	54.7	270	15.2	164	9.2
		1-4	8297	1063	13.9	4085	53.3	1536	20.0	981	12.8
		5-9	5790	465	8.5	2791	50.9	1334	24.3	891	16.3
		10-14	5453	348	6.6	2536	48.0	1502	28.4	897	17.0
		15-20	4252	227	5.5	1998	48.2	1230	29.7	687	16.6
	Treatment	Surgery only	2169	205	9.9	1084	52.3	500	24.1	284	13.7
		Chemotherapy, no radiation	8166	742	9.5	4004	51.5	1824	23.5	1202	15.5
		Radiation, no chemotherapy	2086	130	6.5	934	46.9	560	28.1	367	18.4
		Chemotherapy and radiation	10806	1152	11.4	5155	50.9	2411	23.8	1414	14.0
		Unknown	2498	247	10.4	1207	50.6	577	24.2	353	14.8
Males	**All cases**		**13753**	**1174**	**9.1**	**6263**	**48.3**	**3654**	**28.2**	**1874**	**14.5**
	Age at baseline	<18	3065	658	25.1	1404	53.6	369	14.1	188	7.2
		18-19	1122	98	9.2	635	59.7	221	20.8	109	10.3
		20-24	3170	210	6.9	1603	53.0	811	26.8	402	13.3
		25-29	3091	128	4.3	1343	44.7	994	33.1	538	17.9
		30-34	2072	55	2.7	829	40.7	760	37.3	391	19.2
		35+	1233	25	2.1	449	36.8	499	40.9	246	20.2
	Years since diagnosis	5-9	1455	296	25.3	612	52.3	170	14.5	93	7.9
		10-14	4468	529	12.6	2177	51.9	1039	24.8	448	10.7
		15-19	4314	218	5.2	2024	48.6	1269	30.5	652	15.7
		20+	3516	131	3.8	1450	42.2	1176	34.2	681	19.8
	Age at diagnosis	<1	987	180	19.8	502	55.3	151	16.6	74	8.2
		1-4	4344	542	13.6	2090	52.5	867	21.8	481	12.1

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All cancers

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	3263	239	7.8	1504	48.8	860	27.9	476	15.5
		10-14	2887	132	4.7	1231	44.2	954	34.2	470	16.9
		15-20	2272	81	3.7	936	42.3	822	37.2	373	16.9
	Treatment	Surgery only	1070	83	8.2	500	49.1	291	28.6	144	14.1
		Chemotherapy, no radiation	4299	326	8.0	1961	48.0	1149	28.1	652	15.9
		Radiation, no chemotherapy	1086	58	5.6	467	45.0	348	33.6	164	15.8
		Chemotherapy and radiation	5825	584	10.8	2625	48.4	1486	27.4	724	13.4
		Unknown	1473	123	8.8	710	50.6	380	27.1	190	13.5
Females	**All cases**		**11972**	**1302**	**11.4**	**6121**	**53.8**	**2218**	**19.5**	**1746**	**15.3**
	Age at baseline	<18	2623	582	25.0	1250	53.8	324	13.9	169	7.3
		18-19	1030	113	11.6	579	59.3	170	17.4	114	11.7
		20-24	2854	259	9.4	1546	56.2	531	19.3	413	15.0
		25-29	2480	174	7.2	1249	51.5	522	21.5	478	19.7
		30-34	1813	114	6.4	931	52.7	372	21.0	351	19.9
		35+	1172	60	5.2	566	49.4	299	26.1	221	19.3
	Years since diagnosis	5-9	1137	270	27.5	519	52.9	129	13.1	63	6.4
		10-14	3877	538	14.7	2057	56.4	649	17.8	404	11.1
		15-19	3897	313	8.3	2079	55.0	762	20.2	627	16.6
		20+	3061	181	6.1	1466	49.2	678	22.8	652	21.9
	Age at diagnosis	<1	946	193	22.1	472	54.0	119	13.6	90	10.3
		1-4	3953	521	14.1	1995	54.1	669	18.2	500	13.6
		5-9	2527	226	9.4	1287	53.6	474	19.7	415	17.3
		10-14	2566	216	8.7	1305	52.3	548	22.0	427	17.1
		15-20	1980	146	7.6	1062	55.0	408	21.1	314	16.3
	Treatment	Surgery only	1099	122	11.6	584	55.4	209	19.8	140	13.3
		Chemotherapy, no radiation	3867	416	11.3	2043	55.5	675	18.3	550	14.9
		Radiation, no chemotherapy	1000	72	7.5	467	49.0	212	22.2	203	21.3
		Chemotherapy and radiation	4981	568	12.1	2530	53.7	925	19.6	690	14.6
		Unknown	1025	124	12.6	497	50.7	197	20.1	163	16.6

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All leukemias

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**7908**	**619**	**8.4**	**3688**	**50.0**	**1848**	**25.0**	**1224**	**16.6**
	Age at baseline	<18	2236	372	19.4	1063	55.5	322	16.8	157	8.2
		18-19	844	66	8.3	456	57.2	175	22.0	100	12.5
		20-24	1970	88	4.7	993	52.8	486	25.9	313	16.6
		25-29	1608	62	4.0	694	44.4	462	29.5	346	22.1
		30-34	847	26	3.1	345	41.7	252	30.5	204	24.7
		35+	403	5	1.3	137	34.5	151	38.0	104	26.2
	Years since diagnosis	5-9	981	182	23.4	418	53.7	120	15.4	58	7.5
		10-14	2637	278	11.3	1375	55.9	538	21.9	268	10.9
		15-19	2441	106	4.5	1147	49.0	634	27.1	456	19.5
		20+	1849	53	2.9	748	41.6	556	30.9	442	24.6
	Age at diagnosis	<1	242	40	19.0	112	53.3	35	16.7	23	11.0
		1-4	3735	368	10.8	1784	52.2	777	22.7	490	14.3
		5-9	1931	118	6.4	930	50.8	457	24.9	327	17.8
		10-14	1313	67	5.3	565	45.0	366	29.1	258	20.5
		15-20	687	26	3.9	297	44.9	213	32.2	126	19.0
	Treatment	Surgery only	3	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy, no radiation	3383	271	8.5	1669	52.2	732	22.9	526	16.4
		Radiation, no chemotherapy	4	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy and radiation	3775	290	8.3	1674	48.2	939	27.0	572	16.5
		Unknown	743	58	8.3	343	49.0	175	25.0	124	17.7
Males	**All cases**		**4218**	**316**	**8.1**	**1845**	**47.2**	**1116**	**28.6**	**631**	**16.1**
	Age at baseline	<18	1222	197	19.1	575	55.9	175	17.0	82	8.0
		18-19	454	34	8.0	242	57.1	98	23.1	50	11.8
		20-24	997	43	4.5	468	49.2	289	30.4	152	16.0
		25-29	870	31	3.7	341	40.4	286	33.8	187	22.1
		30-34	449	10	2.3	157	36.0	172	39.4	97	22.2
		35+	226	1	0.5	62	27.9	96	43.2	63	28.4
	Years since diagnosis	5-9	557	101	23.7	224	52.6	66	15.5	35	8.2
		10-14	1415	146	11.1	704	53.5	319	24.2	148	11.2
		15-19	1252	38	3.2	555	46.3	390	32.6	215	17.9
		20+	994	31	3.2	362	37.4	341	35.3	233	24.1
	Age at diagnosis	<1	113	18	18.2	53	53.5	14	14.1	14	14.1
		1-4	1998	199	11.0	936	51.6	438	24.1	242	13.3

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All leukemias

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	1041	65	6.6	456	46.5	291	29.7	169	17.2
		10-14	650	22	3.6	250	40.6	215	34.9	129	20.9
		15-20	416	12	3.0	150	37.8	158	39.8	77	19.4
	Treatment	Surgery only	1	.	.	1	100.0	.	.	.	.
		Chemotherapy, no radiation	1694	124	7.8	759	47.5	435	27.2	281	17.6
		Radiation, no chemotherapy	3	.	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	2076	160	8.5	879	46.5	567	30.0	285	15.1
		Unknown	444	32	7.7	205	49.4	114	27.5	64	15.4
Females	**All cases**		**3690**	**303**	**8.7**	**1843**	**53.1**	**732**	**21.1**	**593**	**17.1**
	Age at baseline	<18	1014	175	19.8	488	55.1	147	16.6	75	8.5
		18-19	390	32	8.6	214	57.4	77	20.6	50	13.4
		20-24	973	45	4.8	525	56.6	197	21.2	161	17.3
		25-29	738	31	4.3	353	49.1	176	24.5	159	22.1
		30-34	398	16	4.1	188	48.1	80	20.5	107	27.4
		35+	177	4	2.3	75	42.9	55	31.4	41	23.4
	Years since diagnosis	5-9	424	81	23.0	194	55.1	54	15.3	23	6.5
		10-14	1222	132	11.6	671	58.8	219	19.2	120	10.5
		15-19	1189	68	5.9	592	51.7	244	21.3	241	21.0
		20+	855	22	2.6	386	46.4	215	25.8	209	25.1
	Age at diagnosis	<1	129	22	19.8	59	53.2	21	18.9	9	8.1
		1-4	1737	169	10.5	848	52.9	339	21.1	248	15.5
		5-9	890	53	6.2	474	55.7	166	19.5	158	18.6
		10-14	663	45	7.0	315	49.2	151	23.6	129	20.2
		15-20	271	14	5.3	147	55.5	55	20.8	49	18.5
	Treatment	Surgery only	2	.	.	.	.	1	50.0	1	50.0
		Chemotherapy, no radiation	1689	147	9.2	910	56.9	297	18.6	245	15.3
		Radiation, no chemotherapy	1	.	.	.	.	1	100.0	.	.
		Chemotherapy and radiation	1699	130	8.2	795	50.2	372	23.5	287	18.1
		Unknown	299	26	9.1	138	48.4	61	21.4	60	21.1

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: ALL

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**6646**	**497**	**8.0**	**3102**	**50.0**	**1568**	**25.3**	**1039**	**16.7**
	Age at baseline	<18	1941	315	18.9	928	55.7	283	17.0	140	8.4
		18-19	730	55	7.9	387	55.9	162	23.4	88	12.7
		20-24	1693	66	4.1	857	52.9	425	26.2	273	16.8
		25-29	1338	42	3.2	578	44.3	389	29.8	295	22.6
		30-34	657	18	2.8	261	40.8	202	31.6	159	24.8
		35+	287	1	0.4	91	32.2	107	37.8	84	29.7
	Years since diagnosis	5-9	844	151	22.6	361	54.1	106	15.9	49	7.3
		10-14	2222	227	10.9	1168	56.1	460	22.1	226	10.9
		15-19	2024	81	4.2	946	48.7	534	27.5	383	19.7
		20+	1556	38	2.5	627	41.4	468	30.9	381	25.2
	Age at diagnosis	<1	134	23	19.7	56	47.9	24	20.5	14	12.0
		1-4	3322	322	10.6	1592	52.2	696	22.8	440	14.4
		5-9	1696	93	5.8	812	50.6	410	25.5	290	18.1
		10-14	1027	44	4.5	431	44.0	292	29.8	213	21.7
		15-20	467	15	3.3	211	46.5	146	32.2	82	18.1
	Treatment	Chemotherapy, no radiation	2699	214	8.4	1346	52.6	586	22.9	412	16.1
		Radiation, no chemotherapy	4	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy and radiation	3306	238	7.8	1455	47.8	836	27.5	514	16.9
		Unknown	637	45	7.5	300	49.8	145	24.1	112	18.6
Males	**All cases**		**3576**	**263**	**7.9**	**1557**	**46.9**	**958**	**28.9**	**541**	**16.3**
	Age at baseline	<18	1061	172	19.2	497	55.5	154	17.2	73	8.1
		18-19	397	30	8.1	205	55.1	93	25.0	44	11.8
		20-24	858	33	4.0	397	48.2	259	31.5	134	16.3
		25-29	736	22	3.1	292	40.8	239	33.4	163	22.8
		30-34	354	6	1.7	123	35.8	140	40.7	75	21.8
		35+	170	.	.	43	25.6	73	43.5	52	31.0
	Years since diagnosis	5-9	480	83	22.9	192	52.9	60	16.5	28	7.7
		10-14	1201	124	11.0	604	53.6	274	24.3	125	11.1
		15-19	1052	33	3.3	457	45.3	334	33.1	184	18.3
		20+	843	23	2.8	304	37.0	290	35.3	204	24.8
	Age at diagnosis	<1	65	9	15.8	26	45.6	12	21.1	10	17.5
		1-4	1769	184	11.4	822	50.9	391	24.2	218	13.5
		5-9	924	50	5.8	403	46.4	261	30.1	154	17.7

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: ALL

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		10-14	527	14	2.8	194	38.9	180	36.1	111	22.2
		15-20	291	6	2.1	112	40.0	114	40.7	48	17.1
	Treatment	Chemotherapy, no radiation	1349	100	7.8	609	47.6	351	27.4	219	17.1
		Radiation, no chemotherapy	3	.	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	1839	138	8.2	768	45.8	509	30.4	262	15.6
		Unknown	385	25	6.9	179	49.6	98	27.1	59	16.3
Females	**All cases**		**3070**	**234**	**8.1**	**1545**	**53.5**	**610**	**21.1**	**498**	**17.2**
	Age at baseline	<18	880	143	18.6	431	56.0	129	16.8	67	8.7
		18-19	333	25	7.8	182	56.9	69	21.6	44	13.8
		20-24	835	33	4.1	460	57.6	166	20.8	139	17.4
		25-29	602	20	3.4	286	48.6	150	25.5	132	22.4
		30-34	303	12	4.1	138	46.6	62	20.9	84	28.4
		35+	117	1	0.9	48	41.7	34	29.6	32	27.8
	Years since diagnosis	5-9	364	68	22.4	169	55.6	46	15.1	21	6.9
		10-14	1021	103	10.8	564	59.1	186	19.5	101	10.6
		15-19	972	48	5.1	489	52.2	200	21.4	199	21.3
		20+	713	15	2.2	323	46.6	178	25.7	177	25.5
	Age at diagnosis	<1	69	14	23.3	30	50.0	12	20.0	4	6.7
		1-4	1553	138	9.6	770	53.7	305	21.3	222	15.5
		5-9	772	43	5.8	409	55.5	149	20.2	136	18.5
		10-14	500	30	6.2	237	49.3	112	23.3	102	21.2
		15-20	176	9	5.2	99	56.9	32	18.4	34	19.5
	Treatment	Chemotherapy, no radiation	1350	114	8.9	737	57.6	235	18.4	193	15.1
		Radiation, no chemotherapy	1	.	.	.	.	1	100.0	.	.
		Chemotherapy and radiation	1467	100	7.3	687	50.3	327	23.9	252	18.4
		Unknown	252	20	8.3	121	50.2	47	19.5	53	22.0

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: AML

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**930**	**89**	**10.3**	**436**	**50.4**	**198**	**22.9**	**142**	**16.4**
	Age at baseline	<18	231	46	23.2	110	55.6	29	14.6	13	6.6
		18-19	89	8	10.0	51	63.8	11	13.8	10	12.5
		20-24	199	15	8.1	96	51.6	43	23.1	32	17.2
		25-29	201	13	6.7	91	46.7	51	26.2	40	20.5
		30-34	134	5	3.8	57	43.2	35	26.5	35	26.5
		35+	76	2	2.7	31	41.9	29	39.2	12	16.2
	Years since diagnosis	5-9	85	23	32.4	34	47.9	7	9.9	7	9.9
		10-14	320	40	13.8	160	55.2	55	19.0	35	12.1
		15-19	323	17	5.5	154	49.8	81	26.2	57	18.4
		20+	202	9	4.6	88	45.1	55	28.2	43	22.1
	Age at diagnosis	<1	93	16	19.8	50	61.7	9	11.1	6	7.4
		1-4	315	32	11.4	150	53.6	58	20.7	40	14.3
		5-9	172	21	12.6	85	50.9	35	21.0	26	15.6
		10-14	199	15	7.8	95	49.2	48	24.9	35	18.1
		15-20	151	5	3.5	56	38.9	48	33.3	35	24.3
	Treatment	Surgery only	3	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy, no radiation	558	44	8.4	271	51.8	116	22.2	92	17.6
		Chemotherapy and radiation	296	35	12.9	135	49.8	62	22.9	39	14.4
		Unknown	73	10	14.7	29	42.6	19	27.9	10	14.7
Males	**All cases**		**456**	**39**	**9.3**	**206**	**49.2**	**108**	**25.8**	**66**	**15.8**
	Age at baseline	<18	126	20	18.9	63	59.4	16	15.1	7	6.6
		18-19	45	4	10.0	26	65.0	4	10.0	6	15.0
		20-24	95	6	6.7	50	56.2	19	21.3	14	15.7
		25-29	90	6	6.8	34	38.6	31	35.2	17	19.3
		30-34	65	3	4.8	21	33.3	22	34.9	17	27.0
		35+	35	.	.	12	36.4	16	48.5	5	15.2
	Years since diagnosis	5-9	50	14	32.6	20	46.5	3	7.0	6	14.0
		10-14	160	17	12.1	75	53.2	30	21.3	19	13.5
		15-19	149	3	2.1	73	51.4	44	31.0	22	15.5
		20+	97	5	5.4	38	40.9	31	33.3	19	20.4
	Age at diagnosis	<1	40	8	23.5	23	67.6	1	2.9	2	5.9
		1-4	172	10	6.6	88	58.3	33	21.9	20	13.2
		5-9	79	12	15.6	36	46.8	19	24.7	10	13.0

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: AML

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		10-14	82	6	7.6	36	45.6	24	30.4	13	16.5
		15-20	83	3	3.8	23	29.5	31	39.7	21	26.9
	Treatment	Surgery only	1	.	.	1	100.0	.	.	.	.
		Chemotherapy, no radiation	269	18	7.2	120	48.0	63	25.2	49	19.6
		Chemotherapy and radiation	146	15	11.5	67	51.1	35	26.7	14	10.7
		Unknown	40	6	16.2	18	48.6	10	27.0	3	8.1
Females	**All cases**		**474**	**50**	**11.2**	**230**	**51.6**	**90**	**20.2**	**76**	**17.0**
	Age at baseline	<18	105	26	28.3	47	51.1	13	14.1	6	6.5
		18-19	44	4	10.0	25	62.5	7	17.5	4	10.0
		20-24	104	9	9.3	46	47.4	24	24.7	18	18.6
		25-29	111	7	6.5	57	53.3	20	18.7	23	21.5
		30-34	69	2	2.9	36	52.2	13	18.8	18	26.1
		35+	41	2	4.9	19	46.3	13	31.7	7	17.1
	Years since diagnosis	5-9	35	9	32.1	14	50.0	4	14.3	1	3.6
		10-14	160	23	15.4	85	57.0	25	16.8	16	10.7
		15-19	174	14	8.4	81	48.5	37	22.2	35	21.0
		20+	105	4	3.9	50	49.0	24	23.5	24	23.5
	Age at diagnosis	<1	53	8	17.0	27	57.4	8	17.0	4	8.5
		1-4	143	22	17.1	62	48.1	25	19.4	20	15.5
		5-9	93	9	10.0	49	54.4	16	17.8	16	17.8
		10-14	117	9	7.9	59	51.8	24	21.1	22	19.3
		15-20	68	2	3.0	33	50.0	17	25.8	14	21.2
	Treatment	Surgery only	2	.	.	.	.	1	50.0	1	50.0
		Chemotherapy, no radiation	289	26	9.5	151	55.3	53	19.4	43	15.8
		Chemotherapy and radiation	150	20	14.3	68	48.6	27	19.3	25	17.9
		Unknown	33	4	12.9	11	35.5	9	29.0	7	22.6

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All CNS

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**4498**	**354**	**8.4**	**1935**	**45.9**	**1148**	**27.2**	**781**	**18.5**
	Age at baseline	<18	953	171	21.2	404	50.0	141	17.5	92	11.4
		18-19	376	26	7.2	193	53.8	84	23.4	56	15.6
		20-24	1182	77	6.9	536	47.9	298	26.6	208	18.6
		25-29	1086	50	4.7	452	42.6	330	31.1	228	21.5
		30-34	625	21	3.5	261	43.4	193	32.1	127	21.1
		35+	276	9	3.3	89	33.0	102	37.8	70	25.9
	Years since diagnosis	5-9	464	92	24.3	184	48.5	67	17.7	36	9.5
		10-14	1540	145	10.1	758	52.7	356	24.8	179	12.4
		15-19	1416	79	5.8	601	44.1	392	28.8	291	21.3
		20+	1078	38	3.7	392	37.8	333	32.1	275	26.5
	Age at diagnosis	<1	219	42	21.0	93	46.5	26	13.0	39	19.5
		1-4	1323	138	11.5	572	47.7	286	23.8	204	17.0
		5-9	1407	92	7.0	583	44.3	368	28.0	272	20.7
		10-14	1069	58	5.6	476	46.0	313	30.2	188	18.2
		15-20	480	24	5.1	211	45.1	155	33.1	78	16.7
	Treatment	Surgery only	1275	74	6.0	621	50.6	337	27.5	195	15.9
		Chemotherapy, no radiation	355	33	10.1	154	47.1	84	25.7	56	17.1
		Radiation, no chemotherapy	1170	73	6.7	450	41.1	318	29.0	254	23.2
		Chemotherapy and radiation	1256	133	11.5	530	45.8	296	25.6	197	17.0
		Unknown	442	41	9.9	180	43.6	113	27.4	79	19.1
Males	**All cases**		**2455**	**182**	**7.9**	**1037**	**45.3**	**688**	**30.0**	**383**	**16.7**
	Age at baseline	<18	529	100	22.9	214	49.0	73	16.7	50	11.4
		18-19	191	16	8.6	104	55.6	46	24.6	21	11.2
		20-24	634	33	5.5	298	50.1	165	27.7	99	16.6
		25-29	619	22	3.7	256	42.7	204	34.0	118	19.7
		30-34	333	8	2.5	125	38.7	126	39.0	64	19.8
		35+	149	3	2.0	40	27.0	74	50.0	31	20.9
	Years since diagnosis	5-9	264	46	22.5	100	49.0	38	18.6	20	9.8
		10-14	832	81	10.3	409	52.2	201	25.7	92	11.7
		15-19	772	39	5.3	315	42.9	234	31.8	147	20.0
		20+	587	16	2.8	213	37.5	215	37.9	124	21.8
	Age at diagnosis	<1	128	26	23.0	58	51.3	9	8.0	20	17.7
		1-4	699	73	11.7	295	47.3	161	25.8	95	15.2

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All CNS

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	786	50	6.8	332	44.9	228	30.8	130	17.6
		10-14	571	25	4.5	247	44.8	182	33.0	97	17.6
		15-20	271	8	3.1	105	40.1	108	41.2	41	15.6
	Treatment	Surgery only	650	24	3.8	296	47.4	202	32.4	102	16.3
		Chemotherapy, no radiation	191	19	11.0	79	45.9	48	27.9	26	15.1
		Radiation, no chemotherapy	616	36	6.3	237	41.2	193	33.6	109	19.0
		Chemotherapy and radiation	744	76	11.2	319	47.0	176	25.9	108	15.9
		Unknown	254	27	11.3	106	44.2	69	28.8	38	15.8
Females	**All cases**		**2043**	**172**	**8.9**	**898**	**46.6**	**460**	**23.9**	**398**	**20.6**
	Age at baseline	<18	424	71	19.1	190	51.2	68	18.3	42	11.3
		18-19	185	10	5.8	89	51.7	38	22.1	35	20.3
		20-24	548	44	8.4	238	45.4	133	25.4	109	20.8
		25-29	467	28	6.1	196	42.6	126	27.4	110	23.9
		30-34	292	13	4.7	136	48.7	67	24.0	63	22.6
		35+	127	6	4.9	49	40.2	28	23.0	39	32.0
	Years since diagnosis	5-9	200	46	26.3	84	48.0	29	16.6	16	9.1
		10-14	708	64	9.8	349	53.3	155	23.7	87	13.3
		15-19	644	40	6.4	286	45.5	158	25.2	144	22.9
		20+	491	22	4.7	179	38.1	118	25.1	151	32.1
	Age at diagnosis	<1	91	16	18.4	35	40.2	17	19.5	19	21.8
		1-4	624	65	11.3	277	48.1	125	21.7	109	18.9
		5-9	621	42	7.3	251	43.7	140	24.3	142	24.7
		10-14	498	33	6.8	229	47.3	131	27.1	91	18.8
		15-20	209	16	7.8	106	51.5	47	22.8	37	18.0
	Treatment	Surgery only	625	50	8.3	325	53.9	135	22.4	93	15.4
		Chemotherapy, no radiation	164	14	9.0	75	48.4	36	23.2	30	19.4
		Radiation, no chemotherapy	554	37	7.1	213	41.0	125	24.0	145	27.9
		Chemotherapy and radiation	512	57	11.9	211	44.2	120	25.2	89	18.7
		Unknown	188	14	8.1	74	42.8	44	25.4	41	23.7

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Astrocytomas

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2694**	**199**	**7.8**	**1128**	**44.4**	**714**	**28.1**	**499**	**19.6**
	Age at baseline	<18	528	93	20.5	228	50.2	77	17.0	56	12.3
		18-19	215	10	4.8	107	51.7	53	25.6	37	17.9
		20-24	715	45	6.7	316	46.7	187	27.7	128	18.9
		25-29	665	30	4.6	263	40.5	210	32.3	147	22.6
		30-34	387	14	3.8	154	41.4	122	32.8	82	22.0
		35+	184	7	3.9	60	33.1	65	35.9	49	27.1
	Years since diagnosis	5-9	238	41	20.7	95	48.0	40	20.2	22	11.1
		10-14	906	82	9.7	443	52.2	214	25.2	109	12.9
		15-19	831	47	5.8	348	43.3	239	29.7	170	21.1
		20+	719	29	4.2	242	35.1	221	32.0	198	28.7
	Age at diagnosis	<1	151	28	20.6	57	41.9	22	16.2	29	21.3
		1-4	802	87	11.8	337	45.9	178	24.2	133	18.1
		5-9	794	40	5.3	325	43.4	214	28.6	170	22.7
		10-14	642	30	4.8	278	44.5	198	31.7	119	19.0
		15-20	305	14	4.7	131	44.4	102	34.6	48	16.3
	Treatment	Surgery only	1049	60	6.0	508	50.5	285	28.3	153	15.2
		Chemotherapy, no radiation	255	23	9.8	107	45.5	61	26.0	44	18.7
		Radiation, no chemotherapy	730	49	7.2	262	38.3	207	30.3	166	24.3
		Chemotherapy and radiation	374	38	11.0	138	39.8	94	27.1	77	22.2
		Unknown	286	29	10.8	113	42.2	67	25.0	59	22.0
Males	**All cases**		**1409**	**94**	**7.1**	**566**	**43.0**	**420**	**31.9**	**235**	**17.9**
	Age at baseline	<18	279	52	22.7	108	47.2	39	17.0	30	13.1
		18-19	109	6	5.6	57	53.3	29	27.1	15	14.0
		20-24	355	14	4.2	165	49.7	94	28.3	59	17.8
		25-29	372	13	3.6	150	41.6	126	34.9	72	19.9
		30-34	196	6	3.2	59	31.2	86	45.5	38	20.1
		35+	98	3	3.1	27	27.8	46	47.4	21	21.6
	Years since diagnosis	5-9	126	18	18.2	48	48.5	22	22.2	11	11.1
		10-14	479	40	8.9	233	52.0	119	26.6	56	12.5
		15-19	422	25	6.2	164	40.7	136	33.7	78	19.4
		20+	382	11	3.0	121	33.2	143	39.2	90	24.7
	Age at diagnosis	<1	86	17	23.3	33	45.2	8	11.0	15	20.5
		1-4	404	44	12.2	162	44.9	95	26.3	60	16.6

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Astrocytomas

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	422	17	4.2	167	41.6	133	33.2	84	20.9
		10-14	329	12	3.8	141	44.2	113	35.4	53	16.6
		15-20	168	4	2.5	63	39.1	71	44.1	23	14.3
	Treatment	Surgery only	525	19	3.8	234	46.6	168	33.5	81	16.1
		Chemotherapy, no radiation	142	15	11.9	56	44.4	36	28.6	19	15.1
		Radiation, no chemotherapy	371	21	6.1	132	38.3	126	36.5	66	19.1
		Chemotherapy and radiation	212	23	11.9	78	40.4	50	25.9	42	21.8
		Unknown	159	16	10.7	66	44.3	40	26.8	27	18.1
Females	**All cases**		**1285**	**105**	**8.6**	**562**	**45.9**	**294**	**24.0**	**264**	**21.6**
	Age at baseline	<18	249	41	18.2	120	53.3	38	16.9	26	11.6
		18-19	106	4	4.0	50	50.0	24	24.0	22	22.0
		20-24	360	31	9.0	151	43.9	93	27.0	69	20.1
		25-29	293	17	5.9	113	39.1	84	29.1	75	26.0
		30-34	191	8	4.4	95	51.9	36	19.7	44	24.0
		35+	86	4	4.8	33	39.3	19	22.6	28	33.3
	Years since diagnosis	5-9	112	23	23.2	47	47.5	18	18.2	11	11.1
		10-14	427	42	10.5	210	52.5	95	23.8	53	13.3
		15-19	409	22	5.5	184	45.9	103	25.7	92	22.9
		20+	337	18	5.5	121	37.2	78	24.0	108	33.2
	Age at diagnosis	<1	65	11	17.5	24	38.1	14	22.2	14	22.2
		1-4	398	43	11.5	175	46.8	83	22.2	73	19.5
		5-9	372	23	6.6	158	45.4	81	23.3	86	24.7
		10-14	313	18	5.9	137	44.8	85	27.8	66	21.6
		15-20	137	10	7.5	68	50.7	31	23.1	25	18.7
	Treatment	Surgery only	524	41	8.1	274	54.4	117	23.2	72	14.3
		Chemotherapy, no radiation	113	8	7.3	51	46.8	25	22.9	25	22.9
		Radiation, no chemotherapy	359	28	8.3	130	38.3	81	23.9	100	29.5
		Chemotherapy and radiation	162	15	9.7	60	39.0	44	28.6	35	22.7
		Unknown	127	13	10.9	47	39.5	27	22.7	32	26.9

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Medulloblastoma/PNET

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1040**	**93**	**9.6**	**456**	**47.3**	**258**	**26.8**	**157**	**16.3**
	Age at baseline	<18	246	45	22.0	97	47.3	41	20.0	22	10.7
		18-19	82	8	10.4	45	58.4	14	18.2	10	13.0
		20-24	292	21	7.6	131	47.3	76	27.4	49	17.7
		25-29	252	14	5.8	109	44.9	72	29.6	48	19.8
		30-34	131	5	3.9	59	46.5	41	32.3	22	17.3
		35+	37	.	.	15	42.9	14	40.0	6	17.1
	Years since diagnosis	5-9	124	34	34.3	45	45.5	15	15.2	5	5.1
		10-14	355	36	10.9	169	51.4	84	25.5	40	12.2
		15-19	344	20	6.1	146	44.8	90	27.6	70	21.5
		20+	217	3	1.4	96	45.7	69	32.9	42	20.0
	Age at diagnosis	<1	28	6	24.0	11	44.0	3	12.0	5	20.0
		1-4	298	28	10.4	134	49.8	66	24.5	41	15.2
		5-9	422	35	9.0	172	44.1	108	27.7	75	19.2
		10-14	230	19	8.7	110	50.5	60	27.5	29	13.3
		15-20	62	5	8.1	29	46.8	21	33.9	7	11.3
	Treatment	Surgery only	8	.	.	5	62.5	1	12.5	2	25.0
		Chemotherapy, no radiation	53	4	8.2	26	53.1	13	26.5	6	12.2
		Radiation, no chemotherapy	208	11	5.6	81	41.5	56	28.7	47	24.1
		Chemotherapy and radiation	694	70	10.9	318	49.5	164	25.5	90	14.0
		Unknown	77	8	11.4	26	37.1	24	34.3	12	17.1
Males	**All cases**		**631**	**54**	**9.2**	**281**	**47.9**	**165**	**28.1**	**87**	**14.8**
	Age at baseline	<18	147	28	22.8	61	49.6	23	18.7	11	8.9
		18-19	47	6	13.0	27	58.7	8	17.4	5	10.9
		20-24	185	13	7.5	85	48.9	49	28.2	27	15.5
		25-29	157	6	4.0	67	44.7	51	34.0	26	17.3
		30-34	73	1	1.4	35	48.6	22	30.6	14	19.4
		35+	22	.	.	6	27.3	12	54.5	4	18.2
	Years since diagnosis	5-9	76	19	32.8	31	53.4	8	13.8	.	.
		10-14	208	25	12.8	97	49.5	50	25.5	24	12.2
		15-19	217	8	3.9	91	44.4	63	30.7	43	21.0
		20+	130	2	1.6	62	48.4	44	34.4	20	15.6
	Age at diagnosis	<1	16	4	28.6	6	42.9	1	7.1	3	21.4
		1-4	180	17	10.4	82	50.0	43	26.2	22	13.4

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Medulloblastoma/PNET

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	266	22	8.9	120	48.8	68	27.6	36	14.6
		10-14	132	10	7.9	59	46.8	36	28.6	21	16.7
		15-20	37	1	2.7	14	37.8	17	45.9	5	13.5
	Treatment	Surgery only	5	.	.	3	60.0	1	20.0	1	20.0
		Chemotherapy, no radiation	27	2	7.7	15	57.7	6	23.1	3	11.5
		Radiation, no chemotherapy	116	5	4.6	45	41.3	35	32.1	24	22.0
		Chemotherapy and radiation	436	40	10.0	203	50.5	105	26.1	54	13.4
		Unknown	47	7	15.6	15	33.3	18	40.0	5	11.1
Females	**All cases**		**409**	**39**	**10.3**	**175**	**46.4**	**93**	**24.7**	**70**	**18.6**
	Age at baseline	<18	99	17	20.7	36	43.9	18	22.0	11	13.4
		18-19	35	2	6.5	18	58.1	6	19.4	5	16.1
		20-24	107	8	7.8	46	44.7	27	26.2	22	21.4
		25-29	95	8	8.6	42	45.2	21	22.6	22	23.7
		30-34	58	4	7.3	24	43.6	19	34.5	8	14.5
		35+	15	.	.	9	69.2	2	15.4	2	15.4
	Years since diagnosis	5-9	48	15	36.6	14	34.1	7	17.1	5	12.2
		10-14	147	11	8.3	72	54.1	34	25.6	16	12.0
		15-19	127	12	9.9	55	45.5	27	22.3	27	22.3
		20+	87	1	1.2	34	41.5	25	30.5	22	26.8
	Age at diagnosis	<1	12	2	18.2	5	45.5	2	18.2	2	18.2
		1-4	118	11	10.5	52	49.5	23	21.9	19	18.1
		5-9	156	13	9.0	52	36.1	40	27.8	39	27.1
		10-14	98	9	9.8	51	55.4	24	26.1	8	8.7
		15-20	25	4	16.0	15	60.0	4	16.0	2	8.0
	Treatment	Surgery only	3	.	.	2	66.7	.	.	1	33.3
		Chemotherapy, no radiation	26	2	8.7	11	47.8	7	30.4	3	13.0
		Radiation, no chemotherapy	92	6	7.0	36	41.9	21	24.4	23	26.7
		Chemotherapy and radiation	258	30	12.5	115	47.9	59	24.6	36	15.0
		Unknown	30	1	4.0	11	44.0	6	24.0	7	28.0

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Hodgkin

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3111**	**196**	**6.5**	**1511**	**49.8**	**817**	**26.9**	**509**	**16.8**
	Age at baseline	<18	61	16	31.4	25	49.0	4	7.8	6	11.8
		18-19	61	4	6.8	42	71.2	8	13.6	5	8.5
		20-24	375	40	11.1	198	55.2	88	24.5	33	9.2
		25-29	798	55	7.1	379	49.0	201	26.0	138	17.9
		30-34	951	45	4.8	463	49.3	265	28.2	167	17.8
		35+	865	36	4.2	404	47.5	251	29.5	160	18.8
	Years since diagnosis	5-9	242	39	17.6	121	54.8	35	15.8	26	11.8
		10-14	946	65	7.1	472	51.5	239	26.1	141	15.4
		15-19	1008	46	4.6	501	50.4	273	27.4	175	17.6
		20+	915	46	5.1	417	46.3	270	30.0	167	18.6
	Age at diagnosis	1-4	82	5	6.6	48	63.2	13	17.1	10	13.2
		5-9	421	45	10.9	205	49.9	110	26.8	51	12.4
		10-14	1120	67	6.1	554	50.8	294	27.0	175	16.1
		15-20	1488	79	5.4	704	48.4	400	27.5	273	18.8
	Treatment	Surgery only	2	.	.	1	50.0	.	.	1	50.0
		Chemotherapy, no radiation	364	17	4.7	156	43.6	107	29.9	78	21.8
		Radiation, no chemotherapy	652	33	5.1	330	51.5	184	28.7	94	14.7
		Chemotherapy and radiation	1765	118	6.9	852	49.7	452	26.4	293	17.1
		Unknown	328	28	8.8	172	54.3	74	23.3	43	13.6
Males	**All cases**		**1634**	**72**	**4.5**	**728**	**45.8**	**529**	**33.3**	**261**	**16.4**
	Age at baseline	<18	46	10	27.8	20	55.6	1	2.8	5	13.9
		18-19	48	1	2.1	35	72.9	7	14.6	5	10.4
		20-24	239	15	6.7	125	55.8	64	28.6	20	8.9
		25-29	445	21	4.9	195	45.2	147	34.1	68	15.8
		30-34	482	15	3.1	200	41.7	173	36.0	92	19.2
		35+	374	10	2.7	153	41.2	137	36.9	71	19.1
	Years since diagnosis	5-9	138	19	15.7	68	56.2	21	17.4	13	10.7
		10-14	491	17	3.6	231	48.3	160	33.5	70	14.6
		15-19	537	18	3.4	238	45.1	181	34.3	91	17.2
		20+	468	18	3.9	191	41.3	167	36.1	87	18.8
	Age at diagnosis	1-4	62	3	5.4	38	67.9	8	14.3	7	12.5
		5-9	305	25	8.4	147	49.5	85	28.6	40	13.5
		10-14	581	20	3.6	263	46.9	192	34.2	86	15.3

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Hodgkin

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		15-20	686	24	3.6	280	41.4	244	36.1	128	18.9
	Treatment	Surgery only	2	.	.	1	50.0	.	.	1	50.0
		Chemotherapy, no radiation	187	4	2.2	70	38.0	69	37.5	41	22.3
		Radiation, no chemotherapy	336	9	2.7	158	47.7	118	35.6	46	13.9
		Chemotherapy and radiation	915	48	5.4	396	44.7	296	33.4	146	16.5
		Unknown	194	11	5.9	103	55.1	46	24.6	27	14.4
Females	**All cases**		**1477**	**124**	**8.6**	**783**	**54.3**	**288**	**20.0**	**248**	**17.2**
	Age at baseline	<18	15	6	40.0	5	33.3	3	20.0	1	6.7
		18-19	13	3	27.3	7	63.6	1	9.1	.	.
		20-24	136	25	18.5	73	54.1	24	17.8	13	9.6
		25-29	353	34	9.9	184	53.8	54	15.8	70	20.5
		30-34	469	30	6.5	263	57.2	92	20.0	75	16.3
		35+	491	26	5.4	251	52.3	114	23.8	89	18.5
	Years since diagnosis	5-9	104	20	20.0	53	53.0	14	14.0	13	13.0
		10-14	455	48	10.9	241	54.9	79	18.0	71	16.2
		15-19	471	28	6.0	263	56.3	92	19.7	84	18.0
		20+	447	28	6.4	226	51.7	103	23.6	80	18.3
	Age at diagnosis	1-4	20	2	10.0	10	50.0	5	25.0	3	15.0
		5-9	116	20	17.5	58	50.9	25	21.9	11	9.6
		10-14	539	47	8.9	291	55.0	102	19.3	89	16.8
		15-20	802	55	7.1	424	54.4	156	20.0	145	18.6
	Treatment	Chemotherapy, no radiation	177	13	7.5	86	49.4	38	21.8	37	21.3
		Radiation, no chemotherapy	316	24	7.7	172	55.5	66	21.3	48	15.5
		Chemotherapy and radiation	850	70	8.4	456	55.0	156	18.8	147	17.7
		Unknown	134	17	13.1	69	53.1	28	21.5	16	12.3

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: NHL

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2117**	**115**	**5.7**	**992**	**48.8**	**600**	**29.5**	**326**	**16.0**
	Age at baseline	<18	212	35	19.2	111	61.0	27	14.8	9	4.9
		18-19	132	12	9.9	79	65.3	22	18.2	8	6.6
		20-24	469	26	5.8	243	54.5	116	26.0	61	13.7
		25-29	572	23	4.1	255	45.3	176	31.3	109	19.4
		30-34	483	14	3.0	201	42.5	165	34.9	93	19.7
		35+	249	5	2.0	103	41.5	94	37.9	46	18.5
	Years since diagnosis	5-9	144	19	15.2	77	61.6	18	14.4	11	8.8
		10-14	671	40	6.3	339	53.4	171	26.9	85	13.4
		15-19	730	36	5.0	334	46.8	237	33.2	106	14.9
		20+	572	20	3.6	242	43.2	174	31.1	124	22.1
	Age at diagnosis	<1	15	4	28.6	6	42.9	4	28.6	.	.
		1-4	347	36	11.1	182	56.0	64	19.7	43	13.2
		5-9	649	41	6.7	317	52.1	163	26.8	88	14.4
		10-14	672	21	3.2	302	45.8	216	32.8	120	18.2
		15-20	434	13	3.1	185	43.4	153	35.9	75	17.6
	Treatment	Surgery only	16	.	.	11	68.8	4	25.0	1	6.3
		Chemotherapy, no radiation	1077	44	4.2	505	48.7	292	28.1	197	19.0
		Radiation, no chemotherapy	38	.	.	20	54.1	15	40.5	2	5.4
		Chemotherapy and radiation	767	58	8.0	366	50.3	215	29.5	89	12.2
		Unknown	219	13	6.1	90	42.1	74	34.6	37	17.3
Males	**All cases**		**1437**	**74**	**5.3**	**629**	**45.4**	**449**	**32.4**	**232**	**16.8**
	Age at baseline	<18	146	27	21.3	75	59.1	17	13.4	8	6.3
		18-19	97	7	7.9	59	66.3	16	18.0	7	7.9
		20-24	304	18	6.2	152	52.4	80	27.6	40	13.8
		25-29	407	14	3.5	159	39.7	146	36.4	82	20.4
		30-34	319	6	1.9	124	39.6	120	38.3	63	20.1
		35+	164	2	1.2	60	36.6	70	42.7	32	19.5
	Years since diagnosis	5-9	109	14	14.6	60	62.5	13	13.5	9	9.4
		10-14	456	27	6.3	214	49.5	128	29.6	63	14.6
		15-19	480	22	4.7	199	42.2	182	38.6	69	14.6
		20+	392	11	2.9	156	40.6	126	32.8	91	23.7
	Age at diagnosis	<1	5	2	40.0	2	40.0	1	20.0	.	.
		1-4	235	25	11.4	119	54.1	45	20.5	31	14.1

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: NHL

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	451	27	6.4	216	50.9	114	26.9	67	15.8
		10-14	462	16	3.5	182	40.0	175	38.5	82	18.0
		15-20	284	4	1.4	110	39.3	114	40.7	52	18.6
	Treatment	Surgery only	13	.	.	9	69.2	4	30.8	.	.
		Chemotherapy, no radiation	728	29	4.1	313	44.4	220	31.2	143	20.3
		Radiation, no chemotherapy	28	.	.	12	44.4	14	51.9	1	3.7
		Chemotherapy and radiation	511	36	7.4	236	48.6	151	31.1	63	13.0
		Unknown	157	9	5.9	59	38.6	60	39.2	25	16.3
Females	**All cases**		**680**	**41**	**6.3**	**363**	**55.9**	**151**	**23.3**	**94**	**14.5**
	Age at baseline	<18	66	8	14.5	36	65.5	10	18.2	1	1.8
		18-19	35	5	15.6	20	62.5	6	18.8	1	3.1
		20-24	165	8	5.1	91	58.3	36	23.1	21	13.5
		25-29	165	9	5.6	96	59.3	30	18.5	27	16.7
		30-34	164	8	5.0	77	48.1	45	28.1	30	18.8
		35+	85	3	3.6	43	51.2	24	28.6	14	16.7
	Years since diagnosis	5-9	35	5	17.2	17	58.6	5	17.2	2	6.9
		10-14	215	13	6.4	125	61.6	43	21.2	22	10.8
		15-19	250	14	5.8	135	56.0	55	22.8	37	15.4
		20+	180	9	5.1	86	48.9	48	27.3	33	18.8
	Age at diagnosis	<1	10	2	22.2	4	44.4	3	33.3	.	.
		1-4	112	11	10.5	63	60.0	19	18.1	12	11.4
		5-9	198	14	7.6	101	54.6	49	26.5	21	11.4
		10-14	210	5	2.5	120	58.8	41	20.1	38	18.6
		15-20	150	9	6.2	75	51.4	39	26.7	23	15.8
	Treatment	Surgery only	3	.	.	2	66.7	.	.	1	33.3
		Chemotherapy, no radiation	349	15	4.5	192	57.7	72	21.6	54	16.2
		Radiation, no chemotherapy	10	.	.	8	80.0	1	10.0	1	10.0
		Chemotherapy and radiation	256	22	9.1	130	53.7	64	26.4	26	10.7
		Unknown	62	4	6.6	31	50.8	14	23.0	12	19.7

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Wilms

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2277**	**357**	**16.5**	**1232**	**57.0**	**349**	**16.1**	**223**	**10.3**
	Age at baseline	<18	832	219	29.0	406	53.7	85	11.2	46	6.1
		18-19	305	38	13.1	187	64.3	42	14.4	24	8.2
		20-24	670	69	10.6	400	61.3	111	17.0	73	11.2
		25-29	374	22	6.0	201	54.9	81	22.1	62	16.9
		30-34	77	7	9.2	32	42.1	22	28.9	15	19.7
		35+	19	2	10.5	6	31.6	8	42.1	3	15.8
	Years since diagnosis	5-9	176	63	42.0	71	47.3	8	5.3	8	5.3
		10-14	739	168	24.5	380	55.4	91	13.3	47	6.9
		15-19	759	85	11.6	455	61.9	122	16.6	73	9.9
		20+	603	41	6.9	326	55.3	128	21.7	95	16.1
	Age at diagnosis	<1	331	61	20.1	167	54.9	53	17.4	23	7.6
		1-4	1396	229	17.3	769	58.0	197	14.9	131	9.9
		5-9	468	58	12.9	260	57.9	73	16.3	58	12.9
		10-14	59	8	13.6	23	39.0	18	30.5	10	16.9
		15-20	23	1	4.3	13	56.5	8	34.8	1	4.3
	Treatment	Surgery only	35	7	23.3	15	50.0	4	13.3	4	13.3
		Chemotherapy, no radiation	873	121	14.6	457	55.2	146	17.6	104	12.6
		Radiation, no chemotherapy	4	.	.	3	75.0	.	.	1	25.0
		Chemotherapy and radiation	1155	200	18.3	626	57.2	171	15.6	97	8.9
		Unknown	210	29	14.1	131	63.9	28	13.7	17	8.3
Males	**All cases**		**1019**	**137**	**14.3**	**542**	**56.5**	**187**	**19.5**	**93**	**9.7**
	Age at baseline	<18	403	94	26.3	201	56.1	44	12.3	19	5.3
		18-19	126	11	9.2	74	62.2	23	19.3	11	9.2
		20-24	285	23	8.2	166	59.5	57	20.4	33	11.8
		25-29	165	8	4.9	85	52.1	48	29.4	22	13.5
		30-34	32	1	3.1	13	40.6	12	37.5	6	18.8
		35+	8	.	.	3	37.5	3	37.5	2	25.0
	Years since diagnosis	5-9	79	25	38.5	31	47.7	4	6.2	5	7.7
		10-14	333	67	22.4	170	56.9	47	15.7	15	5.0
		15-19	334	32	9.8	197	60.6	59	18.2	37	11.4
		20+	273	13	4.8	144	53.3	77	28.5	36	13.3
	Age at diagnosis	<1	169	22	14.3	92	59.7	29	18.8	11	7.1
		1-4	628	94	15.9	342	57.7	103	17.4	54	9.1

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Wilms

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	192	18	9.9	96	52.7	45	24.7	23	12.6
		10-14	21	3	14.3	6	28.6	8	38.1	4	19.0
		15-20	9	.	.	6	66.7	2	22.2	1	11.1
	Treatment	Surgery only	19	2	13.3	9	60.0	2	13.3	2	13.3
		Chemotherapy, no radiation	396	43	11.5	206	55.1	80	21.4	45	12.0
		Chemotherapy and radiation	499	81	17.3	257	54.9	91	19.4	39	8.3
		Unknown	105	11	10.8	70	68.6	14	13.7	7	6.9
Females	**All cases**		**1258**	**220**	**18.3**	**690**	**57.4**	**162**	**13.5**	**130**	**10.8**
	Age at baseline	<18	429	125	31.4	205	51.5	41	10.3	27	6.8
		18-19	179	27	15.7	113	65.7	19	11.0	13	7.6
		20-24	385	46	12.3	234	62.6	54	14.4	40	10.7
		25-29	209	14	6.9	116	57.1	33	16.3	40	19.7
		30-34	45	6	13.6	19	43.2	10	22.7	9	20.5
		35+	11	2	18.2	3	27.3	5	45.5	1	9.1
	Years since diagnosis	5-9	97	38	44.7	40	47.1	4	4.7	3	3.5
		10-14	406	101	26.1	210	54.3	44	11.4	32	8.3
		15-19	425	53	12.9	258	62.9	63	15.4	36	8.8
		20+	330	28	8.8	182	56.9	51	15.9	59	18.4
	Age at diagnosis	<1	162	39	26.0	75	50.0	24	16.0	12	8.0
		1-4	768	135	18.4	427	58.3	94	12.8	77	10.5
		5-9	276	40	15.0	164	61.4	28	10.5	35	13.1
		10-14	38	5	13.2	17	44.7	10	26.3	6	15.8
		15-20	14	1	7.1	7	50.0	6	42.9	.	.
	Treatment	Surgery only	16	5	33.3	6	40.0	2	13.3	2	13.3
		Chemotherapy, no radiation	477	78	17.2	251	55.3	66	14.5	59	13.0
		Radiation, no chemotherapy	4	.	.	3	75.0	.	.	1	25.0
		Chemotherapy and radiation	656	119	19.0	369	58.9	80	12.8	58	9.3
		Unknown	105	18	17.5	61	59.2	14	13.6	10	9.7

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Neuroblastoma

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1954**	**395**	**21.7**	**1000**	**54.9**	**275**	**15.1**	**150**	**8.2**
	Age at baseline	<18	957	293	34.4	438	51.5	89	10.5	31	3.6
		18-19	237	30	13.4	141	62.9	37	16.5	16	7.1
		20-24	544	56	10.5	305	57.0	107	20.0	67	12.5
		25-29	172	15	9.0	88	52.7	38	22.8	26	15.6
		30-34	36	1	2.8	25	69.4	3	8.3	7	19.4
		35+	8	.	.	3	42.9	1	14.3	3	42.9
	Years since diagnosis	5-9	160	66	54.5	42	34.7	11	9.1	2	1.7
		10-14	610	208	37.2	276	49.4	56	10.0	19	3.4
		15-19	639	76	12.6	387	64.1	94	15.6	47	7.8
		20+	545	45	8.4	295	55.0	114	21.3	82	15.3
	Age at diagnosis	<1	993	204	21.9	526	56.4	134	14.4	69	7.4
		1-4	764	165	23.4	367	52.1	112	15.9	61	8.7
		5-9	148	18	13.2	83	61.0	22	16.2	13	9.6
		10-14	30	5	18.5	16	59.3	4	14.8	2	7.4
		15-20	19	3	15.8	8	42.1	3	15.8	5	26.3
	Treatment	Surgery only	548	105	20.5	276	54.0	81	15.9	49	9.6
		Chemotherapy, no radiation	562	101	19.2	296	56.2	79	15.0	51	9.7
		Radiation, no chemotherapy	138	20	15.2	86	65.2	19	14.4	7	5.3
		Chemotherapy and radiation	532	137	28.2	257	52.9	63	13.0	29	6.0
		Unknown	174	32	19.5	85	51.8	33	20.1	14	8.5
Males	**All cases**		**953**	**192**	**21.6**	**480**	**53.9**	**159**	**17.9**	**59**	**6.6**
	Age at baseline	<18	479	147	34.4	216	50.6	47	11.0	17	4.0
		18-19	104	15	14.9	64	63.4	17	16.8	5	5.0
		20-24	275	27	10.0	144	53.1	73	26.9	27	10.0
		25-29	78	3	4.0	42	56.0	20	26.7	10	13.3
		30-34	14	.	.	13	92.9	1	7.1	.	.
		35+	3	.	.	1	50.0	1	50.0	.	.
	Years since diagnosis	5-9	75	35	60.3	17	29.3	5	8.6	1	1.7
		10-14	304	111	39.5	129	45.9	32	11.4	9	3.2
		15-19	308	32	11.1	190	65.7	47	16.3	20	6.9
		20+	266	14	5.3	144	55.0	75	28.6	29	11.1
	Age at diagnosis	<1	516	101	20.9	269	55.6	88	18.2	26	5.4
		1-4	344	73	22.8	164	51.3	56	17.5	27	8.4

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Neuroblastoma

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	74	13	19.1	38	55.9	11	16.2	6	8.8
		10-14	13	3	25.0	7	58.3	2	16.7	.	.
		15-20	6	2	33.3	2	33.3	2	33.3	.	.
	Treatment	Surgery only	263	50	20.7	126	52.1	45	18.6	21	8.7
		Chemotherapy, no radiation	279	48	18.3	144	54.8	52	19.8	19	7.2
		Radiation, no chemotherapy	62	11	17.7	39	62.9	9	14.5	3	4.8
		Chemotherapy and radiation	259	67	28.0	125	52.3	37	15.5	10	4.2
		Unknown	90	16	19.0	46	54.8	16	19.0	6	7.1
Females	**All cases**		**1001**	**203**	**21.8**	**520**	**55.9**	**116**	**12.5**	**91**	**9.8**
	Age at baseline	<18	478	146	34.4	222	52.4	42	9.9	14	3.3
		18-19	133	15	12.2	77	62.6	20	16.3	11	8.9
		20-24	269	29	11.0	161	61.0	34	12.9	40	15.2
		25-29	94	12	13.0	46	50.0	18	19.6	16	17.4
		30-34	22	1	4.5	12	54.5	2	9.1	7	31.8
		35+	5	.	.	2	40.0	.	.	3	60.0
	Years since diagnosis	5-9	85	31	49.2	25	39.7	6	9.5	1	1.6
		10-14	306	97	34.9	147	52.9	24	8.6	10	3.6
		15-19	331	44	14.0	197	62.5	47	14.9	27	8.6
		20+	279	31	11.3	151	55.1	39	14.2	53	19.3
	Age at diagnosis	<1	477	103	22.9	257	57.2	46	10.2	43	9.6
		1-4	420	92	23.9	203	52.7	56	14.5	34	8.8
		5-9	74	5	7.4	45	66.2	11	16.2	7	10.3
		10-14	17	2	13.3	9	60.0	2	13.3	2	13.3
		15-20	13	1	7.7	6	46.2	1	7.7	5	38.5
	Treatment	Surgery only	285	55	20.4	150	55.8	36	13.4	28	10.4
		Chemotherapy, no radiation	283	53	20.1	152	57.6	27	10.2	32	12.1
		Radiation, no chemotherapy	76	9	12.9	47	67.1	10	14.3	4	5.7
		Chemotherapy and radiation	273	70	28.3	132	53.4	26	10.5	19	7.7
		Unknown	84	16	20.0	39	48.8	17	21.3	8	10.0

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: STS

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1760**	**215**	**12.8**	**966**	**57.4**	**338**	**20.1**	**165**	**9.8**
	Age at baseline	<18	341	99	32.8	173	57.3	17	5.6	13	4.3
		18-19	125	21	17.5	70	58.3	17	14.2	12	10.0
		20-24	425	52	12.7	249	60.6	83	20.2	27	6.6
		25-29	393	26	6.8	231	60.5	91	23.8	34	8.9
		30-34	299	13	4.4	154	52.4	73	24.8	54	18.4
		35+	177	4	2.3	89	50.9	57	32.6	25	14.3
	Years since diagnosis	5-9	182	47	29.2	90	55.9	21	13.0	3	1.9
		10-14	521	88	17.9	285	58.0	84	17.1	34	6.9
		15-19	541	46	8.8	326	62.2	101	19.3	51	9.7
		20+	516	34	6.7	265	52.2	132	26.0	77	15.2
	Age at diagnosis	<1	124	20	18.0	64	57.7	17	15.3	10	9.0
		1-4	562	105	19.6	311	58.1	79	14.8	40	7.5
		5-9	397	46	12.3	219	58.4	69	18.4	41	10.9
		10-14	348	29	8.5	184	54.1	86	25.3	41	12.1
		15-20	329	15	4.6	188	58.2	87	26.9	33	10.2
	Treatment	Surgery only	171	10	6.0	99	59.6	41	24.7	16	9.6
		Chemotherapy, no radiation	361	34	9.8	190	54.8	85	24.5	38	11.0
		Radiation, no chemotherapy	63	3	4.8	32	51.6	20	32.3	7	11.3
		Chemotherapy and radiation	974	147	15.9	544	58.9	152	16.5	81	8.8
		Unknown	191	21	11.4	101	54.6	40	21.6	23	12.4
Males	**All cases**		**951**	**117**	**13.0**	**486**	**53.9**	**216**	**23.9**	**83**	**9.2**
	Age at baseline	<18	192	66	39.3	88	52.4	10	6.0	4	2.4
		18-19	66	10	16.1	33	53.2	11	17.7	8	12.9
		20-24	242	27	11.7	135	58.4	53	22.9	16	6.9
		25-29	208	10	5.0	114	56.7	61	30.3	16	8.0
		30-34	159	3	1.9	79	50.3	46	29.3	29	18.5
		35+	84	1	1.2	37	44.6	35	42.2	10	12.0
	Years since diagnosis	5-9	100	32	36.8	44	50.6	10	11.5	1	1.1
		10-14	288	51	19.0	145	54.1	57	21.3	15	5.6
		15-19	282	18	6.6	163	59.9	64	23.5	27	9.9
		20+	281	16	5.8	134	48.7	85	30.9	40	14.5
	Age at diagnosis	<1	52	10	20.8	25	52.1	10	20.8	3	6.3
		1-4	331	67	21.7	168	54.4	51	16.5	23	7.4

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: STS

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	225	24	11.5	117	56.3	44	21.2	23	11.1
		10-14	186	11	6.0	91	49.7	62	33.9	19	10.4
		15-20	157	5	3.2	85	55.2	49	31.8	15	9.7
	Treatment	Surgery only	74	5	6.8	33	45.2	25	34.2	10	13.7
		Chemotherapy, no radiation	212	17	8.3	108	52.7	60	29.3	20	9.8
		Radiation, no chemotherapy	32	2	6.5	14	45.2	12	38.7	3	9.7
		Chemotherapy and radiation	524	84	17.2	273	56.1	90	18.5	40	8.2
		Unknown	109	9	8.5	58	54.7	29	27.4	10	9.4
Females	**All cases**		**809**	**98**	**12.5**	**480**	**61.4**	**122**	**15.6**	**82**	**10.5**
	Age at baseline	<18	149	33	24.6	85	63.4	7	5.2	9	6.7
		18-19	59	11	19.0	37	63.8	6	10.3	4	6.9
		20-24	183	25	13.9	114	63.3	30	16.7	11	6.1
		25-29	185	16	8.8	117	64.6	30	16.6	18	9.9
		30-34	140	10	7.3	75	54.7	27	19.7	25	18.2
		35+	93	3	3.3	52	56.5	22	23.9	15	16.3
	Years since diagnosis	5-9	82	15	20.3	46	62.2	11	14.9	2	2.7
		10-14	233	37	16.6	140	62.8	27	12.1	19	8.5
		15-19	259	28	11.1	163	64.7	37	14.7	24	9.5
		20+	235	18	7.7	131	56.2	47	20.2	37	15.9
	Age at diagnosis	<1	72	10	15.9	39	61.9	7	11.1	7	11.1
		1-4	231	38	16.8	143	63.3	28	12.4	17	7.5
		5-9	172	22	13.2	102	61.1	25	15.0	18	10.8
		10-14	162	18	11.5	93	59.2	24	15.3	22	14.0
		15-20	172	10	5.9	103	60.9	38	22.5	18	10.7
	Treatment	Surgery only	97	5	5.4	66	71.0	16	17.2	6	6.5
		Chemotherapy, no radiation	149	17	12.0	82	57.7	25	17.6	18	12.7
		Radiation, no chemotherapy	31	1	3.2	18	58.1	8	25.8	4	12.9
		Chemotherapy and radiation	450	63	14.4	271	62.0	62	14.2	41	9.4
		Unknown	82	12	15.2	43	54.4	11	13.9	13	16.5

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All bone

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2100**	**225**	**11.1**	**1060**	**52.4**	**497**	**24.6**	**242**	**12.0**
	Age at baseline	<18	96	35	43.8	34	42.5	8	10.0	3	3.8
		18-19	72	14	20.6	46	67.6	6	8.8	2	2.9
		20-24	389	61	16.4	225	60.5	53	14.2	33	8.9
		25-29	568	49	8.9	292	53.0	137	24.9	73	13.2
		30-34	567	42	7.6	279	50.3	159	28.6	75	13.5
		35+	408	24	6.0	184	46.2	134	33.7	56	14.1
	Years since diagnosis	5-9	243	58	26.7	128	59.0	19	8.8	12	5.5
		10-14	681	75	11.4	349	53.2	153	23.3	79	12.0
		15-19	677	57	8.5	352	52.8	178	26.7	80	12.0
		20+	499	35	7.2	231	47.7	147	30.4	71	14.7
	Age at diagnosis	<1	9	2	22.2	6	66.7	1	11.1	.	.
		1-4	88	17	21.5	52	65.8	8	10.1	2	2.5
		5-9	369	47	13.3	194	54.8	72	20.3	41	11.6
		10-14	842	93	11.4	416	50.9	205	25.1	103	12.6
		15-20	792	66	8.6	392	51.2	211	27.6	96	12.5
	Treatment	Surgery only	119	9	7.6	60	50.8	32	27.1	17	14.4
		Chemotherapy, no radiation	1191	121	10.5	577	50.2	299	26.0	152	13.2
		Radiation, no chemotherapy	17	1	5.9	12	70.6	3	17.6	1	5.9
		Chemotherapy and radiation	582	69	12.5	306	55.2	123	22.2	56	10.1
		Unknown	191	25	13.4	105	56.5	40	21.5	16	8.6
Males	**All cases**		**1086**	**84**	**8.1**	**516**	**49.5**	**310**	**29.8**	**132**	**12.7**
	Age at baseline	<18	48	17	45.9	15	40.5	2	5.4	3	8.1
		18-19	36	4	12.1	24	72.7	3	9.1	2	6.1
		20-24	194	24	13.0	115	62.5	30	16.3	15	8.2
		25-29	299	19	6.6	151	52.6	82	28.6	35	12.2
		30-34	284	12	4.3	118	42.1	110	39.3	40	14.3
		35+	225	8	3.6	93	42.1	83	37.6	37	16.7
	Years since diagnosis	5-9	133	24	21.1	68	59.6	13	11.4	9	7.9
		10-14	349	29	8.7	175	52.2	95	28.4	36	10.7
		15-19	349	19	5.5	167	48.5	112	32.6	46	13.4
		20+	255	12	4.8	106	42.6	90	36.1	41	16.5
	Age at diagnosis	<1	4	1	25.0	3	75.0	.	.	.	.
		1-4	47	8	18.6	28	65.1	5	11.6	2	4.7

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: All bone

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	189	17	9.5	102	57.0	42	23.5	18	10.1
		10-14	403	32	8.2	185	47.7	118	30.4	53	13.7
		15-20	443	26	6.1	198	46.3	145	33.9	59	13.8
	Treatment	Surgery only	48	2	4.2	25	52.1	13	27.1	8	16.7
		Chemotherapy, no radiation	612	42	7.2	282	48.1	185	31.6	77	13.1
		Radiation, no chemotherapy	9	.	.	6	66.7	2	22.2	1	11.1
		Chemotherapy and radiation	297	32	11.3	140	49.5	78	27.6	33	11.7
		Unknown	120	8	6.9	63	54.3	32	27.6	13	11.2
Females	**All cases**		**1014**	**141**	**14.4**	**544**	**55.4**	**187**	**19.0**	**110**	**11.2**
	Age at baseline	<18	48	18	41.9	19	44.2	6	14.0	.	.
		18-19	36	10	28.6	22	62.9	3	8.6	.	.
		20-24	195	37	19.7	110	58.5	23	12.2	18	9.6
		25-29	269	30	11.4	141	53.4	55	20.8	38	14.4
		30-34	283	30	10.9	161	58.5	49	17.8	35	12.7
		35+	183	16	9.0	91	51.4	51	28.8	19	10.7
	Years since diagnosis	5-9	110	34	33.0	60	58.3	6	5.8	3	2.9
		10-14	332	46	14.3	174	54.2	58	18.1	43	13.4
		15-19	328	38	11.8	185	57.3	66	20.4	34	10.5
		20+	244	23	9.8	125	53.2	57	24.3	30	12.8
	Age at diagnosis	<1	5	1	20.0	3	60.0	1	20.0	.	.
		1-4	41	9	25.0	24	66.7	3	8.3	.	.
		5-9	180	30	17.1	92	52.6	30	17.1	23	13.1
		10-14	439	61	14.2	231	53.8	87	20.3	50	11.7
		15-20	349	40	11.9	194	57.6	66	19.6	37	11.0
	Treatment	Surgery only	71	7	10.0	35	50.0	19	27.1	9	12.9
		Chemotherapy, no radiation	579	79	14.0	295	52.4	114	20.2	75	13.3
		Radiation, no chemotherapy	8	1	12.5	6	75.0	1	12.5	.	.
		Chemotherapy and radiation	285	37	13.7	166	61.3	45	16.6	23	8.5
		Unknown	71	17	24.3	42	60.0	8	11.4	3	4.3

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Ewings

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**738**	**86**	**12.1**	**363**	**51.3**	**172**	**24.3**	**87**	**12.3**
	Age at baseline	<18	61	23	46.0	19	38.0	7	14.0	1	2.0
		18-19	36	8	22.2	22	61.1	4	11.1	2	5.6
		20-24	170	23	14.1	97	59.5	30	18.4	13	8.0
		25-29	204	19	9.6	112	56.6	36	18.2	31	15.7
		30-34	164	7	4.3	74	45.7	56	34.6	25	15.4
		35+	103	6	6.1	39	39.4	39	39.4	15	15.2
	Years since diagnosis	5-9	104	26	28.9	49	54.4	11	12.2	4	4.4
		10-14	247	29	12.1	127	53.1	56	23.4	27	11.3
		15-19	223	23	10.4	106	48.0	59	26.7	33	14.9
		20+	164	8	5.1	81	51.3	46	29.1	23	14.6
	Age at diagnosis	<1	5	2	40.0	2	40.0	1	20.0	.	.
		1-4	54	12	24.5	31	63.3	5	10.2	1	2.0
		5-9	183	25	14.2	102	58.0	29	16.5	20	11.4
		10-14	278	30	11.2	129	48.0	71	26.4	39	14.5
		15-20	218	17	8.1	99	47.4	66	31.6	27	12.9
	Treatment	Surgery only	1	.	.	1	100.0	.	.	.	.
		Chemotherapy, no radiation	210	19	9.4	93	45.8	60	29.6	31	15.3
		Radiation, no chemotherapy	2	1	50.0	1	50.0	.	.	.	.
		Chemotherapy and radiation	463	56	12.7	238	54.0	99	22.4	48	10.9
		Unknown	62	10	16.4	30	49.2	13	21.3	8	13.1
Males	**All cases**		**386**	**38**	**10.3**	**169**	**45.7**	**110**	**29.7**	**53**	**14.3**
	Age at baseline	<18	27	9	47.4	8	42.1	1	5.3	1	5.3
		18-19	20	3	15.0	13	65.0	2	10.0	2	10.0
		20-24	88	10	11.9	48	57.1	19	22.6	7	8.3
		25-29	105	10	9.8	53	52.0	22	21.6	17	16.7
		30-34	90	4	4.4	27	30.0	43	47.8	16	17.8
		35+	56	2	3.6	20	36.4	23	41.8	10	18.2
	Years since diagnosis	5-9	56	8	17.0	27	57.4	8	17.0	4	8.5
		10-14	121	14	11.9	53	44.9	36	30.5	15	12.7
		15-19	123	13	10.7	53	43.8	37	30.6	18	14.9
		20+	86	3	3.6	36	42.9	29	34.5	16	19.0
	Age at diagnosis	<1	2	1	50.0	1	50.0	.	.	.	.
		1-4	29	6	24.0	16	64.0	2	8.0	1	4.0

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Ewings

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		5-9	91	10	11.5	50	57.5	16	18.4	11	12.6
		10-14	147	13	9.2	61	43.0	44	31.0	24	16.9
		15-20	117	8	7.0	41	36.0	48	42.1	17	14.9
	Treatment	Chemotherapy, no radiation	111	9	8.5	47	44.3	35	33.0	15	14.2
		Radiation, no chemotherapy	1	.	.	1	100.0	.	.	.	.
		Chemotherapy and radiation	237	26	11.5	104	46.0	66	29.2	30	13.3
		Unknown	37	3	8.1	17	45.9	9	24.3	8	21.6
Females	**All cases**		**352**	**48**	**14.2**	**194**	**57.4**	**62**	**18.3**	**34**	**10.1**
	Age at baseline	<18	34	14	45.2	11	35.5	6	19.4	.	.
		18-19	16	5	31.3	9	56.3	2	12.5	.	.
		20-24	82	13	16.5	49	62.0	11	13.9	6	7.6
		25-29	99	9	9.4	59	61.5	14	14.6	14	14.6
		30-34	74	3	4.2	47	65.3	13	18.1	9	12.5
		35+	47	4	9.1	19	43.2	16	36.4	5	11.4
	Years since diagnosis	5-9	48	18	41.9	22	51.2	3	7.0	.	.
		10-14	126	15	12.4	74	61.2	20	16.5	12	9.9
		15-19	100	10	10.0	53	53.0	22	22.0	15	15.0
		20+	78	5	6.8	45	60.8	17	23.0	7	9.5
	Age at diagnosis	<1	3	1	33.3	1	33.3	1	33.3	.	.
		1-4	25	6	25.0	15	62.5	3	12.5	.	.
		5-9	92	15	16.9	52	58.4	13	14.6	9	10.1
		10-14	131	17	13.4	68	53.5	27	21.3	15	11.8
		15-20	101	9	9.5	58	61.1	18	18.9	10	10.5
	Treatment	Surgery only	1	.	.	1	100.0	.	.	.	.
		Chemotherapy, no radiation	99	10	10.3	46	47.4	25	25.8	16	16.5
		Radiation, no chemotherapy	1	1	100.0	.	.	.	.	.	.
		Chemotherapy and radiation	226	30	14.0	134	62.3	33	15.3	18	8.4
		Unknown	25	7	29.2	13	54.2	4	16.7	.	.

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Osteosarcoma

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1259**	**133**	**10.9**	**633**	**52.1**	**301**	**24.8**	**148**	**12.2**
	Age at baseline	<18	29	11	44.0	11	44.0	1	4.0	2	8.0
		18-19	30	6	22.2	19	70.4	2	7.4	.	.
		20-24	199	37	19.6	113	59.8	20	10.6	19	10.1
		25-29	344	29	8.7	168	50.5	97	29.1	39	11.7
		30-34	374	33	9.1	189	51.9	94	25.8	48	13.2
		35+	283	17	6.1	133	48.0	87	31.4	40	14.4
	Years since diagnosis	5-9	132	31	25.8	74	61.7	8	6.7	7	5.8
		10-14	397	43	11.3	201	52.8	87	22.8	50	13.1
		15-19	423	33	7.9	225	54.1	114	27.4	44	10.6
		20+	307	26	8.7	133	44.6	92	30.9	47	15.8
	Age at diagnosis	1-4	25	4	17.4	15	65.2	3	13.0	1	4.3
		5-9	168	22	13.8	79	49.4	39	24.4	20	12.5
		10-14	534	61	11.8	268	51.7	127	24.5	62	12.0
		15-20	532	46	8.9	271	52.7	132	25.7	65	12.6
	Treatment	Surgery only	86	7	8.2	38	44.7	25	29.4	15	17.6
		Chemotherapy, no radiation	957	101	10.9	469	50.8	235	25.5	118	12.8
		Radiation, no chemotherapy	10	.	.	7	70.0	2	20.0	1	10.0
		Chemotherapy and radiation	83	11	14.1	47	60.3	14	17.9	6	7.7
		Unknown	123	14	11.8	72	60.5	25	21.0	8	6.7
Males	**All cases**		**648**	**44**	**7.1**	**316**	**51.0**	**185**	**29.8**	**75**	**12.1**
	Age at baseline	<18	20	8	47.1	6	35.3	1	5.9	2	11.8
		18-19	12	1	11.1	7	77.8	1	11.1	.	.
		20-24	95	13	14.6	58	65.2	10	11.2	8	9.0
		25-29	183	9	5.2	92	52.9	58	33.3	15	8.6
		30-34	179	7	4.0	83	47.4	61	34.9	24	13.7
		35+	159	6	3.8	70	44.9	54	34.6	26	16.7
	Years since diagnosis	5-9	74	15	23.4	39	60.9	5	7.8	5	7.8
		10-14	209	14	7.1	111	56.1	54	27.3	19	9.6
		15-19	211	6	2.9	104	50.0	72	34.6	26	12.5
		20+	154	9	6.0	62	41.3	54	36.0	25	16.7
	Age at diagnosis	1-4	14	2	14.3	8	57.1	3	21.4	1	7.1
		5-9	84	7	9.0	42	53.8	23	29.5	6	7.7
		10-14	246	18	7.6	118	50.0	71	30.1	29	12.3

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.

BMI: Osteosarcoma

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		15-20	304	17	5.8	148	50.7	88	30.1	39	13.4
	Treatment	Surgery only	30	1	3.3	14	46.7	9	30.0	6	20.0
		Chemotherapy, no radiation	489	33	7.1	228	48.7	147	31.4	60	12.8
		Radiation, no chemotherapy	6	.	.	3	50.0	2	33.3	1	16.7
		Chemotherapy and radiation	44	6	14.6	26	63.4	6	14.6	3	7.3
		Unknown	79	4	5.3	45	60.0	21	28.0	5	6.7
Females	**All cases**		**611**	**89**	**15.0**	**317**	**53.3**	**116**	**19.5**	**73**	**12.3**
	Age at baseline	<18	9	3	37.5	5	62.5	.	.	.	.
		18-19	18	5	27.8	12	66.7	1	5.6	.	.
		20-24	104	24	24.0	55	55.0	10	10.0	11	11.0
		25-29	161	20	12.6	76	47.8	39	24.5	24	15.1
		30-34	195	26	13.8	106	56.1	33	17.5	24	12.7
		35+	124	11	9.1	63	52.1	33	27.3	14	11.6
	Years since diagnosis	5-9	58	16	28.6	35	62.5	3	5.4	2	3.6
		10-14	188	29	15.8	90	49.2	33	18.0	31	16.9
		15-19	212	27	13.0	121	58.2	42	20.2	18	8.7
		20+	153	17	11.5	71	48.0	38	25.7	22	14.9
	Age at diagnosis	1-4	11	2	22.2	7	77.8	.	.	.	.
		5-9	84	15	18.3	37	45.1	16	19.5	14	17.1
		10-14	288	43	15.2	150	53.2	56	19.9	33	11.7
		15-20	228	29	13.1	123	55.4	44	19.8	26	11.7
	Treatment	Surgery only	56	6	10.9	24	43.6	16	29.1	9	16.4
		Chemotherapy, no radiation	468	68	14.9	241	53.0	88	19.3	58	12.7
		Radiation, no chemotherapy	4	.	.	4	100.0	.	.	.	.
		Chemotherapy and radiation	39	5	13.5	21	56.8	8	21.6	3	8.1
		Unknown	44	10	22.7	27	61.4	4	9.1	3	6.8

CCSS data from March 2026 data freeze.
BMI calculated from baseline questionnaire items A.10-A.11 (original cohort) and A.3-A.4 (expansion cohort).
N=10 participants without baseline data were excluded.