Psychological Health-Brief Symptom Inventory-18: All cancers

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**20037**	**1429**	**8.2**	**1172**	**6.7**	**1520**	**8.7**	**1819**	**10.4**
	Age at baseline	18-19	2152	101	7.2	84	5.9	105	7.4	139	9.8
		20-24	6024	420	8.2	319	6.3	404	7.9	566	11.1
		25-29	5571	410	8.3	356	7.2	429	8.6	519	10.5
		30-34	3885	302	8.3	248	6.8	354	9.7	381	10.5
		35+	2405	196	8.6	165	7.2	228	10.0	214	9.3
	Years since diagnosis	5-9	1000	45	8.9	41	8.1	56	11.1	60	11.9
		10-14	4897	325	7.8	272	6.5	334	8.0	469	11.3
		15-19	7563	544	8.2	442	6.6	570	8.5	659	9.9
		20+	6577	515	8.5	417	6.9	560	9.2	631	10.4
	Age at diagnosis	<1	819	46	6.9	39	5.8	47	7.0	65	9.7
		1-4	4706	304	7.7	250	6.3	312	7.9	399	10.0
		5-9	4868	357	8.4	270	6.4	361	8.5	455	10.8
		10-14	5392	436	9.0	351	7.3	462	9.6	552	11.4
		15-20	4252	286	7.7	262	7.1	338	9.1	348	9.4
	Treatment	Surgery only	1655	125	8.4	96	6.5	134	9.0	147	9.9
		Chemotherapy, no radiation	6054	437	8.2	394	7.4	445	8.3	560	10.5
		Radiation, no chemotherapy	1785	120	7.7	92	5.9	146	9.4	178	11.4
		Chemotherapy and radiation	8510	621	8.5	485	6.6	657	9.0	783	10.7
		Unknown	2033	126	7.4	105	6.1	138	8.1	151	8.8
Males	**All cases**		**10688**	**701**	**7.8**	**610**	**6.7**	**591**	**6.5**	**1014**	**11.2**
	Age at baseline	18-19	1122	45	6.6	38	5.5	29	4.2	69	10.0
		20-24	3170	198	7.6	162	6.3	133	5.1	322	12.4
		25-29	3091	217	8.0	198	7.3	185	6.8	304	11.2
		30-34	2072	162	8.5	134	7.0	159	8.4	224	11.8
		35+	1233	79	6.8	78	6.7	85	7.3	95	8.2
	Years since diagnosis	5-9	552	27	10.2	25	9.4	25	9.4	40	15.1
		10-14	2640	163	7.5	150	6.9	125	5.8	263	12.1
		15-19	3980	263	7.7	216	6.3	205	6.0	357	10.4
		20+	3516	248	7.8	219	6.8	236	7.4	354	11.1
	Age at diagnosis	<1	419	15	4.6	20	6.2	12	3.7	31	9.5
		1-4	2411	147	7.5	125	6.4	108	5.5	225	11.4
		5-9	2738	183	7.9	140	6.0	148	6.4	263	11.4
		10-14	2848	207	8.2	176	7.0	181	7.2	295	11.7
		15-20	2272	149	7.7	149	7.7	142	7.4	200	10.4
	Treatment	Surgery only	815	56	7.9	46	6.5	52	7.3	78	11.0
		Chemotherapy, no radiation	3219	213	7.7	202	7.3	171	6.2	324	11.7
		Radiation, no chemotherapy	928	67	8.4	50	6.3	62	7.8	106	13.3
		Chemotherapy and radiation	4517	293	7.8	243	6.5	242	6.4	411	10.9
		Unknown	1209	72	7.2	69	6.9	64	6.4	95	9.5
Females	**All cases**		**9349**	**728**	**8.7**	**562**	**6.7**	**929**	**11.1**	**805**	**9.6**
	Age at baseline	18-19	1030	56	7.7	46	6.3	76	10.4	70	9.6
		20-24	2854	222	8.8	157	6.2	271	10.8	244	9.7
		25-29	2480	193	8.5	158	7.0	244	10.8	215	9.5
		30-34	1813	140	8.1	114	6.6	195	11.3	157	9.1

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	1172	117	10.4	87	7.7	143	12.7	119	10.6
	Years since diagnosis	5-9	448	18	7.5	16	6.7	31	13.0	20	8.4
		10-14	2257	162	8.1	122	6.1	209	10.5	206	10.3
		15-19	3583	281	8.7	226	7.0	365	11.2	302	9.3
		20+	3061	267	9.3	198	6.9	324	11.3	277	9.6
	Age at diagnosis	<1	400	31	9.0	19	5.5	35	10.2	34	9.9
		1-4	2295	157	7.9	125	6.3	204	10.2	174	8.7
		5-9	2130	174	9.1	130	6.8	213	11.1	192	10.0
		10-14	2544	229	9.9	175	7.6	281	12.1	257	11.1
		15-20	1980	137	7.7	113	6.3	196	11.0	148	8.3
	Treatment	Surgery only	840	69	8.9	50	6.5	82	10.6	69	8.9
		Chemotherapy, no radiation	2835	224	8.7	192	7.5	274	10.6	236	9.2
		Radiation, no chemotherapy	857	53	7.0	42	5.5	84	11.0	72	9.5
		Chemotherapy and radiation	3993	328	9.3	242	6.8	415	11.7	372	10.5
		Unknown	824	54	7.6	36	5.1	74	10.5	56	7.9

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**5672**	**419**	**8.5**	**364**	**7.3**	**404**	**8.1**	**531**	**10.7**
	Age at baseline	18-19	844	37	6.5	33	5.8	39	6.9	54	9.5
		20-24	1970	167	9.7	133	7.7	131	7.6	206	12.0
		25-29	1608	128	8.6	120	8.1	130	8.7	156	10.5
		30-34	847	62	7.7	55	6.8	67	8.3	82	10.2
		35+	403	25	6.5	23	6.0	37	9.6	33	8.5
	Years since diagnosis	5-9	251	14	10.5	13	9.8	12	9.0	19	14.3
		10-14	1289	89	8.3	72	6.7	86	8.0	125	11.7
		15-19	2283	166	8.2	147	7.2	161	7.9	201	9.9
		20+	1849	150	8.7	132	7.6	145	8.4	186	10.8
	Age at diagnosis	<1	93	3	4.3	2	2.9	2	2.9	6	8.7
		1-4	2049	152	8.7	133	7.6	132	7.5	194	11.0
		5-9	1547	126	9.2	106	7.7	117	8.5	153	11.1
		10-14	1296	99	8.5	88	7.5	109	9.3	122	10.5
		15-20	687	39	6.5	35	5.9	44	7.4	56	9.4
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	2306	179	9.0	161	8.1	155	7.8	221	11.1
		Radiation, no chemotherapy	3	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	2777	203	8.2	171	6.9	205	8.3	267	10.8
		Unknown	584	37	7.4	32	6.4	44	8.7	43	8.6
Males	**All cases**		**2996**	**193**	**7.5**	**180**	**7.0**	**135**	**5.3**	**278**	**10.9**
	Age at baseline	18-19	454	16	5.5	16	5.5	11	3.8	26	8.8
		20-24	997	75	9.0	62	7.4	37	4.4	110	13.1
		25-29	870	62	7.8	63	7.9	53	6.7	87	11.0
		30-34	449	29	6.9	27	6.4	21	5.0	42	9.9
		35+	226	11	5.1	12	5.6	13	6.0	13	6.0
	Years since diagnosis	5-9	138	9	13.2	8	11.8	6	8.8	14	20.6
		10-14	694	45	8.0	41	7.3	26	4.6	66	11.7
		15-19	1170	66	6.5	59	5.8	46	4.5	96	9.4
		20+	994	73	8.0	72	7.9	57	6.2	102	11.2
	Age at diagnosis	<1	49	1	2.9	1	2.9	.	.	3	8.6
		1-4	1068	71	8.0	67	7.5	46	5.2	108	12.1
		5-9	823	55	7.8	48	6.8	37	5.2	77	10.9
		10-14	640	41	7.2	40	7.1	30	5.3	54	9.5
		15-20	416	25	6.9	24	6.6	22	6.0	36	9.9
	Treatment	Chemotherapy, no radiation	1161	85	8.8	76	7.8	54	5.6	121	12.4
		Radiation, no chemotherapy	2	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1489	90	7.0	85	6.6	66	5.1	129	10.0
		Unknown	344	18	6.0	19	6.3	15	5.0	28	9.3
Females	**All cases**		**2676**	**226**	**9.4**	**184**	**7.7**	**269**	**11.2**	**253**	**10.5**
	Age at baseline	18-19	390	21	7.7	17	6.2	28	10.2	28	10.1
		20-24	973	92	10.4	71	8.1	94	10.7	96	10.9
		25-29	738	66	9.5	57	8.2	77	11.1	69	9.9
		30-34	398	33	8.7	28	7.3	46	12.1	40	10.5
		35+	177	14	8.3	11	6.5	24	14.2	20	11.8

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
	Years since diagnosis	5-9	113	5	7.7	5	7.7	6	9.2	5	7.7
		10-14	595	44	8.7	31	6.1	60	11.8	59	11.6
		15-19	1113	100	9.9	88	8.7	115	11.4	105	10.3
		20+	855	77	9.5	60	7.4	88	10.8	84	10.3
	Age at diagnosis	<1	44	2	5.9	1	2.9	2	5.9	3	8.8
		1-4	981	81	9.4	66	7.6	86	9.9	86	9.9
		5-9	724	71	10.6	58	8.7	80	12.0	76	11.4
		10-14	656	58	9.7	48	8.0	79	13.2	68	11.3
		15-20	271	14	6.0	11	4.7	22	9.5	20	8.6
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	1145	94	9.2	85	8.3	101	9.9	100	9.8
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1288	113	9.6	86	7.3	139	11.8	138	11.7
		Unknown	240	19	9.4	13	6.4	29	14.4	15	7.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**4705**	**346**	**8.3**	**303**	**7.3**	**329**	**7.9**	**448**	**10.8**
	Age at baseline	18-19	730	33	6.6	28	5.6	33	6.6	49	9.7
		20-24	1693	142	9.4	116	7.7	115	7.6	179	11.8
		25-29	1338	106	8.5	104	8.3	109	8.8	132	10.6
		30-34	657	49	7.9	40	6.4	52	8.3	66	10.6
		35+	287	16	5.8	15	5.5	20	7.3	22	8.0
	Years since diagnosis	5-9	185	13	11.8	11	10.0	10	9.1	16	14.5
		10-14	1059	69	7.9	61	7.0	68	7.8	98	11.2
		15-19	1905	140	8.2	123	7.2	134	7.8	173	10.1
		20+	1556	124	8.5	108	7.4	117	8.0	161	11.0
	Age at diagnosis	<1	55	1	2.3	.	.	2	4.5	3	6.8
		1-4	1825	132	8.3	116	7.3	115	7.2	175	11.0
		5-9	1345	110	9.2	93	7.8	104	8.7	141	11.8
		10-14	1013	74	8.1	68	7.4	77	8.4	91	9.9
		15-20	467	29	7.1	26	6.3	31	7.6	38	9.3
	Treatment	Chemotherapy, no radiation	1796	137	8.7	123	7.8	122	7.8	173	11.0
		Radiation, no chemotherapy	3	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	2416	180	8.3	155	7.2	171	7.9	240	11.1
		Unknown	490	29	6.7	25	5.8	36	8.4	35	8.1
Males	**All cases**		**2515**	**158**	**7.3**	**150**	**6.9**	**111**	**5.1**	**239**	**11.0**
	Age at baseline	18-19	397	15	5.8	15	5.8	11	4.2	25	9.5
		20-24	858	61	8.2	52	7.0	30	4.0	97	13.0
		25-29	736	53	7.9	57	8.4	45	6.7	77	11.4
		30-34	354	23	6.9	19	5.7	16	4.8	33	9.9
		35+	170	6	3.7	7	4.3	9	5.6	7	4.3
	Years since diagnosis	5-9	98	8	14.3	7	12.5	5	8.9	12	21.4
		10-14	584	33	7.0	35	7.5	21	4.5	55	11.7
		15-19	990	58	6.7	52	6.0	38	4.4	85	9.8
		20+	843	59	7.5	56	7.2	47	6.0	87	11.1
	Age at diagnosis	<1	31	.	.	.	.	.	.	2	8.3
		1-4	948	61	7.6	57	7.1	40	5.0	97	12.0
		5-9	727	49	7.9	42	6.7	33	5.3	72	11.5
		10-14	518	31	6.7	34	7.3	23	5.0	45	9.7
		15-20	291	17	6.6	17	6.6	15	5.8	23	8.9
	Treatment	Chemotherapy, no radiation	904	63	8.2	56	7.3	43	5.6	96	12.5
		Radiation, no chemotherapy	2	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1316	82	7.2	81	7.1	58	5.1	120	10.5
		Unknown	293	13	5.0	13	5.0	10	3.8	23	8.9
Females	**All cases**		**2190**	**188**	**9.5**	**153**	**7.7**	**218**	**11.0**	**209**	**10.5**
	Age at baseline	18-19	333	18	7.5	13	5.4	22	9.1	24	9.9
		20-24	835	81	10.5	64	8.3	85	11.0	82	10.6
		25-29	602	53	9.3	47	8.2	64	11.2	55	9.6
		30-34	303	26	9.0	21	7.2	36	12.4	33	11.3
		35+	117	10	8.8	8	7.1	11	9.7	15	13.3
	Years since diagnosis	5-9	87	5	9.3	4	7.4	5	9.3	4	7.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		10-14	475	36	8.9	26	6.4	47	11.6	43	10.6
		15-19	915	82	9.7	71	8.4	96	11.3	88	10.4
		20+	713	65	9.5	52	7.6	70	10.3	74	10.8
	Age at diagnosis	<1	24	1	5.0	.	.	2	10.0	1	5.0
		1-4	877	71	9.0	59	7.5	75	9.5	78	9.9
		5-9	618	61	10.6	51	8.9	71	12.4	69	12.0
		10-14	495	43	9.5	34	7.5	54	11.9	46	10.2
		15-20	176	12	7.9	9	6.0	16	10.6	15	9.9
	Treatment	Chemotherapy, no radiation	892	74	9.2	67	8.3	79	9.9	77	9.6
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1100	98	9.7	74	7.3	113	11.2	120	11.9
		Unknown	197	16	9.4	12	7.0	26	15.2	12	7.0

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**699**	**54**	**9.1**	**44**	**7.4**	**53**	**9.0**	**63**	**10.6**
	Age at baseline	18-19	89	2	3.7	4	7.4	4	7.3	3	5.5
		20-24	199	21	14.2	14	9.5	12	8.1	23	15.5
		25-29	201	16	8.6	11	5.9	15	8.1	19	10.2
		30-34	134	9	6.9	9	6.9	11	8.4	10	7.6
		35+	76	6	8.3	6	8.2	11	15.3	8	11.0
	Years since diagnosis	5-9	37	1	5.0	2	10.0	1	5.0	3	15.0
		10-14	166	15	10.3	8	5.5	16	11.0	19	13.0
		15-19	294	20	8.2	18	7.4	16	6.6	22	9.0
		20+	202	18	9.8	16	8.7	20	10.9	19	10.4
	Age at diagnosis	<1	35	2	8.3	2	8.3	.	.	3	12.5
		1-4	167	13	11.0	11	9.3	9	7.6	14	11.8
		5-9	149	13	9.8	9	6.8	13	9.8	9	6.8
		10-14	197	18	10.0	16	8.9	20	11.1	23	12.8
		15-20	151	8	5.9	6	4.4	11	8.1	14	10.2
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	406	38	11.0	31	9.0	28	8.1	43	12.5
		Chemotherapy and radiation	225	12	6.2	10	5.1	20	10.2	15	7.6
		Unknown	66	4	8.0	3	6.0	5	10.0	5	10.0
Males	**All cases**		**330**	**26**	**9.6**	**20**	**7.4**	**17**	**6.3**	**28**	**10.4**
	Age at baseline	18-19	45	1	4.0	1	4.0	.	.	1	4.0
		20-24	95	11	17.2	8	12.5	6	9.4	10	15.6
		25-29	90	7	8.2	4	4.7	5	5.9	8	9.4
		30-34	65	4	6.3	4	6.3	3	4.8	5	7.9
		35+	35	3	9.1	3	9.1	3	9.1	4	12.1
	Years since diagnosis	5-9	24	1	9.1	1	9.1	1	9.1	2	18.2
		10-14	74	8	12.7	4	6.3	4	6.3	6	9.5
		15-19	135	6	5.4	4	3.6	4	3.6	9	8.1
		20+	97	11	12.9	11	12.9	8	9.4	11	12.9
	Age at diagnosis	<1	16	1	10.0	1	10.0	.	.	1	10.0
		1-4	86	7	11.5	6	9.8	3	4.9	8	13.1
		5-9	64	5	9.1	4	7.3	4	7.3	3	5.5
		10-14	81	7	9.9	5	7.0	4	5.6	7	9.9
		15-20	83	6	8.2	4	5.5	6	8.2	9	12.3
	Treatment	Chemotherapy, no radiation	194	19	12.1	14	8.9	8	5.1	22	14.0
		Chemotherapy and radiation	101	4	4.8	3	3.6	6	7.1	3	3.6
		Unknown	35	3	10.3	3	10.3	3	10.3	3	10.3
Females	**All cases**		**369**	**28**	**8.7**	**24**	**7.5**	**36**	**11.2**	**35**	**10.8**
	Age at baseline	18-19	44	1	3.4	3	10.3	4	13.3	2	6.7
		20-24	104	10	11.9	6	7.1	6	7.1	13	15.5
		25-29	111	9	8.9	7	6.9	10	9.9	11	10.9
		30-34	69	5	7.4	5	7.4	8	11.8	5	7.4
		35+	41	3	7.7	3	7.5	8	20.5	4	10.0
	Years since diagnosis	5-9	13	.	.	1	11.1	.	.	1	11.1
		10-14	92	7	8.5	4	4.9	12	14.5	13	15.7

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		15-19	159	14	10.6	14	10.5	12	9.1	13	9.8
		20+	105	7	7.1	5	5.1	12	12.2	8	8.2
	Age at diagnosis	<1	19	1	7.1	1	7.1	.	.	2	14.3
		1-4	81	6	10.5	5	8.8	6	10.3	6	10.3
		5-9	85	8	10.3	5	6.4	9	11.5	6	7.7
		10-14	116	11	10.1	11	10.1	16	14.7	16	14.7
		15-20	68	2	3.2	2	3.1	5	7.9	5	7.8
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	212	19	10.1	17	9.0	20	10.6	21	11.2
		Chemotherapy and radiation	124	8	7.2	7	6.3	14	12.5	12	10.6
		Unknown	31	1	4.8	.	.	2	9.5	2	9.5

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3545**	**238**	**8.4**	**169**	**6.0**	**260**	**9.2**	**330**	**11.7**
	Age at baseline	18-19	376	19	8.5	11	4.9	18	8.0	24	10.7
		20-24	1182	70	7.7	57	6.3	75	8.2	98	10.7
		25-29	1086	71	8.0	49	5.5	67	7.5	114	12.8
		30-34	625	53	9.6	37	6.7	69	12.5	66	11.9
		35+	276	25	10.0	15	6.0	31	12.4	28	11.2
	Years since diagnosis	5-9	175	7	8.0	6	6.9	11	12.6	9	10.3
		10-14	962	55	7.2	45	5.9	58	7.5	86	11.2
		15-19	1330	99	9.1	68	6.3	98	9.0	130	11.9
		20+	1078	77	8.7	50	5.7	93	10.5	105	11.9
	Age at diagnosis	<1	82	2	4.4	1	2.2	1	2.2	3	6.7
		1-4	725	37	7.0	27	5.1	41	7.7	56	10.5
		5-9	1204	77	8.1	57	6.0	80	8.4	108	11.4
		10-14	1054	95	10.5	62	6.8	94	10.4	125	13.8
		15-20	480	27	6.9	22	5.6	44	11.2	38	9.6
	Treatment	Surgery only	1073	93	9.7	71	7.4	99	10.3	100	10.4
		Chemotherapy, no radiation	245	10	5.4	11	5.9	13	7.0	20	10.8
		Radiation, no chemotherapy	949	70	9.0	44	5.7	81	10.4	111	14.2
		Chemotherapy and radiation	929	52	8.3	33	5.3	47	7.5	79	12.6
		Unknown	349	13	4.7	10	3.6	20	7.3	20	7.3
Males	**All cases**		**1926**	**126**	**8.4**	**97**	**6.5**	**97**	**6.5**	**189**	**12.7**
	Age at baseline	18-19	191	9	8.5	5	4.7	3	2.8	13	12.1
		20-24	634	33	7.1	33	7.1	22	4.8	55	11.9
		25-29	619	44	8.8	31	6.2	26	5.2	67	13.3
		30-34	333	31	10.8	22	7.6	34	11.8	41	14.3
		35+	149	9	6.7	6	4.4	12	8.9	13	9.6
	Years since diagnosis	5-9	101	2	4.2	2	4.2	4	8.3	4	8.3
		10-14	516	29	7.3	27	6.8	21	5.3	45	11.3
		15-19	722	56	9.7	38	6.6	34	5.9	80	13.9
		20+	587	39	8.3	30	6.3	38	8.0	60	12.7
	Age at diagnosis	<1	49	.	.	1	4.2	.	.	1	4.2
		1-4	369	22	8.3	19	7.2	12	4.5	37	14.0
		5-9	675	42	8.2	31	6.0	26	5.0	63	12.2
		10-14	562	46	9.6	32	6.7	41	8.6	64	13.4
		15-20	271	16	7.6	14	6.6	18	8.5	24	11.4
	Treatment	Surgery only	544	44	9.3	33	7.0	38	8.0	53	11.2
		Chemotherapy, no radiation	135	6	6.1	8	8.1	1	1.0	12	12.1
		Radiation, no chemotherapy	501	40	10.0	26	6.5	30	7.5	67	16.7
		Chemotherapy and radiation	544	28	7.7	23	6.3	20	5.5	45	12.4
		Unknown	202	8	5.1	7	4.5	8	5.1	12	7.6
Females	**All cases**		**1619**	**112**	**8.4**	**72**	**5.4**	**163**	**12.2**	**141**	**10.6**
	Age at baseline	18-19	185	10	8.5	6	5.1	15	12.7	11	9.3
		20-24	548	37	8.2	24	5.3	53	11.8	43	9.5
		25-29	467	27	7.0	18	4.7	41	10.6	47	12.2
		30-34	292	22	8.3	15	5.6	35	13.2	25	9.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	127	16	14.0	9	7.9	19	16.7	15	13.2
	Years since diagnosis	5-9	74	5	12.8	4	10.3	7	17.9	5	12.8
		10-14	446	26	7.0	18	4.8	37	9.9	41	11.0
		15-19	608	43	8.4	30	5.9	64	12.4	50	9.7
		20+	491	38	9.3	20	4.9	55	13.4	45	11.0
	Age at diagnosis	<1	33	2	9.5	.	.	1	4.8	2	9.5
		1-4	356	15	5.6	8	3.0	29	10.8	19	7.1
		5-9	529	35	8.1	26	6.0	54	12.4	45	10.4
		10-14	492	49	11.4	30	7.0	53	12.4	61	14.3
		15-20	209	11	6.0	8	4.4	26	14.2	14	7.7
	Treatment	Surgery only	529	49	10.1	38	7.8	61	12.5	47	9.6
		Chemotherapy, no radiation	110	4	4.6	3	3.4	12	13.8	8	9.2
		Radiation, no chemotherapy	448	30	8.0	18	4.8	51	13.5	44	11.6
		Chemotherapy and radiation	385	24	9.1	10	3.8	27	10.2	34	12.9
		Unknown	147	5	4.2	3	2.5	12	10.2	8	6.8

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2166**	**158**	**8.8**	**113**	**6.3**	**174**	**9.7**	**209**	**11.6**
	Age at baseline	18-19	215	13	9.2	6	4.2	11	7.7	19	13.4
		20-24	715	53	9.2	43	7.4	54	9.3	66	11.4
		25-29	665	46	8.3	33	6.0	44	7.9	67	12.1
		30-34	387	28	8.0	20	5.7	44	12.6	37	10.6
		35+	184	18	10.6	11	6.5	21	12.4	20	11.8
	Years since diagnosis	5-9	97	6	12.0	4	8.0	8	16.0	6	12.0
		10-14	570	42	9.0	35	7.5	40	8.6	59	12.6
		15-19	780	55	8.2	36	5.4	57	8.5	73	10.9
		20+	719	55	9.1	38	6.3	69	11.4	71	11.7
	Age at diagnosis	<1	57	1	3.0	.	.	1	3.0	2	6.1
		1-4	464	27	7.4	18	4.9	30	8.2	39	10.6
		5-9	703	49	8.4	36	6.2	49	8.4	65	11.2
		10-14	637	64	11.4	44	7.8	66	11.7	80	14.2
		15-20	305	17	6.8	15	6.0	28	11.2	23	9.2
	Treatment	Surgery only	894	75	9.2	58	7.1	81	9.9	78	9.6
		Chemotherapy, no radiation	179	7	5.3	7	5.3	10	7.5	17	12.8
		Radiation, no chemotherapy	597	47	9.6	29	5.9	53	10.8	73	14.9
		Chemotherapy and radiation	272	20	11.4	10	5.6	17	9.6	28	15.9
		Unknown	224	9	5.0	9	5.0	13	7.3	13	7.3
Males	**All cases**		**1130**	**80**	**8.8**	**60**	**6.6**	**65**	**7.1**	**115**	**12.6**
	Age at baseline	18-19	109	7	9.7	3	4.2	3	4.2	11	15.3
		20-24	355	24	8.9	21	7.8	13	4.8	35	13.0
		25-29	372	27	8.7	21	6.8	19	6.1	39	12.6
		30-34	196	16	9.3	11	6.4	22	12.8	22	12.8
		35+	98	6	6.8	4	4.5	8	9.1	8	9.1
	Years since diagnosis	5-9	51	2	7.7	1	3.8	2	7.7	2	7.7
		10-14	301	24	10.2	21	8.9	17	7.2	32	13.6
		15-19	396	27	8.1	16	4.8	18	5.4	42	12.6
		20+	382	27	8.6	22	7.0	28	8.9	39	12.4
	Age at diagnosis	<1	35	.	.	.	.	.	.	1	5.6
		1-4	224	16	9.0	12	6.7	10	5.6	27	15.2
		5-9	377	25	8.3	18	6.0	15	5.0	35	11.6
		10-14	326	28	9.9	20	7.0	28	9.9	38	13.4
		15-20	168	11	8.5	10	7.7	12	9.2	14	10.8
	Treatment	Surgery only	449	35	8.9	27	6.8	33	8.4	40	10.1
		Chemotherapy, no radiation	102	4	5.4	5	6.8	1	1.4	9	12.2
		Radiation, no chemotherapy	305	27	10.9	18	7.3	20	8.1	44	17.7
		Chemotherapy and radiation	149	9	9.4	4	4.1	6	6.2	14	14.6
		Unknown	125	5	5.1	6	6.1	5	5.1	8	8.2
Females	**All cases**		**1036**	**78**	**8.9**	**53**	**6.0**	**109**	**12.3**	**94**	**10.6**
	Age at baseline	18-19	106	6	8.6	3	4.3	8	11.4	8	11.4
		20-24	360	29	9.4	22	7.1	41	13.2	31	10.0
		25-29	293	19	7.8	12	4.9	25	10.2	28	11.5
		30-34	191	12	6.8	9	5.1	22	12.4	15	8.5

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	86	12	14.6	7	8.5	13	15.9	12	14.6
	Years since diagnosis	5-9	46	4	16.7	3	12.5	6	25.0	4	16.7
		10-14	269	18	7.8	14	6.1	23	10.0	27	11.7
		15-19	384	28	8.3	20	6.0	39	11.5	31	9.2
		20+	337	28	9.7	16	5.5	41	14.1	32	11.0
	Age at diagnosis	<1	22	1	6.7	.	.	1	6.7	1	6.7
		1-4	240	11	5.9	6	3.2	20	10.6	12	6.3
		5-9	326	24	8.6	18	6.4	34	12.1	30	10.7
		10-14	311	36	12.9	24	8.6	38	13.7	42	15.1
		15-20	137	6	5.0	5	4.2	16	13.3	9	7.5
	Treatment	Surgery only	445	40	9.5	31	7.4	48	11.4	38	9.0
		Chemotherapy, no radiation	77	3	5.1	2	3.4	9	15.3	8	13.6
		Radiation, no chemotherapy	292	20	8.3	11	4.5	33	13.6	29	11.9
		Chemotherapy and radiation	123	11	13.8	6	7.5	11	13.8	14	17.5
		Unknown	99	4	4.9	3	3.7	8	9.9	5	6.2

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**794**	**41**	**7.2**	**33**	**5.8**	**38**	**6.7**	**72**	**12.7**
	Age at baseline	18-19	82	2	5.4	2	5.4	1	2.6	1	2.6
		20-24	292	9	4.5	8	4.0	8	4.0	21	10.6
		25-29	252	16	8.2	10	5.2	15	7.7	33	17.0
		30-34	131	13	12.3	11	10.3	11	10.3	16	15.1
		35+	37	1	3.3	2	6.7	3	10.0	1	3.3
	Years since diagnosis	5-9	32	.	.	.	.	.	.	1	9.1
		10-14	219	4	2.4	5	3.0	6	3.6	15	9.0
		15-19	326	28	11.8	20	8.4	20	8.4	36	15.1
		20+	217	9	5.9	8	5.2	12	7.8	20	13.2
	Age at diagnosis	<1	9	.	.	.	.	.	.	.	.
		1-4	161	7	7.5	7	7.5	6	6.4	12	12.8
		5-9	342	17	7.1	13	5.4	15	6.2	31	12.9
		10-14	220	13	7.1	8	4.3	11	6.0	25	13.6
		15-20	62	4	8.7	5	10.9	6	13.0	4	8.7
	Treatment	Surgery only	8	.	.	.	.	1	20.0	.	.
		Chemotherapy, no radiation	35	3	11.1	2	7.4	2	7.4	3	11.1
		Radiation, no chemotherapy	161	11	8.4	10	7.6	11	8.3	23	17.3
		Chemotherapy and radiation	529	27	7.5	21	5.8	23	6.4	45	12.5
		Unknown	61	.	.	.	.	1	2.3	1	2.3
Males	**All cases**		**484**	**28**	**8.5**	**26**	**7.9**	**20**	**6.1**	**47**	**14.2**
	Age at baseline	18-19	47	1	6.3	1	6.3	.	.	1	5.9
		20-24	185	8	6.6	8	6.6	7	5.7	17	13.9
		25-29	157	11	9.6	8	7.0	5	4.3	19	16.5
		30-34	73	7	12.3	7	12.1	6	10.3	10	17.5
		35+	22	1	5.3	2	10.5	2	10.5	.	.
	Years since diagnosis	5-9	21	.	.	.	.	.	.	1	14.3
		10-14	128	3	3.3	5	5.6	3	3.3	10	11.0
		15-19	205	21	14.4	16	11.0	12	8.2	25	17.1
		20+	130	4	4.7	5	5.7	5	5.7	11	12.8
	Age at diagnosis	<1	5	.	.	.	.	.	.	.	.
		1-4	97	5	9.4	5	9.4	2	3.8	8	15.1
		5-9	219	11	7.5	10	6.8	9	6.1	21	14.3
		10-14	126	9	8.9	7	6.9	6	5.9	15	14.9
		15-20	37	3	11.1	4	14.8	3	11.1	3	11.1
	Treatment	Surgery only	5	.	.	.	.	1	33.3	.	.
		Chemotherapy, no radiation	20	2	14.3	1	7.1	.	.	3	21.4
		Radiation, no chemotherapy	91	8	11.8	7	10.3	6	8.8	15	21.7
		Chemotherapy and radiation	330	18	8.3	18	8.2	13	5.9	29	13.3
		Unknown	38	.	.	.	.	.	.	.	.
Females	**All cases**		**310**	**13**	**5.5**	**7**	**3.0**	**18**	**7.5**	**25**	**10.5**
	Age at baseline	18-19	35	1	4.8	1	4.8	1	4.5	.	.
		20-24	107	1	1.3	.	.	1	1.3	4	5.2
		25-29	95	5	6.3	2	2.5	10	12.5	14	17.7
		30-34	58	6	12.2	4	8.2	5	10.2	6	12.2

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	15	.	.	.	.	1	9.1	1	9.1
	Years since diagnosis	5-9	11	.	.	.	.	.	.	.	.
		10-14	91	1	1.3	.	.	3	3.9	5	6.6
		15-19	121	7	7.7	4	4.4	8	8.6	11	12.0
		20+	87	5	7.6	3	4.5	7	10.6	9	13.6
	Age at diagnosis	<1	4	.	.	.	.	.	.	.	.
		1-4	64	2	5.0	2	5.0	4	9.8	4	9.8
		5-9	123	6	6.5	3	3.2	6	6.4	10	10.8
		10-14	94	4	4.8	1	1.2	5	6.0	10	12.0
		15-20	25	1	5.3	1	5.3	3	15.8	1	5.3
	Treatment	Surgery only	3	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	15	1	7.7	1	7.7	2	15.4	.	.
		Radiation, no chemotherapy	70	3	4.8	3	4.8	5	7.8	8	12.5
		Chemotherapy and radiation	199	9	6.3	3	2.1	10	7.0	16	11.3
		Unknown	23	.	.	.	.	1	5.9	1	5.9

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3050**	**226**	**8.3**	**185**	**6.8**	**263**	**9.6**	**260**	**9.5**
	Age at baseline	18-19	61	4	10.3	4	10.3	2	5.1	7	17.9
		20-24	375	20	6.6	11	3.7	18	6.0	26	8.6
		25-29	798	56	8.0	53	7.6	60	8.6	73	10.5
		30-34	951	72	8.2	57	6.5	99	11.3	84	9.6
		35+	865	74	9.0	60	7.3	84	10.2	70	8.5
	Years since diagnosis	5-9	206	9	8.2	8	7.3	13	11.8	12	10.9
		10-14	921	54	6.6	44	5.3	58	7.0	83	10.1
		15-19	1008	70	7.5	62	6.6	91	9.7	75	8.0
		20+	915	93	10.7	71	8.2	101	11.7	90	10.4
	Age at diagnosis	1-4	66	8	13.8	6	10.3	8	13.8	7	12.1
		5-9	381	32	9.4	22	6.4	28	8.2	34	9.9
		10-14	1115	88	8.7	73	7.2	100	9.8	107	10.5
		15-20	1488	98	7.4	84	6.4	127	9.6	112	8.5
	Treatment	Surgery only	2	1	50.0	1	50.0	1	50.0	1	50.0
		Chemotherapy, no radiation	358	28	8.5	21	6.3	26	7.9	28	8.5
		Radiation, no chemotherapy	642	39	6.4	36	6.0	51	8.4	52	8.6
		Chemotherapy and radiation	1726	136	8.9	107	7.0	161	10.6	158	10.4
		Unknown	322	22	8.1	20	7.4	24	8.8	21	7.7
Males	**All cases**		**1588**	**118**	**8.6**	**99**	**7.2**	**110**	**8.0**	**143**	**10.4**
	Age at baseline	18-19	48	4	12.1	4	12.1	2	6.1	6	18.2
		20-24	239	18	9.6	10	5.3	12	6.3	24	12.8
		25-29	445	31	8.2	28	7.4	26	6.9	41	10.8
		30-34	482	35	8.1	27	6.3	40	9.3	42	9.7
		35+	374	30	8.7	30	8.7	30	8.7	30	8.7
	Years since diagnosis	5-9	111	7	13.0	6	11.1	4	7.4	8	14.8
		10-14	472	34	8.4	22	5.4	24	5.9	52	12.8
		15-19	537	30	6.2	32	6.6	33	6.8	36	7.5
		20+	468	47	10.8	39	9.0	49	11.3	47	10.8
	Age at diagnosis	1-4	48	7	17.5	6	15.0	7	17.5	6	15.0
		5-9	276	23	9.4	16	6.6	22	9.0	23	9.4
		10-14	578	42	8.1	37	7.2	38	7.4	57	11.0
		15-20	686	46	8.0	40	6.9	43	7.5	57	9.9
	Treatment	Surgery only	2	1	50.0	1	50.0	1	50.0	1	50.0
		Chemotherapy, no radiation	183	16	9.9	12	7.4	11	6.8	18	11.1
		Radiation, no chemotherapy	328	23	7.5	19	6.2	26	8.4	31	10.1
		Chemotherapy and radiation	885	67	8.9	55	7.3	58	7.7	81	10.8
		Unknown	190	11	7.1	12	7.7	14	9.0	12	7.7
Females	**All cases**		**1462**	**108**	**8.0**	**86**	**6.3**	**153**	**11.3**	**117**	**8.6**
	Age at baseline	18-19	13	.	.	.	.	.	.	1	16.7
		20-24	136	2	1.8	1	0.9	6	5.3	2	1.8
		25-29	353	25	7.9	25	7.9	34	10.7	32	10.1
		30-34	469	37	8.3	30	6.7	59	13.2	42	9.4
		35+	491	44	9.3	30	6.3	54	11.4	40	8.4
	Years since diagnosis	5-9	95	2	3.6	2	3.6	9	16.1	4	7.1

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		10-14	449	20	4.8	22	5.3	34	8.1	31	7.4
		15-19	471	40	8.8	30	6.6	58	12.8	39	8.6
		20+	447	46	10.7	32	7.4	52	12.1	43	10.0
	Age at diagnosis	1-4	18	1	5.6	.	.	1	5.6	1	5.6
		5-9	105	9	9.2	6	6.1	6	6.1	11	11.2
		10-14	537	46	9.2	36	7.2	62	12.4	50	10.0
		15-20	802	52	7.0	44	5.9	84	11.3	55	7.4
	Treatment	Chemotherapy, no radiation	175	12	7.1	9	5.3	15	8.9	10	5.9
		Radiation, no chemotherapy	314	16	5.4	17	5.7	25	8.4	21	7.1
		Chemotherapy and radiation	841	69	8.9	52	6.7	103	13.3	77	9.9
		Unknown	132	11	9.5	8	6.9	10	8.6	9	7.8

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1905**	**143**	**8.3**	**120**	**6.9**	**147**	**8.5**	**194**	**11.2**
	Age at baseline	18-19	132	5	5.6	6	6.7	5	5.6	11	12.4
		20-24	469	32	7.7	20	4.8	33	8.0	51	12.3
		25-29	572	52	10.0	43	8.3	56	10.7	59	11.3
		30-34	483	37	8.0	35	7.5	33	7.1	51	11.0
		35+	249	17	7.1	16	6.6	20	8.3	22	9.1
	Years since diagnosis	5-9	74	2	5.0	3	7.5	3	7.5	4	10.0
		10-14	542	41	8.5	36	7.4	42	8.7	64	13.2
		15-19	717	59	8.9	46	7.0	57	8.6	66	10.0
		20+	572	41	7.6	35	6.5	45	8.3	60	11.1
	Age at diagnosis	<1	2	.	.	.	.	.	.	.	.
		1-4	228	15	7.6	9	4.6	19	9.6	25	12.7
		5-9	573	42	8.2	33	6.4	43	8.4	60	11.7
		10-14	668	51	8.3	47	7.6	54	8.8	68	11.0
		15-20	434	35	8.8	31	7.8	31	7.8	41	10.3
	Treatment	Surgery only	12	1	10.0	.	.	1	10.0	1	10.0
		Chemotherapy, no radiation	965	72	8.2	68	7.8	79	9.0	101	11.5
		Radiation, no chemotherapy	37	2	6.1	2	6.1	.	.	2	6.1
		Chemotherapy and radiation	684	51	8.2	36	5.8	51	8.2	69	11.1
		Unknown	207	17	9.1	14	7.5	16	8.6	21	11.3
Males	**All cases**		**1291**	**95**	**8.2**	**84**	**7.2**	**85**	**7.3**	**142**	**12.3**
	Age at baseline	18-19	97	2	2.9	4	5.9	1	1.5	6	8.8
		20-24	304	21	8.0	14	5.3	15	5.7	39	14.9
		25-29	407	35	9.6	30	8.2	35	9.5	45	12.3
		30-34	319	29	9.6	26	8.6	24	7.9	39	12.9
		35+	164	8	5.0	10	6.3	10	6.3	13	8.1
	Years since diagnosis	5-9	56	2	6.3	3	9.4	2	6.3	4	12.5
		10-14	367	23	7.1	25	7.7	18	5.6	44	13.6
		15-19	476	42	9.7	32	7.4	38	8.8	48	11.1
		20+	392	28	7.5	24	6.5	27	7.3	46	12.4
	Age at diagnosis	<1	1	.	.	.	.	.	.	.	.
		1-4	154	8	6.2	4	3.1	8	6.2	17	13.1
		5-9	393	29	8.3	24	6.9	25	7.2	47	13.5
		10-14	459	37	8.8	35	8.3	35	8.3	51	12.1
		15-20	284	21	8.1	21	8.1	17	6.6	27	10.4
	Treatment	Surgery only	11	.	.	.	.	1	11.1	.	.
		Chemotherapy, no radiation	648	51	8.8	49	8.4	47	8.1	76	13.1
		Radiation, no chemotherapy	27	1	4.2	1	4.2	.	.	1	4.2
		Chemotherapy and radiation	456	31	7.5	22	5.4	28	6.8	50	12.2
		Unknown	149	12	8.9	12	8.9	9	6.7	15	11.1
Females	**All cases**		**614**	**48**	**8.4**	**36**	**6.3**	**62**	**10.9**	**52**	**9.1**
	Age at baseline	18-19	35	3	14.3	2	9.5	4	19.0	5	23.8
		20-24	165	11	7.3	6	4.0	18	11.9	12	7.9
		25-29	165	17	11.0	13	8.4	21	13.6	14	9.1
		30-34	164	8	4.9	9	5.6	9	5.6	12	7.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	85	9	11.1	6	7.4	10	12.3	9	11.1
	Years since diagnosis	5-9	18	.	.	.	.	1	12.5	.	.
		10-14	175	18	11.1	11	6.8	24	14.8	20	12.3
		15-19	241	17	7.5	14	6.1	19	8.3	18	7.9
		20+	180	13	7.6	11	6.4	18	10.5	14	8.2
	Age at diagnosis	<1	1	.	.	.	.	.	.	.	.
		1-4	74	7	10.4	5	7.5	11	16.4	8	11.9
		5-9	180	13	7.9	9	5.5	18	10.9	13	7.9
		10-14	209	14	7.1	12	6.1	19	9.7	17	8.7
		15-20	150	14	9.9	10	7.1	14	9.9	14	9.9
	Treatment	Surgery only	1	1	100.0	.	.	.	.	1	100.0
		Chemotherapy, no radiation	317	21	7.1	19	6.4	32	10.8	25	8.4
		Radiation, no chemotherapy	10	1	11.1	1	11.1	.	.	1	11.1
		Chemotherapy and radiation	228	20	9.5	14	6.6	23	10.9	19	9.0
		Unknown	58	5	9.8	2	3.9	7	13.7	6	11.8

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1445**	**81**	**6.3**	**68**	**5.3**	**98**	**7.7**	**95**	**7.4**
	Age at baseline	18-19	305	12	5.7	13	6.2	16	7.6	16	7.6
		20-24	670	42	6.7	32	5.1	45	7.2	51	8.2
		25-29	374	22	6.3	18	5.1	29	8.3	21	6.0
		30-34	77	4	5.2	4	5.2	6	7.8	6	7.8
		35+	19	1	5.6	1	5.6	2	11.1	1	5.6
	Years since diagnosis	5-9	11	2	40.0	2	40.0	1	20.0	.	.
		10-14	170	9	7.5	8	6.7	9	7.5	9	7.5
		15-19	661	37	6.4	29	5.0	46	7.9	46	7.9
		20+	603	33	5.8	29	5.1	42	7.3	40	7.0
	Age at diagnosis	<1	149	12	9.1	9	6.8	14	10.6	13	9.8
		1-4	825	37	5.1	33	4.5	49	6.7	49	6.7
		5-9	390	25	7.3	18	5.2	27	7.8	30	8.7
		10-14	58	4	7.3	4	7.3	5	9.1	1	1.8
		15-20	23	3	16.7	4	22.2	3	16.7	2	11.1
	Treatment	Surgery only	15	1	7.7	1	7.7	.	.	3	23.1
		Chemotherapy, no radiation	507	23	5.1	20	4.4	31	6.9	28	6.2
		Radiation, no chemotherapy	4	.	.	.	.	1	25.0	1	25.0
		Chemotherapy and radiation	781	49	7.1	40	5.8	58	8.4	53	7.7
		Unknown	138	8	6.7	7	5.8	8	6.7	10	8.3
Males	**All cases**		**616**	**34**	**6.5**	**27**	**5.2**	**26**	**5.0**	**46**	**8.8**
	Age at baseline	18-19	126	7	9.5	6	8.1	3	4.1	8	10.8
		20-24	285	20	7.8	14	5.4	13	5.1	26	10.1
		25-29	165	6	3.9	6	3.9	7	4.6	9	5.9
		30-34	32	1	3.1	1	3.1	3	9.4	3	9.4
		35+	8	.	.	.	.	.	.	.	.
	Years since diagnosis	5-9	4	1	100.0	1	100.0	1	100.0	.	.
		10-14	59	4	11.8	3	8.8	3	8.8	4	11.8
		15-19	280	19	8.2	13	5.6	13	5.6	24	10.3
		20+	273	10	3.9	10	3.9	9	3.5	18	7.1
	Age at diagnosis	<1	70	4	6.9	6	10.3	2	3.4	4	6.9
		1-4	356	17	5.6	12	4.0	12	4.0	26	8.6
		5-9	161	11	8.0	7	5.1	8	5.8	15	10.9
		10-14	20	1	5.6	.	.	2	11.1	.	.
		15-20	9	1	14.3	2	28.6	2	28.6	1	14.3
	Treatment	Surgery only	8	1	14.3	1	14.3	.	.	2	28.6
		Chemotherapy, no radiation	222	7	3.8	8	4.3	7	3.8	12	6.5
		Chemotherapy and radiation	316	19	7.0	12	4.4	14	5.1	24	8.8
		Unknown	70	7	12.1	6	10.3	5	8.6	8	13.8
Females	**All cases**		**829**	**47**	**6.2**	**41**	**5.4**	**72**	**9.5**	**49**	**6.5**
	Age at baseline	18-19	179	5	3.7	7	5.1	13	9.6	8	5.9
		20-24	385	22	6.0	18	4.9	32	8.7	25	6.8
		25-29	209	16	8.1	12	6.1	22	11.1	12	6.1
		30-34	45	3	6.7	3	6.7	3	6.7	3	6.7
		35+	11	1	10.0	1	10.0	2	20.0	1	10.0

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
	Years since diagnosis	5-9	7	1	25.0	1	25.0	.	.	.	.
		10-14	111	5	5.8	5	5.8	6	7.0	5	5.8
		15-19	381	18	5.2	16	4.6	33	9.5	22	6.3
		20+	330	23	7.3	19	6.0	33	10.4	22	6.9
	Age at diagnosis	<1	79	8	10.8	3	4.1	12	16.2	9	12.2
		1-4	469	20	4.7	21	4.9	37	8.7	23	5.4
		5-9	229	14	6.8	11	5.3	19	9.2	15	7.3
		10-14	38	3	8.1	4	10.8	3	8.1	1	2.7
		15-20	14	2	18.2	2	18.2	1	9.1	1	9.1
	Treatment	Surgery only	7	.	.	.	.	.	.	1	16.7
		Chemotherapy, no radiation	285	16	6.0	12	4.5	24	9.0	16	6.0
		Radiation, no chemotherapy	4	.	.	.	.	1	25.0	1	25.0
		Chemotherapy and radiation	465	30	7.2	28	6.7	44	10.6	29	7.0
		Unknown	68	1	1.6	1	1.6	3	4.8	2	3.2

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**997**	**61**	**7.2**	**53**	**6.3**	**65**	**7.7**	**80**	**9.5**
	Age at baseline	18-19	237	15	9.6	13	8.3	11	7.1	16	10.3
		20-24	544	35	7.2	33	6.8	45	9.2	50	10.2
		25-29	172	7	4.4	5	3.1	7	4.4	9	5.7
		30-34	36	3	8.3	1	2.8	2	5.6	4	11.1
		35+	8	1	14.3	1	14.3	.	.	1	14.3
	Years since diagnosis	5-9	8	.	.	.	.	.	.	.	.
		10-14	54	4	10.5	4	10.5	7	18.4	4	10.5
		15-19	390	23	7.7	18	6.0	23	7.7	24	8.1
		20+	545	34	6.7	31	6.1	35	6.9	52	10.2
	Age at diagnosis	<1	435	25	6.7	25	6.7	26	6.9	38	10.1
		1-4	414	27	7.8	21	6.1	29	8.4	31	9.0
		5-9	101	7	7.9	6	6.7	8	9.0	8	9.0
		10-14	28	1	4.3	.	.	1	4.3	2	8.7
		15-20	19	1	7.7	1	7.7	1	7.7	1	7.7
	Treatment	Surgery only	280	11	4.6	8	3.3	14	5.9	21	8.8
		Chemotherapy, no radiation	243	18	8.7	17	8.3	17	8.3	19	9.2
		Radiation, no chemotherapy	75	6	8.8	6	8.8	11	16.2	9	13.2
		Chemotherapy and radiation	306	22	8.6	19	7.4	20	7.8	25	9.8
		Unknown	93	4	5.2	3	3.9	3	3.9	6	7.8
Males	**All cases**		**474**	**21**	**5.5**	**21**	**5.5**	**18**	**4.7**	**40**	**10.4**
	Age at baseline	18-19	104	2	3.6	2	3.6	1	1.8	4	7.3
		20-24	275	14	5.8	15	6.3	12	5.0	29	12.1
		25-29	78	4	5.6	4	5.6	4	5.6	5	6.9
		30-34	14	1	7.1	.	.	1	7.1	2	14.3
		35+	3	.	.	.	.	.	.	.	.
	Years since diagnosis	5-9	2	.	.	.	.	.	.	.	.
		10-14	25	.	.	.	.	3	23.1	1	7.7
		15-19	181	6	4.8	6	4.8	3	2.4	8	6.5
		20+	266	15	6.1	15	6.1	12	4.9	31	12.6
	Age at diagnosis	<1	224	9	4.7	11	5.8	8	4.2	21	11.1
		1-4	182	8	5.7	7	5.0	5	3.6	12	8.6
		5-9	50	4	10.0	3	7.5	4	10.0	6	15.0
		10-14	12	.	.	.	.	.	.	1	11.1
		15-20	6	.	.	.	.	1	25.0	.	.
	Treatment	Surgery only	133	4	3.7	4	3.7	3	2.8	12	11.0
		Chemotherapy, no radiation	115	6	6.3	6	6.3	6	6.3	8	8.3
		Radiation, no chemotherapy	33	2	6.5	2	6.5	5	16.1	5	16.1
		Chemotherapy and radiation	148	8	7.1	7	6.2	4	3.5	12	10.6
		Unknown	45	1	2.9	2	5.9	.	.	3	8.8
Females	**All cases**		**523**	**40**	**8.6**	**32**	**6.9**	**47**	**10.2**	**40**	**8.6**
	Age at baseline	18-19	133	13	12.9	11	10.9	10	9.9	12	11.9
		20-24	269	21	8.5	18	7.3	33	13.3	21	8.5
		25-29	94	3	3.4	1	1.1	3	3.4	4	4.6
		30-34	22	2	9.1	1	4.5	1	4.5	2	9.1

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	5	1	20.0	1	20.0	.	.	1	20.0
	Years since diagnosis	5-9	6	.	.	.	.	.	.	.	.
		10-14	29	4	16.0	4	16.0	4	16.0	3	12.0
		15-19	209	17	9.8	12	6.9	20	11.5	16	9.2
		20+	279	19	7.2	16	6.1	23	8.7	21	8.0
	Age at diagnosis	<1	211	16	8.6	14	7.6	18	9.7	17	9.2
		1-4	232	19	9.2	14	6.8	24	11.7	19	9.2
		5-9	51	3	6.1	3	6.1	4	8.2	2	4.1
		10-14	16	1	7.1	.	.	1	7.1	1	7.1
		15-20	13	1	11.1	1	11.1	.	.	1	11.1
	Treatment	Surgery only	147	7	5.4	4	3.1	11	8.5	9	6.9
		Chemotherapy, no radiation	128	12	10.9	11	10.0	11	10.0	11	10.0
		Radiation, no chemotherapy	42	4	10.8	4	10.8	6	16.2	4	10.8
		Chemotherapy and radiation	158	14	9.8	12	8.4	16	11.2	13	9.1
		Unknown	48	3	7.0	1	2.3	3	7.0	3	7.0

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1419**	**104**	**8.2**	**78**	**6.2**	**111**	**8.8**	**126**	**9.9**
	Age at baseline	18-19	125	7	7.8	2	2.2	9	10.0	10	11.1
		20-24	425	26	7.2	16	4.5	32	8.9	40	11.1
		25-29	393	33	9.1	30	8.3	29	8.0	34	9.4
		30-34	299	23	8.2	17	6.0	30	10.6	25	8.8
		35+	177	15	8.7	13	7.5	11	6.4	17	9.8
	Years since diagnosis	5-9	88	4	8.2	4	8.2	4	8.2	6	12.2
		10-14	314	23	8.2	20	7.2	25	9.0	31	11.1
		15-19	501	31	6.9	22	4.9	35	7.8	45	10.0
		20+	516	46	9.4	32	6.5	47	9.6	44	8.9
	Age at diagnosis	<1	56	4	8.9	2	4.4	4	8.9	5	11.1
		1-4	341	22	7.4	16	5.4	31	10.4	27	9.0
		5-9	350	28	8.8	14	4.4	28	8.8	34	10.6
		10-14	343	27	8.6	21	6.7	23	7.3	34	10.8
		15-20	329	23	7.9	25	8.6	25	8.6	26	9.0
	Treatment	Surgery only	152	11	7.7	10	7.0	10	7.0	13	9.2
		Chemotherapy, no radiation	281	14	5.4	10	3.9	21	8.1	18	7.0
		Radiation, no chemotherapy	59	2	3.7	2	3.7	2	3.7	2	3.7
		Chemotherapy and radiation	766	67	9.9	49	7.3	69	10.2	83	12.3
		Unknown	161	10	7.2	7	5.1	9	6.5	10	7.2
Males	**All cases**		**759**	**46**	**6.9**	**38**	**5.7**	**51**	**7.6**	**67**	**10.0**
	Age at baseline	18-19	66	5	11.6	1	2.3	6	14.0	6	14.0
		20-24	242	10	4.9	8	3.9	14	6.9	22	10.8
		25-29	208	16	8.5	16	8.5	15	7.9	18	9.5
		30-34	159	11	7.4	9	6.1	14	9.4	15	10.1
		35+	84	4	4.8	4	4.8	2	2.4	6	7.2
	Years since diagnosis	5-9	40	2	9.5	2	9.5	2	9.5	4	19.0
		10-14	170	10	6.8	9	6.1	12	8.1	18	12.2
		15-19	268	14	6.0	13	5.6	15	6.4	22	9.4
		20+	281	20	7.6	14	5.3	22	8.3	23	8.7
	Age at diagnosis	<1	25	1	5.9	1	5.9	2	11.8	2	11.8
		1-4	198	12	7.0	9	5.3	16	9.4	16	9.4
		5-9	196	13	7.4	6	3.4	15	8.6	17	9.7
		10-14	183	12	7.2	9	5.4	8	4.8	22	13.1
		15-20	157	8	5.8	13	9.5	10	7.3	10	7.3
	Treatment	Surgery only	69	3	4.6	5	7.7	5	7.7	5	7.7
		Chemotherapy, no radiation	166	7	4.6	6	3.9	7	4.6	12	7.8
		Radiation, no chemotherapy	28	1	3.8	1	3.8	1	3.8	1	3.8
		Chemotherapy and radiation	401	30	8.7	24	6.9	33	9.5	44	12.7
		Unknown	95	5	6.5	2	2.6	5	6.5	5	6.5
Females	**All cases**		**660**	**58**	**9.7**	**40**	**6.7**	**60**	**10.0**	**59**	**9.8**
	Age at baseline	18-19	59	2	4.3	1	2.1	3	6.4	4	8.5
		20-24	183	16	10.3	8	5.2	18	11.6	18	11.6
		25-29	185	17	9.8	14	8.1	14	8.1	16	9.2
		30-34	140	12	9.0	8	6.0	16	11.9	10	7.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	93	11	12.2	9	10.0	9	10.0	11	12.2
	Years since diagnosis	5-9	48	2	7.1	2	7.1	2	7.1	2	7.1
		10-14	144	13	9.9	11	8.4	13	9.9	13	9.9
		15-19	233	17	7.9	9	4.2	20	9.3	23	10.7
		20+	235	26	11.5	18	8.0	25	11.0	21	9.3
	Age at diagnosis	<1	31	3	10.7	1	3.6	2	7.1	3	10.7
		1-4	143	10	7.8	7	5.5	15	11.7	11	8.6
		5-9	154	15	10.4	8	5.6	13	9.0	17	11.7
		10-14	160	15	10.3	12	8.2	15	10.3	12	8.2
		15-20	172	15	9.8	12	7.8	15	9.8	16	10.5
	Treatment	Surgery only	83	8	10.4	5	6.5	5	6.5	8	10.4
		Chemotherapy, no radiation	115	7	6.7	4	3.8	14	13.3	6	5.7
		Radiation, no chemotherapy	31	1	3.6	1	3.6	1	3.6	1	3.6
		Chemotherapy and radiation	365	37	11.3	25	7.6	36	10.9	39	11.9
		Unknown	66	5	8.2	5	8.2	4	6.6	5	8.2

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

Psychological Health-Brief Symptom Inventory-18: All bone

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2004**	**157**	**8.9**	**135**	**7.7**	**172**	**9.8**	**203**	**11.5**
	Age at baseline	18-19	72	2	5.1	2	5.1	5	12.8	1	2.6
		20-24	389	28	9.7	17	5.9	25	8.6	44	15.2
		25-29	568	41	8.2	38	7.6	51	10.2	53	10.6
		30-34	567	48	9.0	42	7.9	48	9.0	63	11.8
		35+	408	38	9.6	36	9.1	43	10.9	42	10.7
	Years since diagnosis	5-9	187	7	8.8	5	6.3	12	15.0	10	12.5
		10-14	645	50	8.8	43	7.5	49	8.6	67	11.7
		15-19	673	59	9.4	50	7.9	59	9.4	72	11.5
		20+	499	41	8.6	37	7.7	52	10.9	54	11.3
	Age at diagnosis	<1	2	.	.	.	.	.	.	.	.
		1-4	58	6	12.8	5	10.6	3	6.4	10	21.3
		5-9	322	20	6.7	14	4.7	30	10.1	28	9.4
		10-14	830	71	9.8	56	7.7	76	10.4	93	12.8
		15-20	792	60	8.8	60	8.8	63	9.2	72	10.5
	Treatment	Surgery only	119	7	6.1	5	4.3	9	7.8	8	7.0
		Chemotherapy, no radiation	1149	93	8.9	86	8.2	103	9.9	125	12.0
		Radiation, no chemotherapy	16	1	7.7	2	15.4	.	.	1	7.7
		Chemotherapy and radiation	541	41	9.2	30	6.7	46	10.3	49	11.0
		Unknown	179	15	10.6	12	8.5	14	9.9	20	14.2
Males	**All cases**		**1038**	**68**	**7.7**	**64**	**7.2**	**69**	**7.8**	**109**	**12.3**
	Age at baseline	18-19	36	.	.	.	.	2	13.3	.	.
		20-24	194	7	5.1	6	4.3	8	5.8	17	12.3
		25-29	299	19	7.5	20	7.9	19	7.5	32	12.7
		30-34	284	25	9.5	22	8.3	22	8.3	40	15.2
		35+	225	17	7.9	16	7.4	18	8.4	20	9.3
	Years since diagnosis	5-9	100	4	9.8	3	7.3	6	14.6	6	14.6
		10-14	337	18	6.4	23	8.2	18	6.4	33	11.7
		15-19	346	30	9.4	23	7.2	23	7.2	43	13.4
		20+	255	16	6.6	15	6.2	22	9.1	27	11.2
	Age at diagnosis	<1	1	.	.	.	.	.	.	.	.
		1-4	36	2	6.9	1	3.4	2	6.9	3	10.3
		5-9	164	6	4.1	5	3.4	11	7.4	15	10.1
		10-14	394	28	8.3	23	6.8	27	8.0	46	13.7
		15-20	443	32	8.6	35	9.4	29	7.8	45	12.1
	Treatment	Surgery only	48	3	6.5	2	4.3	4	8.7	5	10.9
		Chemotherapy, no radiation	589	35	6.7	37	7.0	38	7.2	65	12.4
		Radiation, no chemotherapy	9	.	.	1	14.3	.	.	1	14.3
		Chemotherapy and radiation	278	20	9.2	15	6.9	19	8.7	26	11.9
		Unknown	114	10	11.4	9	10.2	8	9.1	12	13.6
Females	**All cases**		**966**	**89**	**10.2**	**71**	**8.1**	**103**	**11.8**	**94**	**10.8**
	Age at baseline	18-19	36	2	8.3	2	8.3	3	12.5	1	4.2
		20-24	195	21	13.8	11	7.2	17	11.2	27	17.8
		25-29	269	22	8.8	18	7.2	32	12.8	21	8.4
		30-34	283	23	8.5	20	7.4	26	9.6	23	8.5

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		35+	183	21	11.7	20	11.2	25	14.0	22	12.3
	Years since diagnosis	5-9	87	3	7.7	2	5.1	6	15.4	4	10.3
		10-14	308	32	11.1	20	6.9	31	10.7	34	11.8
		15-19	327	29	9.4	27	8.7	36	11.7	29	9.4
		20+	244	25	10.5	22	9.2	30	12.6	27	11.3
	Age at diagnosis	<1	1	.	.	.	.	.	.	.	.
		1-4	22	4	22.2	4	22.2	1	5.6	7	38.9
		5-9	158	14	9.3	9	6.0	19	12.7	13	8.7
		10-14	436	43	11.0	33	8.4	49	12.5	47	12.0
		15-20	349	28	8.9	25	8.0	34	10.9	27	8.6
	Treatment	Surgery only	71	4	5.8	3	4.3	5	7.2	3	4.3
		Chemotherapy, no radiation	560	58	11.2	49	9.4	65	12.5	60	11.6
		Radiation, no chemotherapy	7	1	16.7	1	16.7	.	.	.	.
		Chemotherapy and radiation	263	21	9.3	15	6.6	27	11.9	23	10.1
		Unknown	65	5	9.4	3	5.7	6	11.3	8	15.1

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**677**	**49**	**8.6**	**44**	**7.7**	**50**	**8.7**	**62**	**10.8**
	Age at baseline	18-19	36	2	13.3	2	13.3	3	20.0	.	.
		20-24	170	9	7.2	7	5.6	9	7.2	17	13.6
		25-29	204	14	8.0	11	6.3	16	9.1	16	9.1
		30-34	164	13	8.4	13	8.4	13	8.4	17	11.0
		35+	103	11	10.8	11	10.8	9	8.8	12	11.8
	Years since diagnosis	5-9	72	1	5.0	1	5.0	2	10.0	1	5.0
		10-14	222	15	8.0	13	7.0	14	7.5	20	10.7
		15-19	219	20	9.7	16	7.8	16	7.8	24	11.7
		20+	164	13	8.2	14	8.8	18	11.3	17	10.7
	Age at diagnosis	1-4	33	4	16.0	3	12.0	2	8.0	5	20.0
		5-9	154	8	5.7	7	5.0	14	10.0	13	9.3
		10-14	272	19	8.3	17	7.4	19	8.3	25	10.9
		15-20	218	18	10.1	17	9.6	15	8.4	19	10.7
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	191	13	7.2	15	8.3	13	7.2	20	11.1
		Radiation, no chemotherapy	2	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	428	32	9.1	25	7.1	33	9.4	37	10.6
		Unknown	55	4	10.0	4	10.0	4	10.0	5	12.5
Males	**All cases**		**359**	**21**	**7.2**	**19**	**6.5**	**20**	**6.8**	**35**	**12.0**
	Age at baseline	18-19	20	.	.	.	.	2	40.0	.	.
		20-24	88	2	3.1	1	1.6	3	4.7	8	12.5
		25-29	105	7	8.2	7	8.2	6	7.1	9	10.6
		30-34	90	8	9.8	8	9.8	7	8.5	12	14.6
		35+	56	4	7.1	3	5.4	2	3.6	6	10.7
	Years since diagnosis	5-9	42	.	.	.	.	1	6.7	1	6.7
		10-14	111	3	3.6	6	7.1	5	6.0	9	10.7
		15-19	120	12	11.0	8	7.3	5	4.6	15	13.8
		20+	86	6	7.1	5	6.0	9	10.7	10	11.9
	Age at diagnosis	1-4	20	2	14.3	1	7.1	2	14.3	2	14.3
		5-9	78	3	4.4	1	1.5	5	7.4	9	13.2
		10-14	144	9	7.5	9	7.5	9	7.5	15	12.5
		15-20	117	7	7.8	8	8.9	4	4.4	9	10.0
	Treatment	Chemotherapy, no radiation	101	6	6.3	6	6.3	7	7.4	13	13.7
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	223	14	8.1	11	6.4	12	7.0	20	11.6
		Unknown	34	1	4.2	2	8.3	1	4.2	2	8.3
Females	**All cases**		**318**	**28**	**10.0**	**25**	**8.9**	**30**	**10.7**	**27**	**9.6**
	Age at baseline	18-19	16	2	20.0	2	20.0	1	10.0	.	.
		20-24	82	7	11.5	6	9.8	6	9.8	9	14.8
		25-29	99	7	7.8	4	4.4	10	11.1	7	7.8
		30-34	74	5	6.8	5	6.8	6	8.2	5	6.8
		35+	47	7	15.2	8	17.4	7	15.2	6	13.0
	Years since diagnosis	5-9	30	1	20.0	1	20.0	1	20.0	.	.
		10-14	111	12	11.7	7	6.8	9	8.7	11	10.7

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		15-19	99	8	8.2	8	8.2	11	11.3	9	9.3
		20+	78	7	9.3	9	12.0	9	12.0	7	9.3
	Age at diagnosis	1-4	13	2	18.2	2	18.2	.	.	3	27.3
		5-9	76	5	6.9	6	8.3	9	12.5	4	5.6
		10-14	128	10	9.2	8	7.3	10	9.2	10	9.2
		15-20	101	11	12.5	9	10.2	11	12.5	10	11.4
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	90	7	8.2	9	10.6	6	7.1	7	8.2
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	205	18	10.1	14	7.9	21	11.8	17	9.6
		Unknown	21	3	18.8	2	12.5	3	18.8	3	18.8

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1230**	**104**	**9.5**	**88**	**8.0**	**115**	**10.5**	**134**	**12.2**
	Age at baseline	18-19	30	.	.	.	.	2	9.5	.	.
		20-24	199	19	12.9	10	6.8	15	10.2	26	17.7
		25-29	344	27	8.8	27	8.7	34	11.0	36	11.7
		30-34	374	34	9.6	28	7.9	33	9.3	45	12.7
		35+	283	24	8.9	23	8.5	31	11.5	27	10.0
	Years since diagnosis	5-9	110	6	10.5	4	7.0	10	17.5	8	14.0
		10-14	390	34	9.6	29	8.2	33	9.3	46	13.0
		15-19	423	39	9.9	34	8.6	41	10.4	46	11.6
		20+	307	25	8.5	21	7.2	31	10.6	34	11.6
	Age at diagnosis	1-4	19	2	11.1	2	11.1	1	5.6	4	22.2
		5-9	151	12	8.5	7	4.9	16	11.3	15	10.6
		10-14	528	50	10.6	37	7.8	52	11.0	66	14.0
		15-20	532	40	8.5	42	9.0	46	9.8	49	10.5
	Treatment	Surgery only	86	6	7.2	4	4.8	8	9.6	7	8.4
		Chemotherapy, no radiation	937	79	9.3	70	8.3	87	10.3	103	12.2
		Radiation, no chemotherapy	10	1	11.1	2	22.2	.	.	1	11.1
		Chemotherapy and radiation	79	8	12.5	5	7.8	11	17.2	9	14.1
		Unknown	118	10	10.3	7	7.2	9	9.3	14	14.4
Males	**All cases**		**628**	**44**	**8.0**	**43**	**7.8**	**46**	**8.4**	**70**	**12.8**
	Age at baseline	18-19	12	.	.	.	.	.	.	.	.
		20-24	95	5	7.7	5	7.7	5	7.7	9	13.8
		25-29	183	12	7.6	13	8.3	13	8.3	22	14.0
		30-34	179	16	9.5	13	7.7	14	8.3	27	16.0
		35+	159	11	7.4	12	8.1	14	9.4	12	8.1
	Years since diagnosis	5-9	55	4	16.0	3	12.0	5	20.0	5	20.0
		10-14	208	14	7.7	16	8.7	12	6.6	23	12.6
		15-19	211	18	9.1	15	7.6	18	9.1	27	13.7
		20+	154	8	5.6	9	6.3	11	7.7	15	10.5
	Age at diagnosis	1-4	12	.	.	.	.	.	.	1	8.3
		5-9	72	3	4.5	4	6.0	6	9.0	6	9.0
		10-14	240	18	8.7	13	6.3	17	8.2	30	14.5
		15-20	304	23	8.8	26	9.9	23	8.8	33	12.6
	Treatment	Surgery only	30	2	6.9	1	3.4	3	10.3	4	13.8
		Chemotherapy, no radiation	476	29	6.9	31	7.4	31	7.4	51	12.1
		Radiation, no chemotherapy	6	.	.	1	20.0	.	.	1	20.0
		Chemotherapy and radiation	40	5	15.2	4	12.1	6	18.2	5	15.2
		Unknown	76	8	13.3	6	10.0	6	10.0	9	15.0
Females	**All cases**		**602**	**60**	**10.9**	**45**	**8.2**	**69**	**12.5**	**64**	**11.6**
	Age at baseline	18-19	18	.	.	.	.	2	15.4	.	.
		20-24	104	14	17.1	5	6.1	10	12.2	17	20.7
		25-29	161	15	9.9	14	9.2	21	13.8	14	9.3
		30-34	195	18	9.8	15	8.2	19	10.3	18	9.8
		35+	124	13	10.7	11	9.1	17	14.0	15	12.4
	Years since diagnosis	5-9	55	2	6.3	1	3.1	5	15.6	3	9.4

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included

				Global Severity Index [1]		Anxiety [2]		Somatic Distress [2]		Depression [2]	
			All cases	N	%	N	%	N	%	N	%
		10-14	182	20	11.7	13	7.6	21	12.3	23	13.5
		15-19	212	21	10.6	19	9.5	23	11.6	19	9.6
		20+	153	17	11.3	12	8.0	20	13.3	19	12.7
	Age at diagnosis	1-4	7	2	33.3	2	33.3	1	16.7	3	50.0
		5-9	79	9	12.0	3	4.0	10	13.3	9	12.0
		10-14	288	32	12.1	24	9.1	35	13.2	36	13.6
		15-20	228	17	8.3	16	7.8	23	11.2	16	7.8
	Treatment	Surgery only	56	4	7.4	3	5.6	5	9.3	3	5.6
		Chemotherapy, no radiation	461	50	11.8	39	9.2	56	13.1	52	12.2
		Radiation, no chemotherapy	4	1	25.0	1	25.0	.	.	.	.
		Chemotherapy and radiation	39	3	9.7	1	3.2	5	16.1	4	12.9
		Unknown	42	2	5.4	1	2.7	3	8.1	5	13.5

CCSS data from March 2026 data freeze
Based on items in J.16-J.35/K.1-K.18
Presented only for those age 18 and over at baseline, since questions are very different for those under 18.
[1] Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18
[2] Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=10 participants with no baseline information are not included