

BMI: All cancers

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		25658	2472	10.2	12366	50.9	5852	24.1	3598	14.8
	Age at baseline	<18	5685	1239	25.1	2654	53.7	693	14.0	357	7.2
		18-19	2155	211	10.3	1215	59.5	391	19.2	224	11.0
		20-24	6010	469	8.1	3146	54.6	1338	23.2	809	14.0
		25-29	5553	301	5.6	2586	47.8	1512	28.0	1009	18.7
		30-34	3865	168	4.4	1755	46.4	1125	29.7	736	19.5
		35+	2390	84	3.6	1010	43.0	793	33.7	463	19.7
	Years since diagnosis	5-9	2588	566	26.3	1129	52.5	300	13.9	156	7.3
		10-14	8347	1066	13.6	4234	54.0	1689	21.5	853	10.9
		15-19	8210	531	6.7	4105	51.7	2028	25.5	1279	16.1
		20+	6513	309	4.9	2898	45.6	1835	28.9	1310	20.6
	Age at diagnosis	<1	1926	372	21.0	970	54.7	270	15.2	162	9.1
		1-4	8262	1061	13.9	4077	53.4	1526	20.0	968	12.7
		5-9	5782	466	8.5	2790	51.0	1327	24.3	889	16.2
		10-14	5444	346	6.6	2534	48.0	1503	28.5	893	16.9
		15-20	4244	227	5.5	1995	48.3	1226	29.7	686	16.6
	Treatment	Surgery only	2162	205	9.9	1083	52.4	497	24.1	281	13.6
		Chemotherapy, no radiation	8136	740	9.6	3994	51.6	1815	23.4	1195	15.4
		Radiation, no chemotherapy	2086	130	6.5	935	46.9	560	28.1	367	18.4
		Chemotherapy and radiation	10771	1149	11.4	5143	50.9	2402	23.8	1405	13.9
		Unknown	2503	248	10.4	1211	50.7	578	24.2	350	14.7
Males	All cases		13721	1171	9.1	6257	48.4	3642	28.2	1866	14.4
	Age at baseline	<18	3062	656	25.1	1404	53.6	370	14.1	188	7.2
		18-19	1125	98	9.2	637	59.8	221	20.8	109	10.2
		20-24	3164	210	7.0	1602	53.0	810	26.8	399	13.2
		25-29	3085	128	4.3	1342	44.8	991	33.1	536	17.9
		30-34	2056	54	2.7	825	40.8	754	37.3	387	19.2
		35+	1229	25	2.1	447	36.8	496	40.8	247	20.3
	Years since diagnosis	5-9	1453	296	25.3	611	52.1	172	14.7	93	7.9
		10-14	4469	527	12.6	2177	51.9	1040	24.8	449	10.7
		15-19	4317	218	5.2	2028	48.7	1267	30.4	653	15.7
		20+	3482	130	3.8	1441	42.3	1163	34.2	671	19.7
	Age at diagnosis	<1	983	180	19.9	500	55.4	151	16.7	72	8.0
		1-4	4326	539	13.6	2088	52.7	862	21.7	475	12.0
		5-9	3261	239	7.8	1505	48.9	856	27.8	476	15.5
		10-14	2880	132	4.7	1229	44.2	953	34.3	468	16.8
		15-20	2271	81	3.7	935	42.3	820	37.1	375	17.0
	Treatment	Surgery only	1065	83	8.2	500	49.4	288	28.4	142	14.0
		Chemotherapy, no radiation	4287	325	8.0	1959	48.0	1143	28.0	651	16.0
		Radiation, no chemotherapy	1086	58	5.6	467	45.0	349	33.6	164	15.8
		Chemotherapy and radiation	5805	582	10.8	2618	48.5	1481	27.4	720	13.3
		Unknown	1478	123	8.7	713	50.7	381	27.1	189	13.4
Females	All cases		11937	1301	11.5	6109	53.8	2210	19.5	1732	15.3
	Age at baseline	<18	2623	583	25.1	1250	53.8	323	13.9	169	7.3
		18-19	1030	113	11.6	578	59.2	170	17.4	115	11.8
		20-24	2846	259	9.4	1544	56.3	528	19.3	410	15.0
		25-29	2468	173	7.2	1244	51.6	521	21.6	473	19.6
		30-34	1809	114	6.5	930	52.7	371	21.0	349	19.8

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

BMI: All cancers

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	1161	59	5.2	563	49.6	297	26.2	216	19.0
	Years since diagnosis	5-9	1135	270	27.6	518	52.9	128	13.1	63	6.4
		10-14	3878	539	14.8	2057	56.4	649	17.8	404	11.1
		15-19	3893	313	8.3	2077	55.0	761	20.1	626	16.6
		20+	3031	179	6.1	1457	49.4	672	22.8	639	21.7
	Age at diagnosis	<1	943	192	22.0	470	54.0	119	13.7	90	10.3
		1-4	3936	522	14.2	1989	54.2	664	18.1	493	13.4
		5-9	2521	227	9.5	1285	53.6	471	19.7	413	17.2
		10-14	2564	214	8.6	1305	52.3	550	22.1	425	17.0
		15-20	1973	146	7.6	1060	55.1	406	21.1	311	16.2
	Treatment	Surgery only	1097	122	11.6	583	55.4	209	19.8	139	13.2
		Chemotherapy, no radiation	3849	415	11.3	2035	55.5	672	18.3	544	14.8
		Radiation, no chemotherapy	1000	72	7.5	468	49.1	211	22.1	203	21.3
		Chemotherapy and radiation	4966	567	12.1	2525	53.7	921	19.6	685	14.6
		Unknown	1025	125	12.7	498	50.8	197	20.1	161	16.4

BMI: All leukemias

		All cases		<18.5		18.5-24		25-29		30+	
		N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	7872	618	8.4	3672	50.0	1844	25.1	1212	16.5	
	Age at baseline	<18	2233	372	19.4	1062	55.5	322	16.8	157	8.2
		18-19	844	66	8.3	456	57.2	175	22.0	100	12.5
		20-24	1964	88	4.7	992	52.9	484	25.8	310	16.5
		25-29	1598	62	4.0	689	44.3	461	29.7	342	22.0
		30-34	837	25	3.1	340	41.6	252	30.8	201	24.6
		35+	396	5	1.3	133	34.1	150	38.5	102	26.2
	Years since diagnosis	5-9	980	182	23.4	418	53.7	121	15.5	58	7.4
		10-14	2637	278	11.3	1374	55.9	539	21.9	268	10.9
		15-19	2439	106	4.5	1147	49.0	633	27.0	456	19.5
		20+	1816	52	2.9	733	41.5	551	31.2	430	24.3
	Age at diagnosis	<1	241	40	19.1	111	53.1	35	16.7	23	11.0
		1-4	3709	367	10.8	1774	52.3	774	22.8	480	14.1
		5-9	1924	118	6.5	927	50.8	453	24.8	327	17.9
		10-14	1311	67	5.3	563	44.9	368	29.3	257	20.5
		15-20	687	26	3.9	297	44.9	214	32.3	125	18.9
	Treatment	Surgery only	3	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy, no radiation	3367	271	8.5	1662	52.2	729	22.9	521	16.4
		Radiation, no chemotherapy	4	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy and radiation	3762	289	8.3	1669	48.2	939	27.1	568	16.4
		Unknown	736	58	8.4	339	49.0	174	25.1	121	17.5
Males	All cases	4200	314	8.1	1837	47.2	1115	28.6	627	16.1	
	Age at baseline	<18	1219	196	19.1	574	55.8	176	17.1	82	8.0
		18-19	455	34	8.0	243	57.2	98	23.1	50	11.8
		20-24	996	43	4.5	468	49.2	289	30.4	151	15.9
		25-29	867	31	3.7	339	40.3	286	34.0	186	22.1
		30-34	440	9	2.1	153	35.7	171	40.0	95	22.2
		35+	223	1	0.5	60	27.4	95	43.4	63	28.8
	Years since diagnosis	5-9	557	101	23.6	224	52.3	68	15.9	35	8.2
		10-14	1414	145	11.0	703	53.4	320	24.3	148	11.2
		15-19	1254	38	3.2	557	46.4	390	32.5	216	18.0
		20+	975	30	3.2	353	37.2	337	35.5	228	24.1
	Age at diagnosis	<1	112	18	18.4	52	53.1	14	14.3	14	14.3
		1-4	1985	197	10.9	932	51.7	438	24.3	237	13.1
		5-9	1038	65	6.6	454	46.4	289	29.6	170	17.4
		10-14	647	22	3.6	249	40.6	215	35.0	128	20.8
		15-20	418	12	3.0	150	37.6	159	39.8	78	19.5
	Treatment	Surgery only	1	.	.	1	100.0
		Chemotherapy, no radiation	1689	124	7.8	757	47.5	434	27.2	280	17.6
		Radiation, no chemotherapy	3	.	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	2066	159	8.4	875	46.4	568	30.1	282	15.0
		Unknown	441	31	7.5	203	49.4	113	27.5	64	15.6
Females	All cases	3672	304	8.8	1835	53.1	729	21.1	585	16.9	
	Age at baseline	<18	1014	176	19.9	488	55.1	146	16.5	75	8.5
		18-19	389	32	8.6	213	57.3	77	20.7	50	13.4
		20-24	968	45	4.9	524	56.8	195	21.1	159	17.2
		25-29	731	31	4.4	350	49.2	175	24.6	156	21.9
		30-34	397	16	4.1	187	47.9	81	20.8	106	27.2

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

BMI: All leukemias

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	173	4	2.3	73	42.7	55	32.2	39	22.8
	Years since diagnosis	5-9	423	81	23.1	194	55.3	53	15.1	23	6.6
		10-14	1223	133	11.6	671	58.7	219	19.2	120	10.5
		15-19	1185	68	6.0	590	51.7	243	21.3	240	21.0
		20+	841	22	2.7	380	46.5	214	26.2	202	24.7
	Age at diagnosis	<1	129	22	19.8	59	53.2	21	18.9	9	8.1
		1-4	1724	170	10.7	842	52.9	336	21.1	243	15.3
		5-9	886	53	6.3	473	55.8	164	19.4	157	18.5
		10-14	664	45	7.0	314	49.0	153	23.9	129	20.1
		15-20	269	14	5.3	147	55.9	55	20.9	47	17.9
	Treatment	Surgery only	2	1	50.0	1	50.0
		Chemotherapy, no radiation	1678	147	9.3	905	57.0	295	18.6	241	15.2
		Radiation, no chemotherapy	1	1	100.0	.	.
		Chemotherapy and radiation	1696	130	8.2	794	50.2	371	23.5	286	18.1
		Unknown	295	27	9.6	136	48.4	61	21.7	57	20.3

		All cases		<18.5		18.5-24		25-29		30+	
		N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	6615		496	8.0	3088	50.0	1565	25.3	1028	16.6
	Age at baseline										
		<18	1940	315	18.9	928	55.7	283	17.0	140	8.4
		18-19	730	55	7.9	387	55.9	162	23.4	88	12.7
		20-24	1687	66	4.1	856	53.0	423	26.2	270	16.7
		25-29	1329	42	3.2	573	44.2	389	30.0	291	22.5
		30-34	649	17	2.7	257	40.6	202	31.9	157	24.8
		35+	280	1	0.4	87	31.5	106	38.4	82	29.7
	Years since diagnosis										
		5-9	844	151	22.6	361	54.0	107	16.0	49	7.3
		10-14	2223	227	10.9	1168	56.1	461	22.1	226	10.9
		15-19	2022	81	4.2	946	48.7	533	27.4	383	19.7
		20+	1526	37	2.5	613	41.3	464	31.3	370	24.9
	Age at diagnosis										
		<1	133	23	19.8	55	47.4	24	20.7	14	12.1
		1-4	3298	321	10.6	1583	52.3	693	22.9	430	14.2
		5-9	1691	93	5.8	810	50.6	407	25.4	290	18.1
		10-14	1026	44	4.5	429	43.8	294	30.0	213	21.7
		15-20	467	15	3.3	211	46.5	147	32.4	81	17.8
	Treatment										
		Chemotherapy, no radiation	2684	214	8.4	1339	52.6	584	23.0	407	16.0
		Radiation, no chemotherapy	4	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy and radiation	3298	237	7.8	1451	47.8	836	27.5	512	16.9
		Unknown	629	45	7.6	297	50.0	144	24.2	108	18.2
Males	All cases	3562		261	7.9	1551	46.9	957	28.9	538	16.3
	Age at baseline										
		<18	1060	171	19.1	497	55.5	155	17.3	73	8.1
		18-19	398	30	8.0	206	55.2	93	24.9	44	11.8
		20-24	857	33	4.0	397	48.3	259	31.5	133	16.2
		25-29	733	22	3.1	290	40.7	239	33.5	162	22.7
		30-34	347	5	1.5	120	35.5	139	41.1	74	21.9
		35+	167	.	.	41	24.8	72	43.6	52	31.5
	Years since diagnosis										
		5-9	481	83	22.7	192	52.6	62	17.0	28	7.7
		10-14	1201	123	10.9	604	53.6	275	24.4	125	11.1
		15-19	1054	33	3.3	459	45.4	334	33.0	185	18.3
		20+	826	22	2.7	296	36.8	286	35.6	200	24.9
	Age at diagnosis										
		<1	64	9	16.1	25	44.6	12	21.4	10	17.9
		1-4	1758	182	11.3	819	51.0	391	24.4	213	13.3
		5-9	922	50	5.8	402	46.4	259	29.9	155	17.9
		10-14	525	14	2.8	193	38.8	180	36.1	111	22.3
		15-20	293	6	2.1	112	39.7	115	40.8	49	17.4
	Treatment										
		Chemotherapy, no radiation	1344	100	7.8	607	47.6	350	27.5	218	17.1
		Radiation, no chemotherapy	3	.	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	1834	137	8.2	765	45.7	510	30.5	261	15.6
		Unknown	381	24	6.7	178	49.9	97	27.2	58	16.2
Females	All cases	3053		235	8.2	1537	53.6	608	21.2	490	17.1
	Age at baseline										
		<18	880	144	18.7	431	56.0	128	16.6	67	8.7
		18-19	332	25	7.8	181	56.7	69	21.6	44	13.8
		20-24	830	33	4.2	459	57.9	164	20.7	137	17.3
		25-29	596	20	3.4	283	48.6	150	25.8	129	22.2
		30-34	302	12	4.1	137	46.4	63	21.4	83	28.1
		35+	113	1	0.9	46	41.4	34	30.6	30	27.0
	Years since diagnosis										
		5-9	363	68	22.4	169	55.8	45	14.9	21	6.9

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		10-14	1022	104	10.9	564	59.1	186	19.5	101	10.6
		15-19	968	48	5.2	487	52.3	199	21.4	198	21.2
		20+	700	15	2.2	317	46.6	178	26.2	170	25.0
	Age at diagnosis	<1	69	14	23.3	30	50.0	12	20.0	4	6.7
		1-4	1540	139	9.8	764	53.7	302	21.2	217	15.3
		5-9	769	43	5.9	408	55.6	148	20.2	135	18.4
		10-14	501	30	6.2	236	49.0	114	23.7	102	21.2
		15-20	174	9	5.2	99	57.6	32	18.6	32	18.6
	Treatment	Chemotherapy, no radiation	1340	114	9.0	732	57.7	234	18.4	189	14.9
		Radiation, no chemotherapy	1	1	100.0	.	.
		Chemotherapy and radiation	1464	100	7.3	686	50.3	326	23.9	251	18.4
		Unknown	248	21	8.9	119	50.2	47	19.8	50	21.1

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		927	89	10.3	435	50.5	197	22.9	141	16.4
	Age at baseline	<18	230	46	23.4	109	55.3	29	14.7	13	6.6
		18-19	89	8	10.0	51	63.8	11	13.8	10	12.5
		20-24	199	15	8.1	96	51.6	43	23.1	32	17.2
		25-29	200	13	6.7	91	46.9	50	25.8	40	20.6
		30-34	133	5	3.8	57	43.5	35	26.7	34	26.0
		35+	76	2	2.7	31	41.9	29	39.2	12	16.2
	Years since diagnosis	5-9	85	23	32.4	34	47.9	7	9.9	7	9.9
		10-14	319	40	13.8	159	55.0	55	19.0	35	12.1
		15-19	323	17	5.5	154	49.8	81	26.2	57	18.4
		20+	200	9	4.7	88	45.6	54	28.0	42	21.8
	Age at diagnosis	<1	93	16	19.8	50	61.7	9	11.1	6	7.4
		1-4	314	32	11.5	149	53.4	58	20.8	40	14.3
		5-9	171	21	12.7	85	51.2	34	20.5	26	15.7
		10-14	198	15	7.8	95	49.5	48	25.0	34	17.7
		15-20	151	5	3.5	56	38.9	48	33.3	35	24.3
	Treatment	Surgery only	3	.	.	1	33.3	1	33.3	1	33.3
		Chemotherapy, no radiation	557	44	8.4	271	51.9	115	22.0	92	17.6
		Chemotherapy and radiation	295	35	13.0	135	50.0	62	23.0	38	14.1
		Unknown	72	10	14.9	28	41.8	19	28.4	10	14.9
Males	All cases		454	39	9.4	205	49.2	108	25.9	65	15.6
	Age at baseline	<18	125	20	19.0	62	59.0	16	15.2	7	6.7
		18-19	45	4	10.0	26	65.0	4	10.0	6	15.0
		20-24	95	6	6.7	50	56.2	19	21.3	14	15.7
		25-29	90	6	6.8	34	38.6	31	35.2	17	19.3
		30-34	64	3	4.8	21	33.9	22	35.5	16	25.8
		35+	35	.	.	12	36.4	16	48.5	5	15.2
	Years since diagnosis	5-9	50	14	32.6	20	46.5	3	7.0	6	14.0
		10-14	159	17	12.1	74	52.9	30	21.4	19	13.6
		15-19	149	3	2.1	73	51.4	44	31.0	22	15.5
		20+	96	5	5.4	38	41.3	31	33.7	18	19.6
	Age at diagnosis	<1	40	8	23.5	23	67.6	1	2.9	2	5.9
		1-4	171	10	6.7	87	58.0	33	22.0	20	13.3
		5-9	79	12	15.6	36	46.8	19	24.7	10	13.0
		10-14	81	6	7.7	36	46.2	24	30.8	12	15.4
		15-20	83	3	3.8	23	29.5	31	39.7	21	26.9
	Treatment	Surgery only	1	.	.	1	100.0
		Chemotherapy, no radiation	269	18	7.2	120	48.0	63	25.2	49	19.6
		Chemotherapy and radiation	145	15	11.5	67	51.5	35	26.9	13	10.0
		Unknown	39	6	16.7	17	47.2	10	27.8	3	8.3
Females	All cases		473	50	11.2	230	51.7	89	20.0	76	17.1
	Age at baseline	<18	105	26	28.3	47	51.1	13	14.1	6	6.5
		18-19	44	4	10.0	25	62.5	7	17.5	4	10.0
		20-24	104	9	9.3	46	47.4	24	24.7	18	18.6
		25-29	110	7	6.6	57	53.8	19	17.9	23	21.7
		30-34	69	2	2.9	36	52.2	13	18.8	18	26.1
		35+	41	2	4.9	19	46.3	13	31.7	7	17.1
	Years since diagnosis	5-9	35	9	32.1	14	50.0	4	14.3	1	3.6

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		10-14	160	23	15.4	85	57.0	25	16.8	16	10.7
		15-19	174	14	8.4	81	48.5	37	22.2	35	21.0
		20+	104	4	4.0	50	49.5	23	22.8	24	23.8
	Age at diagnosis	<1	53	8	17.0	27	57.4	8	17.0	4	8.5
		1-4	143	22	17.1	62	48.1	25	19.4	20	15.5
		5-9	92	9	10.1	49	55.1	15	16.9	16	18.0
		10-14	117	9	7.9	59	51.8	24	21.1	22	19.3
		15-20	68	2	3.0	33	50.0	17	25.8	14	21.2
	Treatment	Surgery only	2	1	50.0	1	50.0
		Chemotherapy, no radiation	288	26	9.6	151	55.5	52	19.1	43	15.8
		Chemotherapy and radiation	150	20	14.3	68	48.6	27	19.3	25	17.9
		Unknown	33	4	12.9	11	35.5	9	29.0	7	22.6

			<18.5		18.5-24		25-29		30+		
		All cases	N	%	N	%	N	%	N	%	
Both sexes	All cases	4490	353	8.4	1934	45.9	1145	27.2	779	18.5	
	Age at baseline	<18	953	171	21.2	404	50.0	141	17.5	92	11.4
		18-19	377	26	7.2	193	53.6	84	23.3	57	15.8
		20-24	1179	76	6.8	536	48.0	298	26.7	207	18.5
		25-29	1084	50	4.7	451	42.6	329	31.1	228	21.6
		30-34	623	21	3.5	261	43.5	192	32.0	126	21.0
		35+	274	9	3.4	89	33.2	101	37.7	69	25.7
	Years since diagnosis	5-9	463	92	24.3	184	48.5	67	17.7	36	9.5
		10-14	1540	145	10.1	758	52.7	356	24.8	179	12.4
		15-19	1415	79	5.8	600	44.1	392	28.8	291	21.4
		20+	1072	37	3.6	392	38.0	330	32.0	273	26.5
	Age at diagnosis	<1	218	41	20.6	93	46.7	26	13.1	39	19.6
		1-4	1322	138	11.5	572	47.7	285	23.8	204	17.0
		5-9	1405	92	7.0	582	44.3	367	28.0	272	20.7
		10-14	1067	58	5.6	476	46.0	313	30.3	187	18.1
		15-20	478	24	5.2	211	45.3	154	33.0	77	16.5
	Treatment	Surgery only	1272	74	6.0	622	50.8	335	27.4	193	15.8
		Chemotherapy, no radiation	355	33	10.1	154	47.1	84	25.7	56	17.1
		Radiation, no chemotherapy	1171	73	6.7	451	41.1	319	29.1	254	23.2
		Chemotherapy and radiation	1249	133	11.6	525	45.7	294	25.6	197	17.1
		Unknown	443	40	9.7	182	44.0	113	27.3	79	19.1
Males	All cases	2452	182	8.0	1037	45.3	685	29.9	384	16.8	
	Age at baseline	<18	529	100	22.9	214	49.0	73	16.7	50	11.4
		18-19	191	16	8.6	104	55.6	46	24.6	21	11.2
		20-24	633	33	5.5	298	50.1	165	27.7	99	16.6
		25-29	618	22	3.7	256	42.7	203	33.9	118	19.7
		30-34	332	8	2.5	125	38.8	125	38.8	64	19.9
		35+	149	3	2.0	40	27.0	73	49.3	32	21.6
	Years since diagnosis	5-9	263	46	22.5	100	49.0	38	18.6	20	9.8
		10-14	832	81	10.3	409	52.2	201	25.7	92	11.7
		15-19	772	39	5.3	315	42.9	234	31.8	147	20.0
		20+	585	16	2.8	213	37.6	212	37.5	125	22.1
	Age at diagnosis	<1	128	26	23.0	58	51.3	9	8.0	20	17.7
		1-4	698	73	11.7	295	47.4	160	25.7	95	15.2
		5-9	786	50	6.8	332	44.9	227	30.7	131	17.7
		10-14	570	25	4.5	247	44.8	182	33.0	97	17.6
		15-20	270	8	3.1	105	40.2	107	41.0	41	15.7
	Treatment	Surgery only	649	24	3.9	297	47.7	200	32.1	102	16.4
		Chemotherapy, no radiation	191	19	11.0	79	45.9	48	27.9	26	15.1
		Radiation, no chemotherapy	616	36	6.3	237	41.1	194	33.7	109	18.9
		Chemotherapy and radiation	742	76	11.2	317	46.8	175	25.8	109	16.1
		Unknown	254	27	11.3	107	44.6	68	28.3	38	15.8
Females	All cases	2038	171	8.9	897	46.6	460	23.9	395	20.5	
	Age at baseline	<18	424	71	19.1	190	51.2	68	18.3	42	11.3
		18-19	186	10	5.8	89	51.4	38	22.0	36	20.8
		20-24	546	43	8.2	238	45.6	133	25.5	108	20.7
		25-29	466	28	6.1	195	42.5	126	27.5	110	24.0
		30-34	291	13	4.7	136	48.9	67	24.1	62	22.3

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	125	6	5.0	49	40.8	28	23.3	37	30.8
	Years since diagnosis	5-9	200	46	26.3	84	48.0	29	16.6	16	9.1
		10-14	708	64	9.8	349	53.3	155	23.7	87	13.3
		15-19	643	40	6.4	285	45.5	158	25.2	144	23.0
		20+	487	21	4.5	179	38.4	118	25.3	148	31.8
	Age at diagnosis	<1	90	15	17.4	35	40.7	17	19.8	19	22.1
		1-4	624	65	11.3	277	48.1	125	21.7	109	18.9
		5-9	619	42	7.3	250	43.6	140	24.4	141	24.6
		10-14	497	33	6.8	229	47.4	131	27.1	90	18.6
		15-20	208	16	7.8	106	51.7	47	22.9	36	17.6
	Treatment	Surgery only	623	50	8.3	325	54.1	135	22.5	91	15.1
		Chemotherapy, no radiation	164	14	9.0	75	48.4	36	23.2	30	19.4
		Radiation, no chemotherapy	555	37	7.1	214	41.1	125	24.0	145	27.8
		Chemotherapy and radiation	507	57	12.1	208	44.1	119	25.2	88	18.6
		Unknown	189	13	7.5	75	43.1	45	25.9	41	23.6

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2688	198	7.8	1128	44.5	711	28.0	498	19.6
	Age at baseline	<18	528	93	20.5	228	50.2	77	17.0	56	12.3
		18-19	215	10	4.8	107	51.7	53	25.6	37	17.9
		20-24	713	44	6.5	316	46.8	187	27.7	128	19.0
		25-29	664	30	4.6	263	40.5	209	32.2	147	22.7
		30-34	386	14	3.8	154	41.5	121	32.6	82	22.1
		35+	182	7	3.9	60	33.5	64	35.8	48	26.8
	Years since diagnosis	5-9	237	41	20.7	95	48.0	40	20.2	22	11.1
		10-14	906	82	9.7	443	52.2	214	25.2	109	12.9
		15-19	831	47	5.8	348	43.3	239	29.7	170	21.1
		20+	714	28	4.1	242	35.3	218	31.8	197	28.8
	Age at diagnosis	<1	150	27	20.0	57	42.2	22	16.3	29	21.5
		1-4	801	87	11.9	337	45.9	177	24.1	133	18.1
		5-9	793	40	5.3	325	43.4	213	28.5	170	22.7
		10-14	641	30	4.8	278	44.5	198	31.7	119	19.0
		15-20	303	14	4.8	131	44.7	101	34.5	47	16.0
	Treatment	Surgery only	1047	60	6.0	509	50.7	283	28.2	152	15.1
		Chemotherapy, no radiation	255	23	9.8	107	45.5	61	26.0	44	18.7
		Radiation, no chemotherapy	730	49	7.2	263	38.4	207	30.2	166	24.2
		Chemotherapy and radiation	371	38	11.0	135	39.2	94	27.3	77	22.4
		Unknown	285	28	10.5	114	42.7	66	24.7	59	22.1
Males	All cases		1405	94	7.2	566	43.1	417	31.8	235	17.9
	Age at baseline	<18	279	52	22.7	108	47.2	39	17.0	30	13.1
		18-19	109	6	5.6	57	53.3	29	27.1	15	14.0
		20-24	354	14	4.2	165	49.7	94	28.3	59	17.8
		25-29	371	13	3.6	150	41.7	125	34.7	72	20.0
		30-34	195	6	3.2	59	31.4	85	45.2	38	20.2
		35+	97	3	3.1	27	28.1	45	46.9	21	21.9
	Years since diagnosis	5-9	125	18	18.2	48	48.5	22	22.2	11	11.1
		10-14	479	40	8.9	233	52.0	119	26.6	56	12.5
		15-19	422	25	6.2	164	40.7	136	33.7	78	19.4
		20+	379	11	3.0	121	33.4	140	38.7	90	24.9
	Age at diagnosis	<1	86	17	23.3	33	45.2	8	11.0	15	20.5
		1-4	403	44	12.2	162	45.0	94	26.1	60	16.7
		5-9	421	17	4.3	167	41.8	132	33.0	84	21.0
		10-14	328	12	3.8	141	44.2	113	35.4	53	16.6
		15-20	167	4	2.5	63	39.4	70	43.8	23	14.4
	Treatment	Surgery only	524	19	3.8	235	46.9	166	33.1	81	16.2
		Chemotherapy, no radiation	142	15	11.9	56	44.4	36	28.6	19	15.1
		Radiation, no chemotherapy	370	21	6.1	132	38.3	126	36.5	66	19.1
		Chemotherapy and radiation	211	23	12.0	77	40.1	50	26.0	42	21.9
		Unknown	158	16	10.8	66	44.6	39	26.4	27	18.2
Females	All cases		1283	104	8.5	562	46.0	294	24.0	263	21.5
	Age at baseline	<18	249	41	18.2	120	53.3	38	16.9	26	11.6
		18-19	106	4	4.0	50	50.0	24	24.0	22	22.0
		20-24	359	30	8.7	151	44.0	93	27.1	69	20.1
		25-29	293	17	5.9	113	39.1	84	29.1	75	26.0
		30-34	191	8	4.4	95	51.9	36	19.7	44	24.0

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	85	4	4.8	33	39.8	19	22.9	27	32.5
	Years since diagnosis	5-9	112	23	23.2	47	47.5	18	18.2	11	11.1
		10-14	427	42	10.5	210	52.5	95	23.8	53	13.3
		15-19	409	22	5.5	184	45.9	103	25.7	92	22.9
		20+	335	17	5.3	121	37.5	78	24.1	107	33.1
	Age at diagnosis	<1	64	10	16.1	24	38.7	14	22.6	14	22.6
		1-4	398	43	11.5	175	46.8	83	22.2	73	19.5
		5-9	372	23	6.6	158	45.4	81	23.3	86	24.7
		10-14	313	18	5.9	137	44.8	85	27.8	66	21.6
		15-20	136	10	7.5	68	51.1	31	23.3	24	18.0
	Treatment	Surgery only	523	41	8.2	274	54.5	117	23.3	71	14.1
		Chemotherapy, no radiation	113	8	7.3	51	46.8	25	22.9	25	22.9
		Radiation, no chemotherapy	360	28	8.2	131	38.5	81	23.8	100	29.4
		Chemotherapy and radiation	160	15	9.9	58	38.2	44	28.9	35	23.0
		Unknown	127	12	10.1	48	40.3	27	22.7	32	26.9

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1040	93	9.6	456	47.3	258	26.8	157	16.3
	Age at baseline	<18	246	45	22.0	97	47.3	41	20.0	22	10.7
		18-19	83	8	10.3	45	57.7	14	17.9	11	14.1
		20-24	291	21	7.6	131	47.5	76	27.5	48	17.4
		25-29	252	14	5.8	109	44.9	72	29.6	48	19.8
		30-34	131	5	3.9	59	46.5	41	32.3	22	17.3
		35+	37	.	.	15	42.9	14	40.0	6	17.1
	Years since diagnosis	5-9	124	34	34.3	45	45.5	15	15.2	5	5.1
		10-14	355	36	10.9	169	51.4	84	25.5	40	12.2
		15-19	344	20	6.1	146	44.8	90	27.6	70	21.5
		20+	217	3	1.4	96	45.7	69	32.9	42	20.0
	Age at diagnosis	<1	28	6	24.0	11	44.0	3	12.0	5	20.0
		1-4	298	28	10.4	134	49.8	66	24.5	41	15.2
		5-9	422	35	9.0	172	44.1	108	27.7	75	19.2
		10-14	230	19	8.7	110	50.5	60	27.5	29	13.3
		15-20	62	5	8.1	29	46.8	21	33.9	7	11.3
	Treatment	Surgery only	8	.	.	5	62.5	1	12.5	2	25.0
		Chemotherapy, no radiation	53	4	8.2	26	53.1	13	26.5	6	12.2
		Radiation, no chemotherapy	208	11	5.6	81	41.5	56	28.7	47	24.1
		Chemotherapy and radiation	692	70	10.9	317	49.5	163	25.5	90	14.1
		Unknown	79	8	11.1	27	37.5	25	34.7	12	16.7
Males	All cases		632	54	9.2	281	47.8	165	28.1	88	15.0
	Age at baseline	<18	147	28	22.8	61	49.6	23	18.7	11	8.9
		18-19	47	6	13.0	27	58.7	8	17.4	5	10.9
		20-24	185	13	7.5	85	48.9	49	28.2	27	15.5
		25-29	157	6	4.0	67	44.7	51	34.0	26	17.3
		30-34	73	1	1.4	35	48.6	22	30.6	14	19.4
		35+	23	.	.	6	26.1	12	52.2	5	21.7
	Years since diagnosis	5-9	76	19	32.8	31	53.4	8	13.8	.	.
		10-14	208	25	12.8	97	49.5	50	25.5	24	12.2
		15-19	217	8	3.9	91	44.4	63	30.7	43	21.0
		20+	131	2	1.6	62	48.1	44	34.1	21	16.3
	Age at diagnosis	<1	16	4	28.6	6	42.9	1	7.1	3	21.4
		1-4	180	17	10.4	82	50.0	43	26.2	22	13.4
		5-9	267	22	8.9	120	48.6	68	27.5	37	15.0
		10-14	132	10	7.9	59	46.8	36	28.6	21	16.7
		15-20	37	1	2.7	14	37.8	17	45.9	5	13.5
	Treatment	Surgery only	5	.	.	3	60.0	1	20.0	1	20.0
		Chemotherapy, no radiation	27	2	7.7	15	57.7	6	23.1	3	11.5
		Radiation, no chemotherapy	115	5	4.6	44	40.7	35	32.4	24	22.2
		Chemotherapy and radiation	437	40	9.9	203	50.4	105	26.1	55	13.6
		Unknown	48	7	15.2	16	34.8	18	39.1	5	10.9
Females	All cases		408	39	10.4	175	46.5	93	24.7	69	18.4
	Age at baseline	<18	99	17	20.7	36	43.9	18	22.0	11	13.4
		18-19	36	2	6.3	18	56.3	6	18.8	6	18.8
		20-24	106	8	7.8	46	45.1	27	26.5	21	20.6
		25-29	95	8	8.6	42	45.2	21	22.6	22	23.7
		30-34	58	4	7.3	24	43.6	19	34.5	8	14.5

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		35+	14	.	.	9	75.0	2	16.7	1	8.3
	Years since diagnosis	5-9	48	15	36.6	14	34.1	7	17.1	5	12.2
		10-14	147	11	8.3	72	54.1	34	25.6	16	12.0
		15-19	127	12	9.9	55	45.5	27	22.3	27	22.3
		20+	86	1	1.2	34	42.0	25	30.9	21	25.9
	Age at diagnosis	<1	12	2	18.2	5	45.5	2	18.2	2	18.2
		1-4	118	11	10.5	52	49.5	23	21.9	19	18.1
		5-9	155	13	9.1	52	36.4	40	28.0	38	26.6
		10-14	98	9	9.8	51	55.4	24	26.1	8	8.7
		15-20	25	4	16.0	15	60.0	4	16.0	2	8.0
	Treatment	Surgery only	3	.	.	2	66.7	.	.	1	33.3
		Chemotherapy, no radiation	26	2	8.7	11	47.8	7	30.4	3	13.0
		Radiation, no chemotherapy	93	6	6.9	37	42.5	21	24.1	23	26.4
		Chemotherapy and radiation	255	30	12.7	114	48.1	58	24.5	35	14.8
		Unknown	31	1	3.8	11	42.3	7	26.9	7	26.9

		All cases		<18.5		18.5-24		25-29		30+	
		N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	3107		196	6.5	1513	50.0	811	26.8	507	16.7
	Age at baseline										
		<18	61	16	31.4	25	49.0	4	7.8	6	11.8
		18-19	62	4	6.8	42	71.2	8	13.6	5	8.5
		20-24	376	40	11.1	199	55.3	88	24.4	33	9.2
		25-29	798	55	7.1	380	49.2	200	25.9	137	17.7
		30-34	949	45	4.8	463	49.4	264	28.1	166	17.7
		35+	861	36	4.3	404	47.7	247	29.2	160	18.9
	Years since diagnosis										
		5-9	242	39	17.6	121	54.8	35	15.8	26	11.8
		10-14	947	65	7.1	472	51.5	239	26.1	141	15.4
		15-19	1010	46	4.6	503	50.5	272	27.3	175	17.6
		20+	908	46	5.2	417	46.7	265	29.7	165	18.5
	Age at diagnosis										
		1-4	84	5	6.5	49	63.6	13	16.9	10	13.0
		5-9	421	45	11.0	206	50.2	109	26.6	50	12.2
		10-14	1118	67	6.2	554	50.9	293	26.9	174	16.0
		15-20	1484	79	5.4	704	48.5	396	27.3	273	18.8
	Treatment										
		Surgery only	2	.	.	1	50.0	.	.	1	50.0
		Chemotherapy, no radiation	363	17	4.8	156	43.7	106	29.7	78	21.8
		Radiation, no chemotherapy	651	33	5.2	330	51.6	183	28.6	94	14.7
		Chemotherapy and radiation	1759	118	6.9	853	49.9	446	26.1	291	17.0
		Unknown	332	28	8.8	173	54.1	76	23.8	43	13.4
Males	All cases	1631		72	4.5	729	46.0	525	33.1	259	16.3
	Age at baseline										
		<18	46	10	27.8	20	55.6	1	2.8	5	13.9
		18-19	49	1	2.1	35	72.9	7	14.6	5	10.4
		20-24	239	15	6.7	125	55.8	64	28.6	20	8.9
		25-29	445	21	4.9	196	45.6	146	34.0	67	15.6
		30-34	480	15	3.1	200	41.8	172	36.0	91	19.0
		35+	372	10	2.7	153	41.5	135	36.6	71	19.2
	Years since diagnosis										
		5-9	138	19	15.7	68	56.2	21	17.4	13	10.7
		10-14	492	17	3.6	231	48.3	160	33.5	70	14.6
		15-19	539	18	3.4	240	45.4	180	34.0	91	17.2
		20+	462	18	3.9	190	41.6	164	35.9	85	18.6
	Age at diagnosis										
		1-4	63	3	5.4	38	67.9	8	14.3	7	12.5
		5-9	305	25	8.4	148	50.0	84	28.4	39	13.2
		10-14	579	20	3.6	263	47.0	191	34.2	85	15.2
		15-20	684	24	3.6	280	41.5	242	35.9	128	19.0
	Treatment										
		Surgery only	1	1	100.0
		Chemotherapy, no radiation	186	4	2.2	70	38.3	68	37.2	41	22.4
		Radiation, no chemotherapy	336	9	2.7	158	47.7	118	35.6	46	13.9
		Chemotherapy and radiation	911	48	5.4	397	45.1	292	33.1	144	16.3
		Unknown	197	11	5.8	104	55.0	47	24.9	27	14.3
Females	All cases	1476		124	8.6	784	54.4	286	19.8	248	17.2
	Age at baseline										
		<18	15	6	40.0	5	33.3	3	20.0	1	6.7
		18-19	13	3	27.3	7	63.6	1	9.1	.	.
		20-24	137	25	18.4	74	54.4	24	17.6	13	9.6
		25-29	353	34	9.9	184	53.8	54	15.8	70	20.5
		30-34	469	30	6.5	263	57.2	92	20.0	75	16.3
		35+	489	26	5.4	251	52.5	112	23.4	89	18.6
	Years since diagnosis										
		5-9	104	20	20.0	53	53.0	14	14.0	13	13.0

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		10-14	455	48	10.9	241	54.9	79	18.0	71	16.2
		15-19	471	28	6.0	263	56.3	92	19.7	84	18.0
		20+	446	28	6.4	227	52.1	101	23.2	80	18.3
	Age at diagnosis	1-4	21	2	9.5	11	52.4	5	23.8	3	14.3
		5-9	116	20	17.5	58	50.9	25	21.9	11	9.6
		10-14	539	47	8.9	291	55.0	102	19.3	89	16.8
		15-20	800	55	7.1	424	54.5	154	19.8	145	18.6
	Treatment	Surgery only	1	.	.	1	100.0
		Chemotherapy, no radiation	177	13	7.5	86	49.4	38	21.8	37	21.3
		Radiation, no chemotherapy	315	24	7.8	172	55.7	65	21.0	48	15.5
		Chemotherapy and radiation	848	70	8.5	456	55.1	154	18.6	147	17.8
		Unknown	135	17	13.0	69	52.7	29	22.1	16	12.2

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2114	115	5.7	989	48.7	601	29.6	326	16.1
	Age at baseline	<18	212	35	19.2	111	61.0	27	14.8	9	4.9
		18-19	132	12	9.9	79	65.3	22	18.2	8	6.6
		20-24	469	26	5.8	243	54.5	116	26.0	61	13.7
		25-29	569	23	4.1	253	45.1	176	31.4	109	19.4
		30-34	483	14	3.0	201	42.5	165	34.9	93	19.7
		35+	249	5	2.0	102	41.1	95	38.3	46	18.5
	Years since diagnosis	5-9	144	19	15.2	77	61.6	18	14.4	11	8.8
		10-14	672	40	6.3	339	53.3	171	26.9	86	13.5
		15-19	730	36	5.0	333	46.7	238	33.4	106	14.9
		20+	568	20	3.6	240	43.1	174	31.2	123	22.1
	Age at diagnosis	<1	15	4	28.6	6	42.9	4	28.6	.	.
		1-4	344	36	11.1	182	56.3	63	19.5	42	13.0
		5-9	647	41	6.8	314	51.7	164	27.0	88	14.5
		10-14	674	21	3.2	303	45.8	217	32.8	120	18.2
		15-20	434	13	3.1	184	43.2	153	35.9	76	17.8
	Treatment	Surgery only	16	.	.	11	68.8	4	25.0	1	6.3
		Chemotherapy, no radiation	1075	44	4.2	504	48.6	292	28.2	197	19.0
		Radiation, no chemotherapy	38	.	.	20	54.1	15	40.5	2	5.4
		Chemotherapy and radiation	766	58	8.0	364	50.1	215	29.6	90	12.4
		Unknown	219	13	6.1	90	42.1	75	35.0	36	16.8
Males	All cases		1436	74	5.3	628	45.4	450	32.5	232	16.8
	Age at baseline	<18	146	27	21.3	75	59.1	17	13.4	8	6.3
		18-19	97	7	7.9	59	66.3	16	18.0	7	7.9
		20-24	304	18	6.2	152	52.4	80	27.6	40	13.8
		25-29	405	14	3.5	158	39.5	146	36.5	82	20.5
		30-34	319	6	1.9	124	39.6	120	38.3	63	20.1
		35+	165	2	1.2	60	36.4	71	43.0	32	19.4
	Years since diagnosis	5-9	109	14	14.6	60	62.5	13	13.5	9	9.4
		10-14	457	27	6.2	214	49.4	128	29.6	64	14.8
		15-19	480	22	4.7	198	41.9	183	38.8	69	14.6
		20+	390	11	2.9	156	40.7	126	32.9	90	23.5
	Age at diagnosis	<1	5	2	40.0	2	40.0	1	20.0	.	.
		1-4	232	25	11.5	119	54.6	44	20.2	30	13.8
		5-9	451	27	6.4	215	50.7	115	27.1	67	15.8
		10-14	463	16	3.5	182	39.9	176	38.6	82	18.0
		15-20	285	4	1.4	110	39.1	114	40.6	53	18.9
	Treatment	Surgery only	13	.	.	9	69.2	4	30.8	.	.
		Chemotherapy, no radiation	727	29	4.1	313	44.4	220	31.2	143	20.3
		Radiation, no chemotherapy	28	.	.	12	44.4	14	51.9	1	3.7
		Chemotherapy and radiation	511	36	7.4	235	48.4	151	31.1	64	13.2
		Unknown	157	9	5.9	59	38.6	61	39.9	24	15.7
Females	All cases		678	41	6.3	361	55.8	151	23.3	94	14.5
	Age at baseline	<18	66	8	14.5	36	65.5	10	18.2	1	1.8
		18-19	35	5	15.6	20	62.5	6	18.8	1	3.1
		20-24	165	8	5.1	91	58.3	36	23.1	21	13.5
		25-29	164	9	5.6	95	59.0	30	18.6	27	16.8
		30-34	164	8	5.0	77	48.1	45	28.1	30	18.8

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	84	3	3.6	42	50.6	24	28.9	14	16.9
	Years since diagnosis	5-9	35	5	17.2	17	58.6	5	17.2	2	6.9
		10-14	215	13	6.4	125	61.6	43	21.2	22	10.8
		15-19	250	14	5.8	135	56.0	55	22.8	37	15.4
		20+	178	9	5.2	84	48.3	48	27.6	33	19.0
	Age at diagnosis	<1	10	2	22.2	4	44.4	3	33.3	.	.
		1-4	112	11	10.5	63	60.0	19	18.1	12	11.4
		5-9	196	14	7.7	99	54.1	49	26.8	21	11.5
		10-14	211	5	2.4	121	59.0	41	20.0	38	18.5
		15-20	149	9	6.2	74	51.0	39	26.9	23	15.9
	Treatment	Surgery only	3	.	.	2	66.7	.	.	1	33.3
		Chemotherapy, no radiation	348	15	4.5	191	57.5	72	21.7	54	16.3
		Radiation, no chemotherapy	10	.	.	8	80.0	1	10.0	1	10.0
		Chemotherapy and radiation	255	22	9.1	129	53.5	64	26.6	26	10.8
		Unknown	62	4	6.6	31	50.8	14	23.0	12	19.7

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2274	356	16.5	1236	57.3	347	16.1	219	10.1
	Age at baseline	<18	833	219	28.9	407	53.8	85	11.2	46	6.1
		18-19	306	38	13.0	188	64.4	42	14.4	24	8.2
		20-24	669	69	10.6	401	61.5	111	17.0	71	10.9
		25-29	374	22	6.0	202	55.2	81	22.1	61	16.7
		30-34	74	7	9.6	32	43.8	20	27.4	14	19.2
		35+	18	1	5.6	6	33.3	8	44.4	3	16.7
	Years since diagnosis	5-9	176	63	42.0	71	47.3	8	5.3	8	5.3
		10-14	740	168	24.5	381	55.5	91	13.2	47	6.8
		15-19	760	85	11.5	457	62.1	122	16.6	72	9.8
		20+	598	40	6.8	327	55.9	126	21.5	92	15.7
	Age at diagnosis	<1	330	61	20.1	167	55.1	53	17.5	22	7.3
		1-4	1395	229	17.3	771	58.2	195	14.7	130	9.8
		5-9	468	58	12.9	262	58.4	73	16.3	56	12.5
		10-14	58	7	12.1	23	39.7	18	31.0	10	17.2
		15-20	23	1	4.3	13	56.5	8	34.8	1	4.3
	Treatment	Surgery only	34	7	24.1	15	51.7	4	13.8	3	10.3
		Chemotherapy, no radiation	869	120	14.6	457	55.5	144	17.5	103	12.5
		Radiation, no chemotherapy	4	.	.	3	75.0	.	.	1	25.0
		Chemotherapy and radiation	1153	199	18.2	627	57.4	171	15.7	95	8.7
		Unknown	214	30	14.4	134	64.1	28	13.4	17	8.1
Males	All cases		1020	137	14.3	546	56.9	186	19.4	91	9.5
	Age at baseline	<18	404	94	26.2	202	56.3	44	12.3	19	5.3
		18-19	127	11	9.2	75	62.5	23	19.2	11	9.2
		20-24	285	23	8.2	167	59.9	57	20.4	32	11.5
		25-29	166	8	4.9	86	52.4	48	29.3	22	13.4
		30-34	30	1	3.3	13	43.3	11	36.7	5	16.7
		35+	8	.	.	3	37.5	3	37.5	2	25.0
	Years since diagnosis	5-9	79	25	38.5	31	47.7	4	6.2	5	7.7
		10-14	334	67	22.3	171	57.0	47	15.7	15	5.0
		15-19	336	32	9.8	199	60.9	59	18.0	37	11.3
		20+	271	13	4.9	145	54.1	76	28.4	34	12.7
	Age at diagnosis	<1	168	22	14.4	92	60.1	29	19.0	10	6.5
		1-4	629	94	15.8	344	57.9	102	17.2	54	9.1
		5-9	193	18	9.8	98	53.6	45	24.6	22	12.0
		10-14	21	3	14.3	6	28.6	8	38.1	4	19.0
		15-20	9	.	.	6	66.7	2	22.2	1	11.1
	Treatment	Surgery only	18	2	14.3	9	64.3	2	14.3	1	7.1
		Chemotherapy, no radiation	395	43	11.5	206	55.2	79	21.2	45	12.1
		Chemotherapy and radiation	499	81	17.3	258	55.1	91	19.4	38	8.1
		Unknown	108	11	10.5	73	69.5	14	13.3	7	6.7
Females	All cases		1254	219	18.3	690	57.6	161	13.4	128	10.7
	Age at baseline	<18	429	125	31.4	205	51.5	41	10.3	27	6.8
		18-19	179	27	15.7	113	65.7	19	11.0	13	7.6
		20-24	384	46	12.3	234	62.7	54	14.5	39	10.5
		25-29	208	14	6.9	116	57.4	33	16.3	39	19.3
		30-34	44	6	14.0	19	44.2	9	20.9	9	20.9
		35+	10	1	10.0	3	30.0	5	50.0	1	10.0

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
	Years since diagnosis	5-9	97	38	44.7	40	47.1	4	4.7	3	3.5
		10-14	406	101	26.1	210	54.3	44	11.4	32	8.3
		15-19	424	53	13.0	258	63.1	63	15.4	35	8.6
		20+	327	27	8.5	182	57.4	50	15.8	58	18.3
	Age at diagnosis	<1	162	39	26.0	75	50.0	24	16.0	12	8.0
		1-4	766	135	18.5	427	58.4	93	12.7	76	10.4
		5-9	275	40	15.0	164	61.7	28	10.5	34	12.8
		10-14	37	4	10.8	17	45.9	10	27.0	6	16.2
		15-20	14	1	7.1	7	50.0	6	42.9	.	.
	Treatment	Surgery only	16	5	33.3	6	40.0	2	13.3	2	13.3
		Chemotherapy, no radiation	474	77	17.1	251	55.7	65	14.4	58	12.9
		Radiation, no chemotherapy	4	.	.	3	75.0	.	.	1	25.0
		Chemotherapy and radiation	654	118	18.9	369	59.1	80	12.8	57	9.1
		Unknown	106	19	18.3	61	58.7	14	13.5	10	9.6

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1947	394	21.7	997	55.0	273	15.1	149	8.2
	Age at baseline	<18	956	292	34.4	438	51.5	89	10.5	31	3.6
		18-19	237	30	13.4	141	62.9	37	16.5	16	7.1
		20-24	540	56	10.5	303	57.1	105	19.8	67	12.6
		25-29	170	15	9.1	87	52.7	38	23.0	25	15.2
		30-34	36	1	2.8	25	69.4	3	8.3	7	19.4
		35+	8	.	.	3	42.9	1	14.3	3	42.9
	Years since diagnosis	5-9	160	66	54.5	42	34.7	11	9.1	2	1.7
		10-14	609	207	37.1	276	49.5	56	10.0	19	3.4
		15-19	640	76	12.6	387	64.0	94	15.5	48	7.9
		20+	538	45	8.5	292	55.2	112	21.2	80	15.1
	Age at diagnosis	<1	989	204	22.0	523	56.3	134	14.4	68	7.3
		1-4	760	164	23.4	367	52.4	110	15.7	60	8.6
		5-9	149	18	13.1	83	60.6	22	16.1	14	10.2
		10-14	30	5	18.5	16	59.3	4	14.8	2	7.4
		15-20	19	3	15.8	8	42.1	3	15.8	5	26.3
	Treatment	Surgery only	545	105	20.7	274	53.9	80	15.7	49	9.6
		Chemotherapy, no radiation	559	100	19.1	295	56.3	79	15.1	50	9.5
		Radiation, no chemotherapy	138	20	15.2	86	65.2	19	14.4	7	5.3
		Chemotherapy and radiation	531	137	28.2	257	53.0	63	13.0	28	5.8
		Unknown	174	32	19.5	85	51.8	32	19.5	15	9.1
Males	All cases		949	191	21.6	479	54.1	158	17.8	58	6.5
	Age at baseline	<18	478	146	34.3	216	50.7	47	11.0	17	4.0
		18-19	104	15	14.9	64	63.4	17	16.8	5	5.0
		20-24	272	27	10.1	143	53.4	72	26.9	26	9.7
		25-29	78	3	4.0	42	56.0	20	26.7	10	13.3
		30-34	14	.	.	13	92.9	1	7.1	.	.
		35+	3	.	.	1	50.0	1	50.0	.	.
	Years since diagnosis	5-9	75	35	60.3	17	29.3	5	8.6	1	1.7
		10-14	303	110	39.3	129	46.1	32	11.4	9	3.2
		15-19	308	32	11.1	190	65.7	47	16.3	20	6.9
		20+	263	14	5.4	143	55.2	74	28.6	28	10.8
	Age at diagnosis	<1	514	101	21.0	268	55.6	88	18.3	25	5.2
		1-4	342	72	22.6	164	51.6	55	17.3	27	8.5
		5-9	74	13	19.1	38	55.9	11	16.2	6	8.8
		10-14	13	3	25.0	7	58.3	2	16.7	.	.
		15-20	6	2	33.3	2	33.3	2	33.3	.	.
	Treatment	Surgery only	261	50	20.8	126	52.5	44	18.3	20	8.3
		Chemotherapy, no radiation	277	47	18.0	143	54.8	52	19.9	19	7.3
		Radiation, no chemotherapy	62	11	17.7	39	62.9	9	14.5	3	4.8
		Chemotherapy and radiation	259	67	28.0	125	52.3	37	15.5	10	4.2
		Unknown	90	16	19.0	46	54.8	16	19.0	6	7.1
Females	All cases		998	203	21.9	518	55.9	115	12.4	91	9.8
	Age at baseline	<18	478	146	34.4	222	52.4	42	9.9	14	3.3
		18-19	133	15	12.2	77	62.6	20	16.3	11	8.9
		20-24	268	29	11.0	160	60.8	33	12.5	41	15.6
		25-29	92	12	13.3	45	50.0	18	20.0	15	16.7
		30-34	22	1	4.5	12	54.5	2	9.1	7	31.8

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	5	.	.	2	40.0	.	.	3	60.0
	Years since diagnosis	5-9	85	31	49.2	25	39.7	6	9.5	1	1.6
		10-14	306	97	34.9	147	52.9	24	8.6	10	3.6
		15-19	332	44	13.9	197	62.3	47	14.9	28	8.9
		20+	275	31	11.5	149	55.2	38	14.1	52	19.3
	Age at diagnosis	<1	475	103	23.0	255	57.0	46	10.3	43	9.6
		1-4	418	92	24.0	203	53.0	55	14.4	33	8.6
		5-9	75	5	7.2	45	65.2	11	15.9	8	11.6
		10-14	17	2	13.3	9	60.0	2	13.3	2	13.3
		15-20	13	1	7.7	6	46.2	1	7.7	5	38.5
	Treatment	Surgery only	284	55	20.5	148	55.2	36	13.4	29	10.8
		Chemotherapy, no radiation	282	53	20.2	152	57.8	27	10.3	31	11.8
		Radiation, no chemotherapy	76	9	12.9	47	67.1	10	14.3	4	5.7
		Chemotherapy and radiation	272	70	28.5	132	53.7	26	10.6	18	7.3
		Unknown	84	16	20.0	39	48.8	16	20.0	9	11.3

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1756	215	12.8	966	57.5	335	19.9	164	9.8
	Age at baseline	<18	341	99	32.8	173	57.3	17	5.6	13	4.3
		18-19	125	21	17.5	70	58.3	17	14.2	12	10.0
		20-24	425	53	12.9	248	60.3	83	20.2	27	6.6
		25-29	392	25	6.6	232	60.9	90	23.6	34	8.9
		30-34	297	13	4.5	154	52.7	71	24.3	54	18.5
		35+	176	4	2.3	89	51.1	57	32.8	24	13.8
	Years since diagnosis	5-9	182	47	29.2	90	55.9	21	13.0	3	1.9
		10-14	521	88	17.9	285	58.0	84	17.1	34	6.9
		15-19	540	46	8.8	326	62.3	100	19.1	51	9.8
		20+	513	34	6.7	265	52.5	130	25.7	76	15.0
	Age at diagnosis	<1	124	20	18.0	64	57.7	17	15.3	10	9.0
		1-4	560	105	19.7	310	58.2	78	14.6	40	7.5
		5-9	397	47	12.5	220	58.7	67	17.9	41	10.9
		10-14	346	28	8.3	184	54.4	86	25.4	40	11.8
		15-20	329	15	4.6	188	58.2	87	26.9	33	10.2
	Treatment	Surgery only	171	10	6.0	99	59.6	41	24.7	16	9.6
		Chemotherapy, no radiation	359	34	9.9	190	55.1	83	24.1	38	11.0
		Radiation, no chemotherapy	63	3	4.8	32	51.6	20	32.3	7	11.3
		Chemotherapy and radiation	971	146	15.9	544	59.1	151	16.4	80	8.7
		Unknown	192	22	11.8	101	54.3	40	21.5	23	12.4
Males	All cases		949	117	13.0	486	54.0	214	23.8	83	9.2
	Age at baseline	<18	192	66	39.3	88	52.4	10	6.0	4	2.4
		18-19	66	10	16.1	33	53.2	11	17.7	8	12.9
		20-24	242	27	11.7	135	58.4	53	22.9	16	6.9
		25-29	207	10	5.0	114	57.0	60	30.0	16	8.0
		30-34	158	3	1.9	79	50.6	45	28.8	29	18.6
		35+	84	1	1.2	37	44.6	35	42.2	10	12.0
	Years since diagnosis	5-9	100	32	36.8	44	50.6	10	11.5	1	1.1
		10-14	288	51	19.0	145	54.1	57	21.3	15	5.6
		15-19	281	18	6.6	163	60.1	63	23.2	27	10.0
		20+	280	16	5.8	134	48.9	84	30.7	40	14.6
	Age at diagnosis	<1	52	10	20.8	25	52.1	10	20.8	3	6.3
		1-4	330	67	21.8	168	54.5	50	16.2	23	7.5
		5-9	224	24	11.6	117	56.5	43	20.8	23	11.1
		10-14	186	11	6.0	91	49.7	62	33.9	19	10.4
		15-20	157	5	3.2	85	55.2	49	31.8	15	9.7
	Treatment	Surgery only	74	5	6.8	33	45.2	25	34.2	10	13.7
		Chemotherapy, no radiation	211	17	8.3	109	53.4	58	28.4	20	9.8
		Radiation, no chemotherapy	32	2	6.5	14	45.2	12	38.7	3	9.7
		Chemotherapy and radiation	521	83	17.1	272	56.2	89	18.4	40	8.3
		Unknown	111	10	9.3	58	53.7	30	27.8	10	9.3
Females	All cases		807	98	12.6	480	61.5	121	15.5	81	10.4
	Age at baseline	<18	149	33	24.6	85	63.4	7	5.2	9	6.7
		18-19	59	11	19.0	37	63.8	6	10.3	4	6.9
		20-24	183	26	14.4	113	62.8	30	16.7	11	6.1
		25-29	185	15	8.3	118	65.2	30	16.6	18	9.9
		30-34	139	10	7.4	75	55.1	26	19.1	25	18.4

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		35+	92	3	3.3	52	57.1	22	24.2	14	15.4
	Years since diagnosis	5-9	82	15	20.3	46	62.2	11	14.9	2	2.7
		10-14	233	37	16.6	140	62.8	27	12.1	19	8.5
		15-19	259	28	11.1	163	64.7	37	14.7	24	9.5
		20+	233	18	7.8	131	56.7	46	19.9	36	15.6
	Age at diagnosis	<1	72	10	15.9	39	61.9	7	11.1	7	11.1
		1-4	230	38	16.9	142	63.1	28	12.4	17	7.6
		5-9	173	23	13.7	103	61.3	24	14.3	18	10.7
		10-14	160	17	11.0	93	60.0	24	15.5	21	13.5
		15-20	172	10	5.9	103	60.9	38	22.5	18	10.7
	Treatment	Surgery only	97	5	5.4	66	71.0	16	17.2	6	6.5
		Chemotherapy, no radiation	148	17	12.1	81	57.4	25	17.7	18	12.8
		Radiation, no chemotherapy	31	1	3.2	18	58.1	8	25.8	4	12.9
		Chemotherapy and radiation	450	63	14.4	272	62.2	62	14.2	40	9.2
		Unknown	81	12	15.4	43	55.1	10	12.8	13	16.7

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2098	225	11.1	1059	52.4	496	24.5	242	12.0
	Age at baseline	<18	96	35	43.8	34	42.5	8	10.0	3	3.8
		18-19	72	14	20.6	46	67.6	6	8.8	2	2.9
		20-24	388	61	16.4	224	60.4	53	14.3	33	8.9
		25-29	568	49	8.9	292	53.0	137	24.9	73	13.2
		30-34	566	42	7.6	279	50.4	158	28.5	75	13.5
		35+	408	24	6.0	184	46.2	134	33.7	56	14.1
	Years since diagnosis	5-9	241	58	27.0	126	58.6	19	8.8	12	5.6
		10-14	681	75	11.4	349	53.2	153	23.3	79	12.0
		15-19	676	57	8.6	352	52.9	177	26.6	80	12.0
		20+	500	35	7.2	232	47.8	147	30.3	71	14.6
	Age at diagnosis	<1	9	2	22.2	6	66.7	1	11.1	.	.
		1-4	88	17	21.5	52	65.8	8	10.1	2	2.5
		5-9	371	47	13.2	196	55.1	72	20.2	41	11.5
		10-14	840	93	11.4	415	50.9	204	25.0	103	12.6
		15-20	790	66	8.7	390	51.1	211	27.7	96	12.6
	Treatment	Surgery only	119	9	7.6	60	50.8	32	27.1	17	14.4
		Chemotherapy, no radiation	1189	121	10.5	576	50.2	298	26.0	152	13.3
		Radiation, no chemotherapy	17	1	5.9	12	70.6	3	17.6	1	5.9
		Chemotherapy and radiation	580	69	12.5	304	55.1	123	22.3	56	10.1
		Unknown	193	25	13.3	107	56.9	40	21.3	16	8.5
Males	All cases		1084	84	8.1	515	49.5	309	29.7	132	12.7
	Age at baseline	<18	48	17	45.9	15	40.5	2	5.4	3	8.1
		18-19	36	4	12.1	24	72.7	3	9.1	2	6.1
		20-24	193	24	13.1	114	62.3	30	16.4	15	8.2
		25-29	299	19	6.6	151	52.6	82	28.6	35	12.2
		30-34	283	12	4.3	118	42.3	109	39.1	40	14.3
		35+	225	8	3.6	93	42.1	83	37.6	37	16.7
	Years since diagnosis	5-9	132	24	21.2	67	59.3	13	11.5	9	8.0
		10-14	349	29	8.7	175	52.2	95	28.4	36	10.7
		15-19	347	19	5.6	166	48.5	111	32.5	46	13.5
		20+	256	12	4.8	107	42.8	90	36.0	41	16.4
	Age at diagnosis	<1	4	1	25.0	3	75.0
		1-4	47	8	18.6	28	65.1	5	11.6	2	4.7
		5-9	190	17	9.4	103	57.2	42	23.3	18	10.0
		10-14	401	32	8.3	184	47.7	117	30.3	53	13.7
		15-20	442	26	6.1	197	46.1	145	34.0	59	13.8
	Treatment	Surgery only	48	2	4.2	25	52.1	13	27.1	8	16.7
		Chemotherapy, no radiation	611	42	7.2	282	48.2	184	31.5	77	13.2
		Radiation, no chemotherapy	9	.	.	6	66.7	2	22.2	1	11.1
		Chemotherapy and radiation	296	32	11.3	139	49.3	78	27.7	33	11.7
		Unknown	120	8	6.9	63	54.3	32	27.6	13	11.2
Females	All cases		1014	141	14.4	544	55.4	187	19.0	110	11.2
	Age at baseline	<18	48	18	41.9	19	44.2	6	14.0	.	.
		18-19	36	10	28.6	22	62.9	3	8.6	.	.
		20-24	195	37	19.7	110	58.5	23	12.2	18	9.6
		25-29	269	30	11.4	141	53.4	55	20.8	38	14.4
		30-34	283	30	10.9	161	58.5	49	17.8	35	12.7

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
		35+	183	16	9.0	91	51.4	51	28.8	19	10.7
	Years since diagnosis	5-9	109	34	33.3	59	57.8	6	5.9	3	2.9
		10-14	332	46	14.3	174	54.2	58	18.1	43	13.4
		15-19	329	38	11.7	186	57.4	66	20.4	34	10.5
		20+	244	23	9.8	125	53.2	57	24.3	30	12.8
	Age at diagnosis	<1	5	1	20.0	3	60.0	1	20.0	.	.
		1-4	41	9	25.0	24	66.7	3	8.3	.	.
		5-9	181	30	17.0	93	52.8	30	17.0	23	13.1
		10-14	439	61	14.2	231	53.8	87	20.3	50	11.7
		15-20	348	40	11.9	193	57.4	66	19.6	37	11.0
	Treatment	Surgery only	71	7	10.0	35	50.0	19	27.1	9	12.9
		Chemotherapy, no radiation	578	79	14.1	294	52.3	114	20.3	75	13.3
		Radiation, no chemotherapy	8	1	12.5	6	75.0	1	12.5	.	.
		Chemotherapy and radiation	284	37	13.7	165	61.1	45	16.7	23	8.5
		Unknown	73	17	23.6	44	61.1	8	11.1	3	4.2

			All cases		<18.5		18.5-24		25-29		30+	
			N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		738		86	12.1	364	51.4	171	24.2	87	12.3
	Age at baseline	<18	61	23	46.0	19	38.0	7	14.0	1	2.0	
		18-19	36	8	22.2	22	61.1	4	11.1	2	5.6	
		20-24	170	23	14.1	97	59.5	30	18.4	13	8.0	
		25-29	204	19	9.6	112	56.6	36	18.2	31	15.7	
		30-34	164	7	4.3	75	46.3	55	34.0	25	15.4	
		35+	103	6	6.1	39	39.4	39	39.4	15	15.2	
	Years since diagnosis	5-9	103	26	29.2	48	53.9	11	12.4	4	4.5	
		10-14	247	29	12.1	127	53.1	56	23.4	27	11.3	
		15-19	223	23	10.4	107	48.4	58	26.2	33	14.9	
		20+	165	8	5.0	82	51.6	46	28.9	23	14.5	
	Age at diagnosis	<1	5	2	40.0	2	40.0	1	20.0	.	.	
		1-4	54	12	24.5	31	63.3	5	10.2	1	2.0	
		5-9	185	25	14.0	104	58.4	29	16.3	20	11.2	
		10-14	277	30	11.2	129	48.1	70	26.1	39	14.6	
		15-20	217	17	8.2	98	47.1	66	31.7	27	13.0	
	Treatment	Surgery only	1	.	.	1	100.0	
		Chemotherapy, no radiation	210	19	9.4	94	46.3	59	29.1	31	15.3	
		Radiation, no chemotherapy	2	1	50.0	1	50.0	
		Chemotherapy and radiation	461	56	12.8	236	53.8	99	22.6	48	10.9	
		Unknown	64	10	15.9	32	50.8	13	20.6	8	12.7	
Males	All cases		385	38	10.3	169	45.8	109	29.5	53	14.4	
	Age at baseline	<18	27	9	47.4	8	42.1	1	5.3	1	5.3	
		18-19	20	3	15.0	13	65.0	2	10.0	2	10.0	
		20-24	87	10	12.0	47	56.6	19	22.9	7	8.4	
		25-29	105	10	9.8	53	52.0	22	21.6	17	16.7	
		30-34	90	4	4.4	28	31.1	42	46.7	16	17.8	
		35+	56	2	3.6	20	36.4	23	41.8	10	18.2	
	Years since diagnosis	5-9	55	8	17.4	26	56.5	8	17.4	4	8.7	
		10-14	121	14	11.9	53	44.9	36	30.5	15	12.7	
		15-19	122	13	10.8	53	44.2	36	30.0	18	15.0	
		20+	87	3	3.5	37	43.5	29	34.1	16	18.8	
	Age at diagnosis	<1	2	1	50.0	1	50.0	
		1-4	29	6	24.0	16	64.0	2	8.0	1	4.0	
		5-9	92	10	11.4	51	58.0	16	18.2	11	12.5	
		10-14	146	13	9.2	61	43.3	43	30.5	24	17.0	
		15-20	116	8	7.1	40	35.4	48	42.5	17	15.0	
	Treatment	Chemotherapy, no radiation	111	9	8.5	48	45.3	34	32.1	15	14.2	
		Radiation, no chemotherapy	1	.	.	1	100.0	
		Chemotherapy and radiation	236	26	11.6	103	45.8	66	29.3	30	13.3	
		Unknown	37	3	8.1	17	45.9	9	24.3	8	21.6	
Females	All cases		353	48	14.2	195	57.5	62	18.3	34	10.0	
	Age at baseline	<18	34	14	45.2	11	35.5	6	19.4	.	.	
		18-19	16	5	31.3	9	56.3	2	12.5	.	.	
		20-24	83	13	16.3	50	62.5	11	13.8	6	7.5	
		25-29	99	9	9.4	59	61.5	14	14.6	14	14.6	
		30-34	74	3	4.2	47	65.3	13	18.1	9	12.5	
		35+	47	4	9.1	19	43.2	16	36.4	5	11.4	

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Years since diagnosis	5-9	48	18	41.9	22	51.2	3	7.0	.	.	
	10-14	126	15	12.4	74	61.2	20	16.5	12	9.9	
	15-19	101	10	9.9	54	53.5	22	21.8	15	14.9	
	20+	78	5	6.8	45	60.8	17	23.0	7	9.5	
Age at diagnosis	<1	3	1	33.3	1	33.3	1	33.3	.	.	
	1-4	25	6	25.0	15	62.5	3	12.5	.	.	
	5-9	93	15	16.7	53	58.9	13	14.4	9	10.0	
	10-14	131	17	13.4	68	53.5	27	21.3	15	11.8	
	15-20	101	9	9.5	58	61.1	18	18.9	10	10.5	
Treatment	Surgery only	1	.	.	1	100.0	
	Chemotherapy, no radiation	99	10	10.3	46	47.4	25	25.8	16	16.5	
	Radiation, no chemotherapy	1	1	100.0	
	Chemotherapy and radiation	225	30	14.0	133	62.1	33	15.4	18	8.4	
	Unknown	27	7	26.9	15	57.7	4	15.4	.	.	

			<18.5		18.5-24		25-29		30+		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1257	133	11.0	631	52.0	301	24.8	148	12.2
	Age at baseline	<18	29	11	44.0	11	44.0	1	4.0	2	8.0
		18-19	30	6	22.2	19	70.4	2	7.4	.	.
		20-24	198	37	19.7	112	59.6	20	10.6	19	10.1
		25-29	344	29	8.7	168	50.5	97	29.1	39	11.7
		30-34	373	33	9.1	188	51.8	94	25.9	48	13.2
		35+	283	17	6.1	133	48.0	87	31.4	40	14.4
	Years since diagnosis	5-9	131	31	26.1	73	61.3	8	6.7	7	5.9
		10-14	397	43	11.3	201	52.8	87	22.8	50	13.1
		15-19	422	33	8.0	224	54.0	114	27.5	44	10.6
		20+	307	26	8.7	133	44.6	92	30.9	47	15.8
	Age at diagnosis	1-4	25	4	17.4	15	65.2	3	13.0	1	4.3
		5-9	168	22	13.8	79	49.4	39	24.4	20	12.5
		10-14	533	61	11.8	267	51.6	127	24.6	62	12.0
		15-20	531	46	9.0	270	52.6	132	25.7	65	12.7
	Treatment	Surgery only	86	7	8.2	38	44.7	25	29.4	15	17.6
		Chemotherapy, no radiation	955	101	11.0	467	50.7	235	25.5	118	12.8
		Radiation, no chemotherapy	10	.	.	7	70.0	2	20.0	1	10.0
		Chemotherapy and radiation	83	11	14.1	47	60.3	14	17.9	6	7.7
		Unknown	123	14	11.8	72	60.5	25	21.0	8	6.7
Males	All cases		647	44	7.1	315	50.9	185	29.9	75	12.1
	Age at baseline	<18	20	8	47.1	6	35.3	1	5.9	2	11.8
		18-19	12	1	11.1	7	77.8	1	11.1	.	.
		20-24	95	13	14.6	58	65.2	10	11.2	8	9.0
		25-29	183	9	5.2	92	52.9	58	33.3	15	8.6
		30-34	178	7	4.0	82	47.1	61	35.1	24	13.8
		35+	159	6	3.8	70	44.9	54	34.6	26	16.7
	Years since diagnosis	5-9	74	15	23.4	39	60.9	5	7.8	5	7.8
		10-14	209	14	7.1	111	56.1	54	27.3	19	9.6
		15-19	210	6	2.9	103	49.8	72	34.8	26	12.6
		20+	154	9	6.0	62	41.3	54	36.0	25	16.7
	Age at diagnosis	1-4	14	2	14.3	8	57.1	3	21.4	1	7.1
		5-9	84	7	9.0	42	53.8	23	29.5	6	7.7
		10-14	245	18	7.7	117	49.8	71	30.2	29	12.3
		15-20	304	17	5.8	148	50.7	88	30.1	39	13.4
	Treatment	Surgery only	30	1	3.3	14	46.7	9	30.0	6	20.0
		Chemotherapy, no radiation	488	33	7.1	227	48.6	147	31.5	60	12.8
		Radiation, no chemotherapy	6	.	.	3	50.0	2	33.3	1	16.7
		Chemotherapy and radiation	44	6	14.6	26	63.4	6	14.6	3	7.3
		Unknown	79	4	5.3	45	60.0	21	28.0	5	6.7
Females	All cases		610	89	15.0	316	53.2	116	19.5	73	12.3
	Age at baseline	<18	9	3	37.5	5	62.5
		18-19	18	5	27.8	12	66.7	1	5.6	.	.
		20-24	103	24	24.2	54	54.5	10	10.1	11	11.1
		25-29	161	20	12.6	76	47.8	39	24.5	24	15.1
		30-34	195	26	13.8	106	56.1	33	17.5	24	12.7
		35+	124	11	9.1	63	52.1	33	27.3	14	11.6
	Years since diagnosis	5-9	57	16	29.1	34	61.8	3	5.5	2	3.6

CCSS data from Jan2020 data freeze
 Based on questionnaire items A.10-A.11/A.3-A.4
 n=7 participants with no baseline information are not included

				<18.5		18.5-24		25-29		30+	
			All cases	N	%	N	%	N	%	N	%
		10-14	188	29	15.8	90	49.2	33	18.0	31	16.9
		15-19	212	27	13.0	121	58.2	42	20.2	18	8.7
		20+	153	17	11.5	71	48.0	38	25.7	22	14.9
	Age at diagnosis	1-4	11	2	22.2	7	77.8
		5-9	84	15	18.3	37	45.1	16	19.5	14	17.1
		10-14	288	43	15.2	150	53.2	56	19.9	33	11.7
		15-20	227	29	13.1	122	55.2	44	19.9	26	11.8
	Treatment	Surgery only	56	6	10.9	24	43.6	16	29.1	9	16.4
		Chemotherapy, no radiation	467	68	15.0	240	52.9	88	19.4	58	12.8
		Radiation, no chemotherapy	4	.	.	4	100.0
		Chemotherapy and radiation	39	5	13.5	21	56.8	8	21.6	3	8.1
		Unknown	44	10	22.7	27	61.4	4	9.1	3	6.8