

Psychological Health-Brief Symptom Inventory-18: All cancers

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		19973	1426	8.2	1172	6.8	1518	8.8	1814	10.5
	Age at baseline	18-19	2155	101	7.1	85	6.0	105	7.4	139	9.8
		20-24	6010	419	8.2	318	6.2	403	7.9	563	11.0
		25-29	5553	412	8.3	359	7.3	430	8.7	520	10.5
		30-34	3865	299	8.3	246	6.8	352	9.8	378	10.5
		35+	2390	195	8.6	164	7.2	228	10.0	214	9.4
	Years since diagnosis	5-9	998	45	8.9	41	8.1	56	11.1	60	11.9
		10-14	4900	327	7.9	274	6.6	335	8.1	471	11.3
		15-19	7562	545	8.2	444	6.7	571	8.6	658	9.9
		20+	6513	509	8.5	413	6.9	556	9.2	625	10.4
	Age at diagnosis	<1	812	45	6.8	39	5.9	46	6.9	63	9.5
		1-4	4675	303	7.7	250	6.4	311	7.9	395	10.0
		5-9	4859	357	8.5	271	6.4	360	8.5	454	10.8
		10-14	5383	435	9.0	350	7.3	463	9.6	553	11.5
		15-20	4244	286	7.7	262	7.1	338	9.1	349	9.4
	Treatment	Surgery only	1648	123	8.3	95	6.4	133	9.0	146	9.9
		Chemotherapy, no radiation	6025	437	8.2	392	7.4	445	8.4	557	10.5
		Radiation, no chemotherapy	1785	120	7.7	92	5.9	145	9.3	178	11.4
		Chemotherapy and radiation	8477	618	8.5	484	6.7	654	9.0	781	10.7
		Unknown	2038	128	7.5	109	6.4	141	8.2	152	8.9
Males	All cases		10659	700	7.8	612	6.8	591	6.6	1010	11.2
	Age at baseline	18-19	1125	45	6.5	39	5.7	29	4.2	69	10.0
		20-24	3164	197	7.6	161	6.2	132	5.1	319	12.3
		25-29	3085	220	8.2	201	7.4	188	7.0	306	11.3
		30-34	2056	159	8.4	133	7.0	157	8.3	221	11.7
		35+	1229	79	6.8	78	6.7	85	7.3	95	8.2
	Years since diagnosis	5-9	551	27	10.2	25	9.4	25	9.4	40	15.1
		10-14	2643	165	7.6	152	7.0	126	5.8	265	12.2
		15-19	3983	264	7.7	218	6.4	207	6.0	357	10.4
		20+	3482	244	7.7	217	6.9	233	7.4	348	11.0
	Age at diagnosis	<1	415	15	4.7	20	6.2	12	3.7	30	9.3
		1-4	2397	146	7.5	125	6.4	107	5.5	221	11.3
		5-9	2735	183	7.9	142	6.1	148	6.4	262	11.4
		10-14	2841	206	8.2	175	7.0	182	7.3	296	11.8
		15-20	2271	150	7.8	150	7.8	142	7.4	201	10.4
	Treatment	Surgery only	810	55	7.8	45	6.4	51	7.2	77	10.9
		Chemotherapy, no radiation	3208	213	7.7	201	7.3	171	6.2	322	11.7
		Radiation, no chemotherapy	928	67	8.4	50	6.3	62	7.8	106	13.2
		Chemotherapy and radiation	4498	292	7.8	244	6.5	241	6.4	410	11.0
		Unknown	1215	73	7.2	72	7.1	66	6.5	95	9.4
Females	All cases		9314	726	8.7	560	6.7	927	11.1	804	9.7
	Age at baseline	18-19	1030	56	7.7	46	6.3	76	10.4	70	9.6
		20-24	2846	222	8.8	157	6.3	271	10.8	244	9.7
		25-29	2468	192	8.5	158	7.0	242	10.8	214	9.5
		30-34	1809	140	8.1	113	6.6	195	11.3	157	9.1

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	1161	116	10.4	86	7.7	143	12.8	119	10.7
	Years since diagnosis	5-9	447	18	7.5	16	6.7	31	13.0	20	8.4
		10-14	2257	162	8.1	122	6.1	209	10.5	206	10.3
		15-19	3579	281	8.7	226	7.0	364	11.2	301	9.3
		20+	3031	265	9.3	196	6.9	323	11.3	277	9.7
	Age at diagnosis	<1	397	30	8.8	19	5.6	34	10.0	33	9.7
		1-4	2278	157	7.9	125	6.3	204	10.3	174	8.8
		5-9	2124	174	9.1	129	6.8	212	11.1	192	10.0
		10-14	2542	229	9.9	175	7.6	281	12.2	257	11.1
		15-20	1973	136	7.6	112	6.3	196	11.0	148	8.3
	Treatment	Surgery only	838	68	8.8	50	6.5	82	10.6	69	9.0
		Chemotherapy, no radiation	2817	224	8.8	191	7.5	274	10.7	235	9.2
		Radiation, no chemotherapy	857	53	7.0	42	5.5	83	10.9	72	9.5
		Chemotherapy and radiation	3979	326	9.2	240	6.8	413	11.7	371	10.5
		Unknown	823	55	7.8	37	5.3	75	10.7	57	8.1

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		5639	419	8.5	364	7.4	405	8.2	528	10.7
	Age at baseline	18-19	844	37	6.5	33	5.8	39	6.9	54	9.5
		20-24	1964	167	9.7	133	7.8	131	7.6	204	11.9
		25-29	1598	130	8.8	122	8.2	132	8.9	158	10.7
		30-34	837	60	7.6	53	6.7	66	8.3	80	10.1
		35+	396	25	6.6	23	6.1	37	9.8	32	8.4
	Years since diagnosis	5-9	252	14	10.5	13	9.8	12	9.0	19	14.3
		10-14	1290	90	8.4	73	6.8	87	8.1	126	11.7
		15-19	2281	167	8.2	148	7.3	162	8.0	201	9.9
		20+	1816	148	8.7	130	7.7	144	8.5	182	10.7
	Age at diagnosis	<1	92	3	4.4	2	2.9	2	2.9	5	7.4
		1-4	2026	152	8.8	133	7.7	132	7.6	192	11.0
		5-9	1540	126	9.2	106	7.7	117	8.6	152	11.1
		10-14	1294	99	8.5	88	7.6	110	9.5	123	10.6
		15-20	687	39	6.6	35	5.9	44	7.4	56	9.4
	Treatment	Surgery only	2
		Chemotherapy, no radiation	2290	180	9.1	161	8.1	156	7.9	220	11.1
		Radiation, no chemotherapy	3
		Chemotherapy and radiation	2766	202	8.2	171	7.0	205	8.4	266	10.8
		Unknown	578	37	7.5	32	6.4	44	8.9	42	8.5
Males	All cases		2981	193	7.6	181	7.1	136	5.3	275	10.8
	Age at baseline	18-19	455	16	5.5	16	5.5	11	3.7	26	8.8
		20-24	996	75	9.0	62	7.4	37	4.4	108	12.9
		25-29	867	64	8.1	65	8.2	55	7.0	89	11.3
		30-34	440	27	6.5	26	6.3	20	4.8	40	9.6
		35+	223	11	5.2	12	5.7	13	6.1	12	5.7
	Years since diagnosis	5-9	139	9	13.2	8	11.8	6	8.8	14	20.6
		10-14	695	46	8.2	42	7.5	27	4.8	67	11.9
		15-19	1172	67	6.6	60	5.9	47	4.6	96	9.4
		20+	975	71	7.9	71	7.9	56	6.3	98	10.9
	Age at diagnosis	<1	48	1	2.9	1	2.9	.	.	2	5.9
		1-4	1058	71	8.1	67	7.6	46	5.2	106	12.0
		5-9	820	55	7.8	49	7.0	37	5.3	76	10.8
		10-14	637	41	7.3	40	7.1	31	5.5	55	9.8
		15-20	418	25	6.9	24	6.6	22	6.0	36	9.9
	Treatment	Chemotherapy, no radiation	1156	86	8.9	77	8.0	55	5.7	120	12.4
		Radiation, no chemotherapy	2
		Chemotherapy and radiation	1480	89	7.0	85	6.7	66	5.2	128	10.0
		Unknown	343	18	6.0	19	6.3	15	5.0	27	9.0
Females	All cases		2658	226	9.5	183	7.7	269	11.3	253	10.6
	Age at baseline	18-19	389	21	7.7	17	6.2	28	10.2	28	10.2
		20-24	968	92	10.5	71	8.1	94	10.7	96	10.9
		25-29	731	66	9.6	57	8.3	77	11.2	69	10.0
		30-34	397	33	8.7	27	7.1	46	12.1	40	10.5
		35+	173	14	8.4	11	6.6	24	14.5	20	12.0

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
	Years since diagnosis	5-9	113	5	7.7	5	7.7	6	9.2	5	7.7
		10-14	595	44	8.7	31	6.1	60	11.8	59	11.6
		15-19	1109	100	9.9	88	8.7	115	11.4	105	10.4
		20+	841	77	9.6	59	7.4	88	11.0	84	10.5
	Age at diagnosis	<1	44	2	5.9	1	2.9	2	5.9	3	8.8
		1-4	968	81	9.5	66	7.7	86	10.1	86	10.0
		5-9	720	71	10.7	57	8.6	80	12.0	76	11.4
		10-14	657	58	9.7	48	8.0	79	13.2	68	11.3
		15-20	269	14	6.1	11	4.7	22	9.5	20	8.6
	Treatment	Surgery only	2
		Chemotherapy, no radiation	1134	94	9.3	84	8.3	101	10.0	100	9.9
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	1286	113	9.6	86	7.3	139	11.8	138	11.7
		Unknown	235	19	9.6	13	6.6	29	14.7	15	7.6

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		4675	347	8.4	304	7.4	331	8.0	445	10.8
	Age at baseline	18-19	730	33	6.6	28	5.6	33	6.6	49	9.7
		20-24	1687	142	9.4	116	7.7	115	7.6	177	11.7
		25-29	1329	108	8.7	106	8.6	111	9.0	134	10.8
		30-34	649	48	7.8	39	6.3	52	8.5	64	10.4
		35+	280	16	6.0	15	5.6	20	7.5	21	7.8
	Years since diagnosis	5-9	186	13	11.8	11	10.0	10	9.1	16	14.5
		10-14	1060	70	8.0	62	7.1	69	7.9	99	11.3
		15-19	1903	141	8.2	124	7.2	135	7.9	173	10.1
		20+	1526	123	8.6	107	7.4	117	8.1	157	10.9
	Age at diagnosis	<1	54	1	2.3	.	.	2	4.7	2	4.7
		1-4	1802	132	8.4	116	7.4	115	7.3	173	11.0
		5-9	1340	110	9.2	93	7.8	104	8.7	140	11.7
		10-14	1012	75	8.2	69	7.5	79	8.6	92	10.1
		15-20	467	29	7.1	26	6.4	31	7.6	38	9.3
	Treatment	Chemotherapy, no radiation	1781	138	8.9	123	7.9	123	7.9	172	11.0
		Radiation, no chemotherapy	3
		Chemotherapy and radiation	2409	180	8.4	156	7.2	172	8.0	239	11.1
		Unknown	482	29	6.9	25	5.9	36	8.5	34	8.1
Males	All cases		2502	159	7.4	152	7.0	113	5.2	236	10.9
	Age at baseline	18-19	398	15	5.7	15	5.7	11	4.2	25	9.5
		20-24	857	61	8.2	52	7.0	30	4.0	95	12.8
		25-29	733	55	8.2	59	8.8	47	7.0	79	11.8
		30-34	347	22	6.7	19	5.8	16	4.9	31	9.5
		35+	167	6	3.8	7	4.4	9	5.7	6	3.8
	Years since diagnosis	5-9	99	8	14.3	7	12.5	5	8.9	12	21.4
		10-14	585	34	7.2	36	7.7	22	4.7	56	11.9
		15-19	992	59	6.8	53	6.1	39	4.5	85	9.8
		20+	826	58	7.6	56	7.3	47	6.1	83	10.8
	Age at diagnosis	<1	30	1	4.3
		1-4	938	61	7.7	57	7.2	40	5.0	95	11.9
		5-9	725	49	7.9	43	6.9	33	5.3	71	11.4
		10-14	516	32	6.9	35	7.6	25	5.4	46	10.0
		15-20	293	17	6.6	17	6.6	15	5.8	23	8.9
	Treatment	Chemotherapy, no radiation	899	64	8.4	57	7.5	44	5.8	95	12.4
		Radiation, no chemotherapy	2
		Chemotherapy and radiation	1311	82	7.2	82	7.2	59	5.2	119	10.4
		Unknown	290	13	5.1	13	5.1	10	3.9	22	8.6
Females	All cases		2173	188	9.5	152	7.7	218	11.1	209	10.6
	Age at baseline	18-19	332	18	7.5	13	5.4	22	9.2	24	10.0
		20-24	830	81	10.6	64	8.3	85	11.1	82	10.7
		25-29	596	53	9.4	47	8.3	64	11.3	55	9.7
		30-34	302	26	9.0	20	6.9	36	12.5	33	11.4
		35+	113	10	9.1	8	7.3	11	10.0	15	13.6
	Years since diagnosis	5-9	87	5	9.3	4	7.4	5	9.3	4	7.4

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹			Anxiety ²		Somatic Distress ²		Depression ²	
			All cases	N	%	N	%	N	%	N	%
		10-14	475	36	8.9	26	6.4	47	11.6	43	10.6
		15-19	911	82	9.7	71	8.4	96	11.4	88	10.4
		20+	700	65	9.7	51	7.6	70	10.5	74	11.0
	Age at diagnosis	<1	24	1	5.0	.	.	2	10.0	1	5.0
		1-4	864	71	9.1	59	7.6	75	9.7	78	10.0
		5-9	615	61	10.7	50	8.8	71	12.5	69	12.1
		10-14	496	43	9.5	34	7.5	54	11.9	46	10.2
		15-20	174	12	8.0	9	6.0	16	10.7	15	10.0
	Treatment	Chemotherapy, no radiation	882	74	9.3	66	8.3	79	10.0	77	9.7
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	1098	98	9.7	74	7.3	113	11.2	120	11.9
		Unknown	192	16	9.6	12	7.2	26	15.7	12	7.2

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		697	53	9.0	43	7.3	52	8.8	63	10.7
	Age at baseline	18-19	89	2	3.7	4	7.4	4	7.3	3	5.5
		20-24	199	21	14.2	14	9.5	12	8.1	23	15.5
		25-29	200	16	8.6	11	5.9	15	8.1	19	10.3
		30-34	133	8	6.2	8	6.2	10	7.7	10	7.7
		35+	76	6	8.3	6	8.2	11	15.3	8	11.0
	Years since diagnosis	5-9	37	1	5.0	2	10.0	1	5.0	3	15.0
		10-14	166	15	10.3	8	5.5	16	11.0	19	13.0
		15-19	294	20	8.2	18	7.4	16	6.6	22	9.0
		20+	200	17	9.4	15	8.3	19	10.5	19	10.5
	Age at diagnosis	<1	35	2	8.3	2	8.3	.	.	3	12.5
		1-4	167	13	11.0	11	9.3	9	7.6	14	11.8
		5-9	148	13	9.8	9	6.8	13	9.8	9	6.8
		10-14	196	17	9.5	15	8.4	19	10.6	23	12.8
		15-20	151	8	5.9	6	4.4	11	8.1	14	10.2
	Treatment	Surgery only	2
		Chemotherapy, no radiation	405	38	11.0	31	9.0	28	8.1	43	12.5
		Chemotherapy and radiation	224	11	5.7	9	4.6	19	9.7	15	7.7
		Unknown	66	4	8.0	3	6.0	5	10.0	5	10.0
Males	All cases		329	25	9.3	19	7.1	16	5.9	28	10.4
	Age at baseline	18-19	45	1	4.0	1	4.0	.	.	1	4.0
		20-24	95	11	17.2	8	12.5	6	9.4	10	15.6
		25-29	90	7	8.2	4	4.7	5	5.9	8	9.4
		30-34	64	3	4.8	3	4.8	2	3.2	5	8.1
		35+	35	3	9.1	3	9.1	3	9.1	4	12.1
	Years since diagnosis	5-9	24	1	9.1	1	9.1	1	9.1	2	18.2
		10-14	74	8	12.7	4	6.3	4	6.3	6	9.5
		15-19	135	6	5.4	4	3.6	4	3.6	9	8.1
		20+	96	10	11.9	10	11.9	7	8.3	11	13.1
	Age at diagnosis	<1	16	1	10.0	1	10.0	.	.	1	10.0
		1-4	86	7	11.5	6	9.8	3	4.9	8	13.1
		5-9	64	5	9.1	4	7.3	4	7.3	3	5.5
		10-14	80	6	8.6	4	5.7	3	4.3	7	10.0
		15-20	83	6	8.2	4	5.5	6	8.2	9	12.3
	Treatment	Chemotherapy, no radiation	194	19	12.1	14	8.9	8	5.1	22	14.0
		Chemotherapy and radiation	100	3	3.6	2	2.4	5	6.0	3	3.6
		Unknown	35	3	10.3	3	10.3	3	10.3	3	10.3
Females	All cases		368	28	8.8	24	7.5	36	11.2	35	10.9
	Age at baseline	18-19	44	1	3.4	3	10.3	4	13.3	2	6.7
		20-24	104	10	11.9	6	7.1	6	7.1	13	15.5
		25-29	110	9	9.0	7	7.0	10	10.0	11	11.0
		30-34	69	5	7.4	5	7.4	8	11.8	5	7.4
		35+	41	3	7.7	3	7.5	8	20.5	4	10.0
	Years since diagnosis	5-9	13	.	.	1	11.1	.	.	1	11.1
		10-14	92	7	8.5	4	4.9	12	14.5	13	15.7

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		15-19	159	14	10.6	14	10.5	12	9.1	13	9.8
		20+	104	7	7.2	5	5.2	12	12.4	8	8.2
	Age at diagnosis	<1	19	1	7.1	1	7.1	.	.	2	14.3
		1-4	81	6	10.5	5	8.8	6	10.3	6	10.3
		5-9	84	8	10.4	5	6.5	9	11.7	6	7.8
		10-14	116	11	10.1	11	10.1	16	14.7	16	14.7
		15-20	68	2	3.2	2	3.1	5	7.9	5	7.8
	Treatment	Surgery only	2
		Chemotherapy, no radiation	211	19	10.2	17	9.1	20	10.7	21	11.2
		Chemotherapy and radiation	124	8	7.2	7	6.3	14	12.5	12	10.6
		Unknown	31	1	4.8	.	.	2	9.5	2	9.5

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		3537	237	8.4	168	6.0	259	9.2	330	11.7
	Age at baseline	18-19	377	19	8.5	11	4.9	18	8.0	24	10.6
		20-24	1179	70	7.7	57	6.3	75	8.2	98	10.7
		25-29	1084	71	8.0	49	5.5	66	7.4	114	12.9
		30-34	623	53	9.6	37	6.7	69	12.5	66	12.0
		35+	274	24	9.7	14	5.7	31	12.6	28	11.3
	Years since diagnosis	5-9	174	7	8.0	6	6.9	11	12.6	9	10.3
		10-14	962	55	7.2	45	5.9	58	7.5	86	11.2
		15-19	1329	99	9.1	68	6.3	97	8.9	130	11.9
		20+	1072	76	8.7	49	5.6	93	10.6	105	12.0
	Age at diagnosis	<1	81	2	4.4	1	2.2	1	2.2	3	6.7
		1-4	724	37	7.0	27	5.1	41	7.7	56	10.5
		5-9	1202	77	8.1	57	6.0	79	8.3	108	11.4
		10-14	1052	95	10.5	62	6.8	94	10.4	125	13.8
		15-20	478	26	6.6	21	5.4	44	11.2	38	9.7
	Treatment	Surgery only	1070	92	9.6	70	7.3	99	10.3	100	10.4
		Chemotherapy, no radiation	245	10	5.4	11	5.9	13	7.0	20	10.8
		Radiation, no chemotherapy	950	70	9.0	44	5.6	80	10.2	111	14.2
		Chemotherapy and radiation	922	52	8.4	33	5.3	47	7.5	79	12.7
		Unknown	350	13	4.7	10	3.6	20	7.3	20	7.3
Males	All cases		1923	126	8.5	97	6.5	97	6.5	189	12.7
	Age at baseline	18-19	191	9	8.5	5	4.7	3	2.8	13	12.1
		20-24	633	33	7.1	33	7.1	22	4.8	55	11.9
		25-29	618	44	8.8	31	6.2	26	5.2	67	13.3
		30-34	332	31	10.8	22	7.7	34	11.8	41	14.3
		35+	149	9	6.7	6	4.5	12	9.0	13	9.7
	Years since diagnosis	5-9	100	2	4.2	2	4.2	4	8.3	4	8.3
		10-14	516	29	7.3	27	6.8	21	5.3	45	11.3
		15-19	722	56	9.7	38	6.6	34	5.9	80	13.9
		20+	585	39	8.3	30	6.4	38	8.1	60	12.8
	Age at diagnosis	<1	49	.	.	1	4.2	.	.	1	4.2
		1-4	368	22	8.3	19	7.2	12	4.5	37	14.0
		5-9	675	42	8.2	31	6.0	26	5.0	63	12.3
		10-14	561	46	9.6	32	6.7	41	8.6	64	13.4
		15-20	270	16	7.6	14	6.7	18	8.6	24	11.4
	Treatment	Surgery only	543	44	9.3	33	7.0	38	8.0	53	11.2
		Chemotherapy, no radiation	135	6	6.1	8	8.1	1	1.0	12	12.1
		Radiation, no chemotherapy	501	40	10.0	26	6.5	30	7.5	67	16.6
		Chemotherapy and radiation	542	28	7.8	23	6.4	20	5.5	45	12.5
		Unknown	202	8	5.1	7	4.5	8	5.1	12	7.7
Females	All cases		1614	111	8.4	71	5.3	162	12.2	141	10.6
	Age at baseline	18-19	186	10	8.5	6	5.1	15	12.6	11	9.2
		20-24	546	37	8.3	24	5.4	53	11.8	43	9.6
		25-29	466	27	7.0	18	4.7	40	10.4	47	12.2
		30-34	291	22	8.3	15	5.7	35	13.2	25	9.4

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	125	15	13.3	8	7.1	19	16.8	15	13.3
	Years since diagnosis	5-9	74	5	12.8	4	10.3	7	17.9	5	12.8
		10-14	446	26	7.0	18	4.8	37	9.9	41	11.0
		15-19	607	43	8.4	30	5.9	63	12.3	50	9.7
		20+	487	37	9.1	19	4.7	55	13.5	45	11.0
	Age at diagnosis	<1	32	2	9.5	.	.	1	4.8	2	9.5
		1-4	356	15	5.6	8	3.0	29	10.8	19	7.1
		5-9	527	35	8.1	26	6.0	53	12.2	45	10.4
		10-14	491	49	11.5	30	7.0	53	12.4	61	14.3
		15-20	208	10	5.5	7	3.8	26	14.3	14	7.7
	Treatment	Surgery only	527	48	9.9	37	7.6	61	12.6	47	9.7
		Chemotherapy, no radiation	110	4	4.6	3	3.4	12	13.8	8	9.2
		Radiation, no chemotherapy	449	30	7.9	18	4.8	50	13.2	44	11.6
		Chemotherapy and radiation	380	24	9.2	10	3.8	27	10.3	34	13.0
		Unknown	148	5	4.2	3	2.5	12	10.2	8	6.8

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2160	157	8.8	112	6.3	174	9.7	209	11.7
	Age at baseline	18-19	215	13	9.2	6	4.2	11	7.7	19	13.4
		20-24	713	53	9.2	43	7.4	54	9.3	66	11.4
		25-29	664	46	8.3	33	6.0	44	7.9	67	12.1
		30-34	386	28	8.0	20	5.7	44	12.6	37	10.6
		35+	182	17	10.1	10	6.0	21	12.5	20	11.9
	Years since diagnosis	5-9	96	6	12.0	4	8.0	8	16.0	6	12.0
		10-14	570	42	9.0	35	7.5	40	8.6	59	12.6
		15-19	780	55	8.2	36	5.4	57	8.5	73	10.9
		20+	714	54	9.0	37	6.1	69	11.4	71	11.8
	Age at diagnosis	<1	56	1	3.0	.	.	1	3.0	2	6.1
		1-4	463	27	7.4	18	4.9	30	8.2	39	10.6
		5-9	702	49	8.4	36	6.2	49	8.4	65	11.2
		10-14	636	64	11.4	44	7.8	66	11.7	80	14.2
		15-20	303	16	6.5	14	5.6	28	11.3	23	9.3
	Treatment	Surgery only	892	74	9.1	57	7.0	81	10.0	78	9.6
		Chemotherapy, no radiation	179	7	5.3	7	5.3	10	7.5	17	12.8
		Radiation, no chemotherapy	597	47	9.6	29	5.9	53	10.8	73	14.9
		Chemotherapy and radiation	269	20	11.4	10	5.6	17	9.6	28	15.9
		Unknown	223	9	5.1	9	5.1	13	7.3	13	7.3
Males	All cases		1126	80	8.8	60	6.6	65	7.1	115	12.7
	Age at baseline	18-19	109	7	9.7	3	4.2	3	4.2	11	15.3
		20-24	354	24	8.9	21	7.8	13	4.8	35	13.0
		25-29	371	27	8.7	21	6.8	19	6.1	39	12.6
		30-34	195	16	9.4	11	6.4	22	12.9	22	12.9
		35+	97	6	6.9	4	4.6	8	9.2	8	9.2
	Years since diagnosis	5-9	50	2	7.7	1	3.8	2	7.7	2	7.7
		10-14	301	24	10.2	21	8.9	17	7.2	32	13.6
		15-19	396	27	8.1	16	4.8	18	5.4	42	12.6
		20+	379	27	8.6	22	7.0	28	8.9	39	12.5
	Age at diagnosis	<1	35	1	5.6
		1-4	223	16	9.0	12	6.7	10	5.6	27	15.2
		5-9	376	25	8.3	18	6.0	15	5.0	35	11.7
		10-14	325	28	9.9	20	7.0	28	9.9	38	13.4
		15-20	167	11	8.5	10	7.8	12	9.3	14	10.9
	Treatment	Surgery only	448	35	8.9	27	6.8	33	8.4	40	10.1
		Chemotherapy, no radiation	102	4	5.4	5	6.8	1	1.4	9	12.2
		Radiation, no chemotherapy	304	27	10.9	18	7.3	20	8.1	44	17.8
		Chemotherapy and radiation	148	9	9.4	4	4.1	6	6.2	14	14.6
		Unknown	124	5	5.2	6	6.2	5	5.2	8	8.2
Females	All cases		1034	77	8.8	52	5.9	109	12.4	94	10.7
	Age at baseline	18-19	106	6	8.6	3	4.3	8	11.4	8	11.4
		20-24	359	29	9.4	22	7.1	41	13.2	31	10.0
		25-29	293	19	7.8	12	4.9	25	10.2	28	11.5
		30-34	191	12	6.8	9	5.1	22	12.4	15	8.5

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	85	11	13.6	6	7.4	13	16.0	12	14.8
	Years since diagnosis	5-9	46	4	16.7	3	12.5	6	25.0	4	16.7
		10-14	269	18	7.8	14	6.1	23	10.0	27	11.7
		15-19	384	28	8.3	20	6.0	39	11.5	31	9.2
		20+	335	27	9.3	15	5.2	41	14.2	32	11.1
	Age at diagnosis	<1	21	1	6.7	.	.	1	6.7	1	6.7
		1-4	240	11	5.9	6	3.2	20	10.6	12	6.3
		5-9	326	24	8.6	18	6.4	34	12.1	30	10.7
		10-14	311	36	12.9	24	8.6	38	13.7	42	15.1
		15-20	136	5	4.2	4	3.4	16	13.4	9	7.6
	Treatment	Surgery only	444	39	9.3	30	7.2	48	11.5	38	9.1
		Chemotherapy, no radiation	77	3	5.1	2	3.4	9	15.3	8	13.6
		Radiation, no chemotherapy	293	20	8.2	11	4.5	33	13.5	29	11.9
		Chemotherapy and radiation	121	11	13.8	6	7.5	11	13.8	14	17.5
		Unknown	99	4	5.0	3	3.8	8	10.0	5	6.3

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		794	41	7.2	33	5.8	38	6.7	72	12.7
	Age at baseline	18-19	83	2	5.3	2	5.3	1	2.6	1	2.5
		20-24	291	9	4.5	8	4.0	8	4.0	21	10.6
		25-29	252	16	8.2	10	5.2	15	7.7	33	17.0
		30-34	131	13	12.3	11	10.3	11	10.3	16	15.1
		35+	37	1	3.3	2	6.7	3	10.0	1	3.3
	Years since diagnosis	5-9	32	1	9.1
		10-14	219	4	2.4	5	3.0	6	3.6	15	9.0
		15-19	326	28	11.8	20	8.4	20	8.4	36	15.1
		20+	217	9	5.9	8	5.2	12	7.8	20	13.2
	Age at diagnosis	<1	9
		1-4	161	7	7.5	7	7.5	6	6.4	12	12.8
		5-9	342	17	7.1	13	5.4	15	6.2	31	12.9
		10-14	220	13	7.1	8	4.3	11	6.0	25	13.6
		15-20	62	4	8.7	5	10.9	6	13.0	4	8.7
	Treatment	Surgery only	8	1	20.0	.	.
		Chemotherapy, no radiation	35	3	11.1	2	7.4	2	7.4	3	11.1
		Radiation, no chemotherapy	161	11	8.3	10	7.6	11	8.3	23	17.2
		Chemotherapy and radiation	527	27	7.5	21	5.8	23	6.4	45	12.6
		Unknown	63	1	2.3	1	2.3
Males	All cases		485	28	8.5	26	7.9	20	6.1	47	14.2
	Age at baseline	18-19	47	1	6.3	1	6.3	.	.	1	5.9
		20-24	185	8	6.6	8	6.6	7	5.7	17	13.9
		25-29	157	11	9.6	8	7.0	5	4.3	19	16.5
		30-34	73	7	12.3	7	12.1	6	10.3	10	17.5
		35+	23	1	5.3	2	10.5	2	10.5	.	.
	Years since diagnosis	5-9	21	1	14.3
		10-14	128	3	3.3	5	5.6	3	3.3	10	11.0
		15-19	205	21	14.4	16	11.0	12	8.2	25	17.1
		20+	131	4	4.7	5	5.7	5	5.7	11	12.8
	Age at diagnosis	<1	5
		1-4	97	5	9.4	5	9.4	2	3.8	8	15.1
		5-9	220	11	7.5	10	6.8	9	6.1	21	14.3
		10-14	126	9	8.9	7	6.9	6	5.9	15	14.9
		15-20	37	3	11.1	4	14.8	3	11.1	3	11.1
	Treatment	Surgery only	5	1	33.3	.	.
		Chemotherapy, no radiation	20	2	14.3	1	7.1	.	.	3	21.4
		Radiation, no chemotherapy	90	8	11.8	7	10.3	6	8.8	15	21.7
		Chemotherapy and radiation	331	18	8.3	18	8.2	13	5.9	29	13.3
		Unknown	39
Females	All cases		309	13	5.5	7	3.0	18	7.5	25	10.5
	Age at baseline	18-19	36	1	4.5	1	4.5	1	4.3	.	.
		20-24	106	1	1.3	.	.	1	1.3	4	5.3
		25-29	95	5	6.3	2	2.5	10	12.5	14	17.7
		30-34	58	6	12.2	4	8.2	5	10.2	6	12.2

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	14	1	9.1	1	9.1
	Years since diagnosis	5-9	11
		10-14	91	1	1.3	.	.	3	3.9	5	6.6
		15-19	121	7	7.7	4	4.4	8	8.6	11	12.0
		20+	86	5	7.6	3	4.5	7	10.6	9	13.6
	Age at diagnosis	<1	4
		1-4	64	2	5.0	2	5.0	4	9.8	4	9.8
		5-9	122	6	6.5	3	3.2	6	6.4	10	10.8
		10-14	94	4	4.8	1	1.2	5	6.0	10	12.0
		15-20	25	1	5.3	1	5.3	3	15.8	1	5.3
	Treatment	Surgery only	3
		Chemotherapy, no radiation	15	1	7.7	1	7.7	2	15.4	.	.
		Radiation, no chemotherapy	71	3	4.7	3	4.7	5	7.7	8	12.3
		Chemotherapy and radiation	196	9	6.4	3	2.1	10	7.1	16	11.4
		Unknown	24	1	5.6	1	5.6

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		3046	227	8.3	186	6.8	264	9.7	261	9.6
	Age at baseline	18-19	62	4	10.3	4	10.3	2	5.1	7	17.9
		20-24	376	20	6.6	11	3.7	18	6.0	26	8.6
		25-29	798	57	8.2	54	7.8	61	8.8	74	10.6
		30-34	949	72	8.2	57	6.5	99	11.3	84	9.6
		35+	861	74	9.0	60	7.3	84	10.3	70	8.6
	Years since diagnosis	5-9	206	9	8.2	8	7.3	13	11.8	12	10.9
		10-14	922	54	6.6	44	5.3	58	7.0	83	10.1
		15-19	1010	71	7.6	63	6.7	92	9.8	76	8.1
		20+	908	93	10.8	71	8.3	101	11.7	90	10.5
	Age at diagnosis	1-4	68	8	13.8	6	10.3	8	13.8	7	12.1
		5-9	381	33	9.7	23	6.7	29	8.5	35	10.3
		10-14	1113	88	8.7	73	7.2	100	9.9	107	10.5
		15-20	1484	98	7.4	84	6.4	127	9.7	112	8.5
	Treatment	Surgery only	2	1	50.0	1	50.0	1	50.0	1	50.0
		Chemotherapy, no radiation	357	28	8.5	21	6.4	26	7.9	28	8.5
		Radiation, no chemotherapy	641	39	6.5	36	6.0	51	8.4	52	8.6
		Chemotherapy and radiation	1720	137	9.0	108	7.1	162	10.7	159	10.5
		Unknown	326	22	8.0	20	7.3	24	8.7	21	7.6
Males	All cases		1585	118	8.6	99	7.2	110	8.0	143	10.4
	Age at baseline	18-19	49	4	12.1	4	12.1	2	6.1	6	18.2
		20-24	239	17	9.1	9	4.8	11	5.9	23	12.3
		25-29	445	32	8.5	29	7.7	27	7.2	42	11.1
		30-34	480	35	8.1	27	6.3	40	9.3	42	9.8
		35+	372	30	8.7	30	8.7	30	8.7	30	8.7
	Years since diagnosis	5-9	111	7	13.0	6	11.1	4	7.4	8	14.8
		10-14	473	34	8.4	22	5.4	24	5.9	52	12.8
		15-19	539	31	6.4	33	6.8	34	7.0	37	7.7
		20+	462	46	10.7	38	8.9	48	11.2	46	10.7
	Age at diagnosis	1-4	49	6	15.4	5	12.8	6	15.4	5	12.8
		5-9	276	24	9.9	17	7.0	23	9.4	24	9.9
		10-14	576	42	8.2	37	7.2	38	7.4	57	11.1
		15-20	684	46	8.0	40	7.0	43	7.5	57	9.9
	Treatment	Surgery only	1
		Chemotherapy, no radiation	182	16	9.9	12	7.5	11	6.8	18	11.2
		Radiation, no chemotherapy	328	23	7.5	19	6.2	26	8.4	31	10.1
		Chemotherapy and radiation	881	68	9.1	56	7.5	59	7.9	82	11.0
		Unknown	193	11	7.0	12	7.6	14	8.9	12	7.6
Females	All cases		1461	109	8.0	87	6.4	154	11.3	118	8.7
	Age at baseline	18-19	13	1	16.7
		20-24	137	3	2.6	2	1.8	7	6.1	3	2.6
		25-29	353	25	7.9	25	7.9	34	10.7	32	10.1
		30-34	469	37	8.3	30	6.7	59	13.2	42	9.4
		35+	489	44	9.3	30	6.3	54	11.4	40	8.4
	Years since diagnosis	5-9	95	2	3.6	2	3.6	9	16.1	4	7.1

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		10-14	449	20	4.8	22	5.3	34	8.1	31	7.4
		15-19	471	40	8.8	30	6.6	58	12.8	39	8.6
		20+	446	47	10.9	33	7.7	53	12.3	44	10.2
	Age at diagnosis	1-4	19	2	10.5	1	5.3	2	10.5	2	10.5
		5-9	105	9	9.2	6	6.1	6	6.1	11	11.2
		10-14	537	46	9.2	36	7.2	62	12.4	50	10.0
		15-20	800	52	7.0	44	5.9	84	11.3	55	7.4
	Treatment	Surgery only	1	1	.	1	.	1	.	1	.
		Chemotherapy, no radiation	175	12	7.1	9	5.3	15	8.9	10	5.9
		Radiation, no chemotherapy	313	16	5.4	17	5.7	25	8.4	21	7.1
		Chemotherapy and radiation	839	69	8.9	52	6.7	103	13.3	77	9.9
		Unknown	133	11	9.3	8	6.8	10	8.5	9	7.6

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1902	144	8.4	121	7.0	147	8.5	195	11.3
	Age at baseline	18-19	132	5	5.6	6	6.7	5	5.6	11	12.4
		20-24	469	32	7.7	20	4.8	33	8.0	51	12.3
		25-29	569	52	10.1	43	8.3	56	10.8	58	11.2
		30-34	483	38	8.2	36	7.7	33	7.1	52	11.2
		35+	249	17	7.1	16	6.6	20	8.3	23	9.5
	Years since diagnosis	5-9	74	2	5.0	3	7.5	3	7.5	4	10.0
		10-14	543	42	8.6	37	7.6	42	8.6	65	13.4
		15-19	717	59	8.9	46	7.0	57	8.6	66	10.0
		20+	568	41	7.6	35	6.5	45	8.4	60	11.2
	Age at diagnosis	<1	2
		1-4	225	15	7.7	9	4.6	19	9.8	24	12.4
		5-9	571	42	8.2	33	6.4	43	8.4	60	11.7
		10-14	670	51	8.3	47	7.6	54	8.7	69	11.2
		15-20	434	36	9.0	32	8.0	31	7.8	42	10.5
	Treatment	Surgery only	12	1	10.0	.	.	1	10.0	1	10.0
		Chemotherapy, no radiation	963	72	8.2	67	7.7	78	8.9	101	11.5
		Radiation, no chemotherapy	37	2	6.1	2	6.1	.	.	2	6.1
		Chemotherapy and radiation	683	52	8.4	37	6.0	51	8.2	70	11.3
		Unknown	207	17	9.1	15	8.1	17	9.1	21	11.3
Males	All cases		1290	96	8.3	85	7.3	85	7.3	143	12.3
	Age at baseline	18-19	97	2	2.9	4	5.9	1	1.5	6	8.8
		20-24	304	21	8.0	14	5.3	15	5.7	39	14.9
		25-29	405	35	9.6	30	8.2	35	9.6	44	12.1
		30-34	319	30	9.9	27	8.9	24	7.9	40	13.2
		35+	165	8	5.0	10	6.2	10	6.2	14	8.7
	Years since diagnosis	5-9	56	2	6.3	3	9.4	2	6.3	4	12.5
		10-14	368	24	7.4	26	8.0	18	5.6	45	13.9
		15-19	476	42	9.7	32	7.4	38	8.8	48	11.1
		20+	390	28	7.6	24	6.5	27	7.3	46	12.5
	Age at diagnosis	<1	1
		1-4	151	8	6.3	4	3.1	8	6.3	16	12.6
		5-9	393	29	8.3	24	6.9	25	7.2	47	13.5
		10-14	460	37	8.8	35	8.3	35	8.3	52	12.4
		15-20	285	22	8.5	22	8.5	17	6.5	28	10.8
	Treatment	Surgery only	11	1	11.1	.	.
		Chemotherapy, no radiation	647	51	8.8	48	8.3	46	7.9	76	13.1
		Radiation, no chemotherapy	27	1	4.2	1	4.2	.	.	1	4.2
		Chemotherapy and radiation	456	32	7.8	23	5.6	28	6.8	51	12.4
		Unknown	149	12	8.9	13	9.6	10	7.4	15	11.1
Females	All cases		612	48	8.5	36	6.3	62	10.9	52	9.2
	Age at baseline	18-19	35	3	14.3	2	9.5	4	19.0	5	23.8
		20-24	165	11	7.3	6	4.0	18	11.9	12	7.9
		25-29	164	17	11.1	13	8.5	21	13.7	14	9.2
		30-34	164	8	4.9	9	5.6	9	5.6	12	7.4

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	84	9	11.3	6	7.5	10	12.5	9	11.3
	Years since diagnosis	5-9	18	1	12.5	.	.
		10-14	175	18	11.1	11	6.8	24	14.8	20	12.3
		15-19	241	17	7.5	14	6.1	19	8.3	18	7.9
		20+	178	13	7.7	11	6.5	18	10.7	14	8.3
	Age at diagnosis	<1	1
		1-4	74	7	10.4	5	7.5	11	16.4	8	11.9
		5-9	178	13	8.0	9	5.5	18	11.0	13	8.0
		10-14	210	14	7.1	12	6.1	19	9.6	17	8.6
		15-20	149	14	10.0	10	7.1	14	10.0	14	10.0
	Treatment	Surgery only	1	1	1	.
		Chemotherapy, no radiation	316	21	7.1	19	6.4	32	10.8	25	8.4
		Radiation, no chemotherapy	10	1	11.1	1	11.1	.	.	1	11.1
		Chemotherapy and radiation	227	20	9.5	14	6.7	23	11.0	19	9.0
		Unknown	58	5	9.8	2	3.9	7	13.7	6	11.8

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1441	79	6.2	68	5.3	96	7.5	92	7.2
	Age at baseline	18-19	306	12	5.7	14	6.6	16	7.6	16	7.6
		20-24	669	41	6.6	31	5.0	44	7.1	50	8.1
		25-29	374	22	6.3	18	5.1	29	8.3	20	5.7
		30-34	74	3	4.1	4	5.4	5	6.8	5	6.8
		35+	18	1	5.9	1	5.9	2	11.8	1	5.9
	Years since diagnosis	5-9	11	2	40.0	2	40.0	1	20.0	.	.
		10-14	170	9	7.5	8	6.7	9	7.5	9	7.5
		15-19	662	37	6.4	30	5.2	46	7.9	45	7.7
		20+	598	31	5.5	28	4.9	40	7.1	38	6.7
	Age at diagnosis	<1	148	12	9.2	9	6.9	14	10.7	13	9.9
		1-4	824	36	4.9	33	4.5	48	6.6	48	6.6
		5-9	389	24	7.0	18	5.3	26	7.6	28	8.2
		10-14	57	4	7.4	4	7.4	5	9.3	1	1.9
		15-20	23	3	16.7	4	22.2	3	16.7	2	11.1
	Treatment	Surgery only	14	1	8.3	1	8.3	.	.	3	25.0
		Chemotherapy, no radiation	503	23	5.1	20	4.5	31	6.9	27	6.0
		Radiation, no chemotherapy	4	1	25.0	1	25.0
		Chemotherapy and radiation	779	47	6.8	39	5.7	56	8.1	51	7.4
		Unknown	141	8	6.6	8	6.6	8	6.6	10	8.2
Males	All cases		616	33	6.3	28	5.4	25	4.8	45	8.6
	Age at baseline	18-19	127	7	9.3	7	9.3	3	4.0	8	10.7
		20-24	285	20	7.8	14	5.5	13	5.1	26	10.2
		25-29	166	6	3.9	6	3.9	7	4.6	9	5.9
		30-34	30	.	.	1	3.3	2	6.7	2	6.7
		35+	8
	Years since diagnosis	5-9	4	1	.	1	.	1	.	.	.
		10-14	59	4	11.8	3	8.8	3	8.8	4	11.8
		15-19	282	19	8.1	14	6.0	13	5.6	24	10.3
		20+	271	9	3.6	10	4.0	8	3.2	17	6.7
	Age at diagnosis	<1	69	4	7.0	6	10.5	2	3.5	4	7.0
		1-4	357	17	5.6	13	4.3	12	4.0	26	8.6
		5-9	161	10	7.3	7	5.1	7	5.1	14	10.2
		10-14	20	1	5.6	.	.	2	11.1	.	.
		15-20	9	1	14.3	2	28.6	2	28.6	1	14.3
	Treatment	Surgery only	7	1	16.7	1	16.7	.	.	2	33.3
		Chemotherapy, no radiation	221	7	3.8	8	4.3	7	3.8	12	6.5
		Chemotherapy and radiation	316	18	6.6	12	4.4	13	4.8	23	8.4
		Unknown	72	7	11.9	7	11.9	5	8.5	8	13.6
Females	All cases		825	46	6.1	40	5.3	71	9.5	47	6.3
	Age at baseline	18-19	179	5	3.7	7	5.1	13	9.6	8	5.9
		20-24	384	21	5.8	17	4.7	31	8.5	24	6.6
		25-29	208	16	8.1	12	6.1	22	11.2	11	5.6
		30-34	44	3	6.8	3	6.8	3	6.8	3	6.8
		35+	10	1	11.1	1	11.1	2	22.2	1	11.1

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹			Anxiety ²		Somatic Distress ²		Depression ²	
			All cases	N	%	N	%	N	%	N	%
Years since diagnosis		5-9	7	1	25.0	1	25.0
		10-14	111	5	5.8	5	5.8	6	7.0	5	5.8
		15-19	380	18	5.2	16	4.6	33	9.5	21	6.1
		20+	327	22	7.0	18	5.7	32	10.2	21	6.7
Age at diagnosis		<1	79	8	10.8	3	4.1	12	16.2	9	12.2
		1-4	467	19	4.5	20	4.7	36	8.5	22	5.2
		5-9	228	14	6.8	11	5.4	19	9.3	14	6.8
		10-14	37	3	8.3	4	11.1	3	8.3	1	2.8
		15-20	14	2	18.2	2	18.2	1	9.1	1	9.1
Treatment		Surgery only	7	1	16.7
		Chemotherapy, no radiation	282	16	6.1	12	4.6	24	9.1	15	5.7
		Radiation, no chemotherapy	4	1	25.0	1	25.0
		Chemotherapy and radiation	463	29	7.0	27	6.5	43	10.4	28	6.7
		Unknown	69	1	1.6	1	1.6	3	4.8	2	3.2

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		991	60	7.1	53	6.3	64	7.6	79	9.4
	Age at baseline	18-19	237	15	9.6	13	8.3	11	7.1	16	10.3
		20-24	540	35	7.2	33	6.8	45	9.3	50	10.3
		25-29	170	6	3.8	5	3.2	6	3.8	8	5.1
		30-34	36	3	8.3	1	2.8	2	5.6	4	11.1
		35+	8	1	14.3	1	14.3	.	.	1	14.3
	Years since diagnosis	5-9	8
		10-14	54	4	10.5	4	10.5	7	18.4	4	10.5
		15-19	391	23	7.7	18	6.0	23	7.7	24	8.0
		20+	538	33	6.6	31	6.2	34	6.8	51	10.1
	Age at diagnosis	<1	431	24	6.5	25	6.7	25	6.7	37	10.0
		1-4	411	27	7.9	21	6.1	29	8.5	31	9.0
		5-9	102	7	7.8	6	6.7	8	8.9	8	8.9
		10-14	28	1	4.3	.	.	1	4.3	2	8.7
		15-20	19	1	7.7	1	7.7	1	7.7	1	7.7
	Treatment	Surgery only	277	10	4.2	8	3.4	13	5.5	20	8.5
		Chemotherapy, no radiation	241	18	8.8	17	8.3	17	8.3	19	9.3
		Radiation, no chemotherapy	75	6	8.8	6	8.8	11	16.2	9	13.2
		Chemotherapy and radiation	305	21	8.2	18	7.1	20	7.8	24	9.4
		Unknown	93	5	6.5	4	5.2	3	3.9	7	9.1
Males	All cases		471	21	5.5	21	5.5	18	4.7	40	10.5
	Age at baseline	18-19	104	2	3.6	2	3.6	1	1.8	4	7.3
		20-24	272	14	5.9	15	6.3	12	5.1	29	12.2
		25-29	78	4	5.6	4	5.6	4	5.6	5	6.9
		30-34	14	1	7.1	.	.	1	7.1	2	14.3
		35+	3
	Years since diagnosis	5-9	2
		10-14	25	3	23.1	1	7.7
		15-19	181	6	4.8	6	4.8	3	2.4	8	6.5
		20+	263	15	6.2	15	6.2	12	4.9	31	12.8
	Age at diagnosis	<1	222	9	4.8	11	5.9	8	4.3	21	11.2
		1-4	181	8	5.8	7	5.0	5	3.6	12	8.6
		5-9	50	4	10.0	3	7.5	4	10.0	6	15.0
		10-14	12	1	11.1
		15-20	6	1	25.0	.	.
	Treatment	Surgery only	131	4	3.7	4	3.7	3	2.8	12	11.2
		Chemotherapy, no radiation	114	6	6.3	6	6.3	6	6.3	8	8.4
		Radiation, no chemotherapy	33	2	6.5	2	6.5	5	16.1	5	16.1
		Chemotherapy and radiation	148	8	7.1	7	6.2	4	3.5	12	10.6
		Unknown	45	1	2.9	2	5.9	.	.	3	8.8
Females	All cases		520	39	8.5	32	7.0	46	10.0	39	8.5
	Age at baseline	18-19	133	13	12.9	11	10.9	10	9.9	12	11.9
		20-24	268	21	8.5	18	7.3	33	13.4	21	8.5
		25-29	92	2	2.4	1	1.2	2	2.4	3	3.5
		30-34	22	2	9.1	1	4.5	1	4.5	2	9.1

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	5	1	20.0	1	20.0	.	.	1	20.0
	Years since diagnosis	5-9	6
		10-14	29	4	16.0	4	16.0	4	16.0	3	12.0
		15-19	210	17	9.7	12	6.9	20	11.4	16	9.1
		20+	275	18	6.9	16	6.2	22	8.5	20	7.7
	Age at diagnosis	<1	209	15	8.2	14	7.7	17	9.3	16	8.7
		1-4	230	19	9.3	14	6.9	24	11.8	19	9.3
		5-9	52	3	6.0	3	6.0	4	8.0	2	4.0
		10-14	16	1	7.1	.	.	1	7.1	1	7.1
		15-20	13	1	11.1	1	11.1	.	.	1	11.1
	Treatment	Surgery only	146	6	4.7	4	3.1	10	7.8	8	6.2
		Chemotherapy, no radiation	127	12	11.0	11	10.1	11	10.1	11	10.1
		Radiation, no chemotherapy	42	4	10.8	4	10.8	6	16.2	4	10.8
		Chemotherapy and radiation	157	13	9.2	11	7.7	16	11.3	12	8.5
		Unknown	48	4	9.3	2	4.7	3	7.0	4	9.3

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1415	104	8.2	78	6.2	111	8.8	127	10.0
	Age at baseline	18-19	125	7	7.8	2	2.2	9	10.0	10	11.1
		20-24	425	26	7.2	16	4.5	32	8.9	40	11.1
		25-29	392	33	9.1	30	8.3	29	8.0	35	9.7
		30-34	297	23	8.2	17	6.1	30	10.6	25	8.9
		35+	176	15	8.7	13	7.6	11	6.4	17	9.9
	Years since diagnosis	5-9	88	4	8.2	4	8.2	4	8.2	6	12.2
		10-14	314	23	8.2	20	7.2	25	9.0	31	11.1
		15-19	500	31	6.9	22	4.9	35	7.8	45	10.1
		20+	513	46	9.4	32	6.6	47	9.6	45	9.2
	Age at diagnosis	<1	56	4	8.9	2	4.4	4	8.9	5	11.1
		1-4	339	22	7.4	16	5.4	31	10.4	27	9.1
		5-9	350	28	8.8	14	4.4	28	8.8	35	10.9
		10-14	341	27	8.7	21	6.8	23	7.4	34	10.9
		15-20	329	23	7.9	25	8.6	25	8.6	26	9.0
	Treatment	Surgery only	152	11	7.7	10	7.0	10	7.0	13	9.2
		Chemotherapy, no radiation	279	14	5.5	10	3.9	21	8.2	18	7.0
		Radiation, no chemotherapy	59	2	3.7	2	3.7	2	3.7	2	3.7
		Chemotherapy and radiation	763	66	9.8	48	7.2	68	10.1	83	12.3
		Unknown	162	11	7.9	8	5.8	10	7.2	11	7.9
Males	All cases		757	46	6.9	38	5.7	51	7.7	67	10.1
	Age at baseline	18-19	66	5	11.6	1	2.3	6	14.0	6	14.0
		20-24	242	10	4.9	8	3.9	14	6.9	22	10.8
		25-29	207	16	8.5	16	8.5	15	8.0	18	9.6
		30-34	158	11	7.5	9	6.1	14	9.5	15	10.1
		35+	84	4	4.8	4	4.8	2	2.4	6	7.2
	Years since diagnosis	5-9	40	2	9.5	2	9.5	2	9.5	4	19.0
		10-14	170	10	6.8	9	6.1	12	8.1	18	12.2
		15-19	267	14	6.0	13	5.6	15	6.4	22	9.4
		20+	280	20	7.6	14	5.3	22	8.3	23	8.7
	Age at diagnosis	<1	25	1	5.9	1	5.9	2	11.8	2	11.8
		1-4	197	12	7.1	9	5.3	16	9.4	16	9.4
		5-9	195	13	7.5	6	3.4	15	8.6	17	9.8
		10-14	183	12	7.2	9	5.4	8	4.8	22	13.1
		15-20	157	8	5.8	13	9.5	10	7.3	10	7.3
	Treatment	Surgery only	69	3	4.6	5	7.7	5	7.7	5	7.7
		Chemotherapy, no radiation	165	7	4.6	6	3.9	7	4.6	12	7.9
		Radiation, no chemotherapy	28	1	3.8	1	3.8	1	3.8	1	3.8
		Chemotherapy and radiation	398	29	8.5	23	6.7	32	9.3	43	12.5
		Unknown	97	6	7.6	3	3.8	6	7.6	6	7.6
Females	All cases		658	58	9.7	40	6.7	60	10.0	60	10.0
	Age at baseline	18-19	59	2	4.3	1	2.1	3	6.4	4	8.5
		20-24	183	16	10.3	8	5.2	18	11.6	18	11.6
		25-29	185	17	9.8	14	8.1	14	8.1	17	9.8
		30-34	139	12	9.0	8	6.0	16	11.9	10	7.5

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	92	11	12.4	9	10.1	9	10.1	11	12.4
	Years since diagnosis	5-9	48	2	7.1	2	7.1	2	7.1	2	7.1
		10-14	144	13	9.9	11	8.4	13	9.9	13	9.9
		15-19	233	17	7.9	9	4.2	20	9.3	23	10.7
		20+	233	26	11.6	18	8.0	25	11.1	22	9.8
	Age at diagnosis	<1	31	3	10.7	1	3.6	2	7.1	3	10.7
		1-4	142	10	7.9	7	5.5	15	11.8	11	8.7
		5-9	155	15	10.3	8	5.5	13	8.9	18	12.3
		10-14	158	15	10.4	12	8.3	15	10.4	12	8.3
		15-20	172	15	9.8	12	7.8	15	9.8	16	10.5
	Treatment	Surgery only	83	8	10.4	5	6.5	5	6.5	8	10.4
		Chemotherapy, no radiation	114	7	6.7	4	3.8	14	13.5	6	5.8
		Radiation, no chemotherapy	31	1	3.6	1	3.6	1	3.6	1	3.6
		Chemotherapy and radiation	365	37	11.3	25	7.6	36	10.9	40	12.2
		Unknown	65	5	8.3	5	8.3	4	6.7	5	8.3

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		2002	156	8.9	134	7.6	172	9.8	202	11.5
	Age at baseline	18-19	72	2	5.1	2	5.1	5	12.8	1	2.6
		20-24	388	28	9.6	17	5.8	25	8.6	44	15.1
		25-29	568	41	8.2	38	7.6	51	10.2	53	10.6
		30-34	566	47	8.8	41	7.7	48	9.0	62	11.7
		35+	408	38	9.6	36	9.1	43	10.9	42	10.7
	Years since diagnosis	5-9	185	7	8.8	5	6.3	12	15.0	10	12.5
		10-14	645	50	8.8	43	7.5	49	8.6	67	11.7
		15-19	672	58	9.3	49	7.8	59	9.4	71	11.3
		20+	500	41	8.6	37	7.7	52	10.9	54	11.3
	Age at diagnosis	<1	2
		1-4	58	6	12.8	5	10.6	3	6.4	10	21.3
		5-9	324	20	6.7	14	4.7	30	10.0	28	9.4
		10-14	828	70	9.6	55	7.6	76	10.5	92	12.7
		15-20	790	60	8.8	60	8.8	63	9.2	72	10.5
	Treatment	Surgery only	119	7	6.1	5	4.3	9	7.8	8	7.0
		Chemotherapy, no radiation	1147	92	8.8	85	8.1	103	9.9	124	11.9
		Radiation, no chemotherapy	16	1	7.7	2	15.4	.	.	1	7.7
		Chemotherapy and radiation	539	41	9.2	30	6.7	45	10.1	49	11.0
		Unknown	181	15	10.6	12	8.5	15	10.6	20	14.1
Males	All cases		1036	67	7.6	63	7.1	69	7.8	108	12.2
	Age at baseline	18-19	36	2	13.3	.	.
		20-24	193	7	5.1	6	4.3	8	5.8	17	12.3
		25-29	299	19	7.5	20	7.9	19	7.5	32	12.7
		30-34	283	24	9.2	21	8.0	22	8.4	39	14.9
		35+	225	17	7.9	16	7.4	18	8.4	20	9.3
	Years since diagnosis	5-9	99	4	9.8	3	7.3	6	14.6	6	14.6
		10-14	337	18	6.4	23	8.2	18	6.4	33	11.7
		15-19	344	29	9.1	22	6.9	23	7.2	42	13.2
		20+	256	16	6.6	15	6.2	22	9.1	27	11.2
	Age at diagnosis	<1	1
		1-4	36	2	6.9	1	3.4	2	6.9	3	10.3
		5-9	165	6	4.1	5	3.4	11	7.4	15	10.1
		10-14	392	27	8.1	22	6.6	27	8.1	45	13.5
		15-20	442	32	8.6	35	9.4	29	7.8	45	12.1
	Treatment	Surgery only	48	3	6.5	2	4.3	4	8.7	5	10.9
		Chemotherapy, no radiation	588	34	6.5	36	6.9	38	7.3	64	12.2
		Radiation, no chemotherapy	9	.	.	1	14.3	.	.	1	14.3
		Chemotherapy and radiation	277	20	9.2	15	6.9	19	8.7	26	11.9
		Unknown	114	10	11.4	9	10.2	8	9.1	12	13.6
Females	All cases		966	89	10.2	71	8.1	103	11.8	94	10.7
	Age at baseline	18-19	36	2	8.3	2	8.3	3	12.5	1	4.2
		20-24	195	21	13.7	11	7.2	17	11.1	27	17.6
		25-29	269	22	8.8	18	7.2	32	12.8	21	8.4
		30-34	283	23	8.5	20	7.4	26	9.6	23	8.5

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		35+	183	21	11.7	20	11.2	25	14.0	22	12.3
	Years since diagnosis	5-9	86	3	7.7	2	5.1	6	15.4	4	10.3
		10-14	308	32	11.1	20	6.9	31	10.7	34	11.8
		15-19	328	29	9.4	27	8.7	36	11.6	29	9.4
		20+	244	25	10.5	22	9.2	30	12.6	27	11.3
	Age at diagnosis	<1	1
		1-4	22	4	22.2	4	22.2	1	5.6	7	38.9
		5-9	159	14	9.3	9	6.0	19	12.6	13	8.6
		10-14	436	43	11.0	33	8.4	49	12.5	47	12.0
		15-20	348	28	8.9	25	8.0	34	10.9	27	8.6
	Treatment	Surgery only	71	4	5.8	3	4.3	5	7.2	3	4.3
		Chemotherapy, no radiation	559	58	11.2	49	9.4	65	12.5	60	11.6
		Radiation, no chemotherapy	7	1	16.7	1	16.7
		Chemotherapy and radiation	262	21	9.3	15	6.6	26	11.5	23	10.1
		Unknown	67	5	9.3	3	5.6	7	13.0	8	14.8

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale
n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		677	49	8.6	44	7.7	50	8.7	62	10.8
	Age at baseline	18-19	36	2	13.3	2	13.3	3	20.0	.	.
		20-24	170	9	7.1	7	5.6	9	7.1	17	13.5
		25-29	204	14	8.0	11	6.3	16	9.1	16	9.1
		30-34	164	13	8.4	13	8.4	13	8.4	17	11.0
		35+	103	11	10.8	11	10.8	9	8.8	12	11.8
	Years since diagnosis	5-9	71	1	5.0	1	5.0	2	10.0	1	5.0
		10-14	222	15	8.0	13	7.0	14	7.5	20	10.7
		15-19	219	20	9.7	16	7.8	16	7.8	24	11.7
		20+	165	13	8.2	14	8.8	18	11.3	17	10.7
	Age at diagnosis	1-4	33	4	16.0	3	12.0	2	8.0	5	20.0
		5-9	156	8	5.7	7	5.0	14	9.9	13	9.2
		10-14	271	19	8.3	17	7.5	19	8.3	25	11.0
		15-20	217	18	10.1	17	9.6	15	8.4	19	10.7
	Treatment	Surgery only	1
		Chemotherapy, no radiation	191	13	7.3	15	8.4	13	7.3	20	11.2
		Radiation, no chemotherapy	2
		Chemotherapy and radiation	426	32	9.1	25	7.1	32	9.1	37	10.6
		Unknown	57	4	9.8	4	9.8	5	12.2	5	12.2
Males	All cases		358	21	7.2	19	6.5	20	6.9	35	12.0
	Age at baseline	18-19	20	2	40.0	.	.
		20-24	87	2	3.1	1	1.6	3	4.7	8	12.5
		25-29	105	7	8.2	7	8.2	6	7.1	9	10.6
		30-34	90	8	9.9	8	9.9	7	8.6	12	14.8
		35+	56	4	7.1	3	5.4	2	3.6	6	10.7
	Years since diagnosis	5-9	41	1	6.7	1	6.7
		10-14	111	3	3.6	6	7.1	5	6.0	9	10.7
		15-19	119	12	11.1	8	7.4	5	4.6	15	13.9
		20+	87	6	7.1	5	6.0	9	10.7	10	11.9
	Age at diagnosis	1-4	20	2	14.3	1	7.1	2	14.3	2	14.3
		5-9	79	3	4.4	1	1.5	5	7.4	9	13.2
		10-14	143	9	7.6	9	7.6	9	7.6	15	12.6
		15-20	116	7	7.8	8	8.9	4	4.4	9	10.0
	Treatment	Chemotherapy, no radiation	101	6	6.4	6	6.4	7	7.4	13	13.8
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	222	14	8.1	11	6.4	12	7.0	20	11.6
		Unknown	34	1	4.2	2	8.3	1	4.2	2	8.3
Females	All cases		319	28	10.0	25	8.9	30	10.7	27	9.6
	Age at baseline	18-19	16	2	20.0	2	20.0	1	10.0	.	.
		20-24	83	7	11.3	6	9.7	6	9.7	9	14.5
		25-29	99	7	7.8	4	4.4	10	11.1	7	7.8
		30-34	74	5	6.8	5	6.8	6	8.2	5	6.8
		35+	47	7	15.2	8	17.4	7	15.2	6	13.0
	Years since diagnosis	5-9	30	1	20.0	1	20.0	1	20.0	.	.
		10-14	111	12	11.7	7	6.8	9	8.7	11	10.7

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		15-19	100	8	8.2	8	8.2	11	11.2	9	9.2
		20+	78	7	9.3	9	12.0	9	12.0	7	9.3
	Age at diagnosis	1-4	13	2	18.2	2	18.2	.	.	3	27.3
		5-9	77	5	6.8	6	8.2	9	12.3	4	5.5
		10-14	128	10	9.2	8	7.3	10	9.2	10	9.2
		15-20	101	11	12.5	9	10.2	11	12.5	10	11.4
	Treatment	Surgery only	1
		Chemotherapy, no radiation	90	7	8.2	9	10.6	6	7.1	7	8.2
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	204	18	10.1	14	7.9	20	11.2	17	9.6
		Unknown	23	3	17.6	2	11.8	4	23.5	3	17.6

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
Both sexes	All cases		1228	103	9.4	87	7.9	115	10.5	133	12.1
	Age at baseline	18-19	30	2	9.5	.	.
		20-24	198	19	12.9	10	6.8	15	10.2	26	17.7
		25-29	344	27	8.8	27	8.7	34	11.0	36	11.7
		30-34	373	33	9.4	27	7.7	33	9.4	44	12.5
		35+	283	24	8.9	23	8.5	31	11.5	27	10.0
	Years since diagnosis	5-9	109	6	10.5	4	7.0	10	17.5	8	14.0
		10-14	390	34	9.6	29	8.2	33	9.3	46	13.0
		15-19	422	38	9.6	33	8.4	41	10.4	45	11.4
		20+	307	25	8.5	21	7.2	31	10.6	34	11.6
	Age at diagnosis	1-4	19	2	11.1	2	11.1	1	5.6	4	22.2
		5-9	151	12	8.5	7	4.9	16	11.3	15	10.6
		10-14	527	49	10.4	36	7.6	52	11.0	65	13.8
		15-20	531	40	8.5	42	9.0	46	9.8	49	10.5
	Treatment	Surgery only	86	6	7.2	4	4.8	8	9.6	7	8.4
		Chemotherapy, no radiation	935	78	9.2	69	8.2	87	10.3	102	12.1
		Radiation, no chemotherapy	10	1	11.1	2	22.2	.	.	1	11.1
		Chemotherapy and radiation	79	8	12.5	5	7.8	11	17.2	9	14.1
		Unknown	118	10	10.3	7	7.2	9	9.3	14	14.4
Males	All cases		627	43	7.9	42	7.7	46	8.4	69	12.6
	Age at baseline	18-19	12
		20-24	95	5	7.7	5	7.7	5	7.7	9	13.8
		25-29	183	12	7.6	13	8.3	13	8.3	22	14.0
		30-34	178	15	8.9	12	7.1	14	8.3	26	15.5
		35+	159	11	7.4	12	8.1	14	9.4	12	8.1
	Years since diagnosis	5-9	55	4	16.0	3	12.0	5	20.0	5	20.0
		10-14	208	14	7.7	16	8.7	12	6.6	23	12.6
		15-19	210	17	8.7	14	7.1	18	9.2	26	13.3
		20+	154	8	5.6	9	6.3	11	7.7	15	10.5
	Age at diagnosis	1-4	12	1	8.3
		5-9	72	3	4.5	4	6.0	6	9.0	6	9.0
		10-14	239	17	8.3	12	5.8	17	8.3	29	14.1
		15-20	304	23	8.8	26	9.9	23	8.8	33	12.6
	Treatment	Surgery only	30	2	6.9	1	3.4	3	10.3	4	13.8
		Chemotherapy, no radiation	475	28	6.7	30	7.1	31	7.4	50	11.9
		Radiation, no chemotherapy	6	.	.	1	20.0	.	.	1	20.0
		Chemotherapy and radiation	40	5	15.2	4	12.1	6	18.2	5	15.2
		Unknown	76	8	13.3	6	10.0	6	10.0	9	15.0
Females	All cases		601	60	10.9	45	8.2	69	12.5	64	11.6
	Age at baseline	18-19	18	2	15.4	.	.
		20-24	103	14	17.1	5	6.1	10	12.2	17	20.7
		25-29	161	15	9.9	14	9.2	21	13.8	14	9.3
		30-34	195	18	9.8	15	8.2	19	10.3	18	9.8
		35+	124	13	10.7	11	9.1	17	14.0	15	12.4
	Years since diagnosis	5-9	54	2	6.3	1	3.1	5	15.6	3	9.4

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included

			Global Severity Index ¹		Anxiety ²		Somatic Distress ²		Depression ²		
			All cases	N	%	N	%	N	%	N	%
		10-14	182	20	11.7	13	7.6	21	12.3	23	13.5
		15-19	212	21	10.6	19	9.5	23	11.6	19	9.6
		20+	153	17	11.3	12	8.0	20	13.3	19	12.7
	Age at diagnosis	1-4	7	2	33.3	2	33.3	1	16.7	3	50.0
		5-9	79	9	12.0	3	4.0	10	13.3	9	12.0
		10-14	288	32	12.1	24	9.1	35	13.2	36	13.6
		15-20	227	17	8.3	16	7.8	23	11.2	16	7.8
	Treatment	Surgery only	56	4	7.4	3	5.6	5	9.3	3	5.6
		Chemotherapy, no radiation	460	50	11.8	39	9.2	56	13.1	52	12.2
		Radiation, no chemotherapy	4	1	25.0	1	25.0
		Chemotherapy and radiation	39	3	9.7	1	3.2	5	16.1	4	12.9
		Unknown	42	2	5.4	1	2.7	3	8.1	5	13.5

CCSS data from Jan2020 data freeze

Based on items in J.16-J.35/K.1-K.18

Presented only for those age 18 and over at baseline, since questions are very different for those under 18.

¹ Global Severity Index indicates adverse outcome (T-score>=63) on the BSI-18

² Anxiety, Somatic Distress and Depression are based on adverse outcome (T-score>=63) on BSI subscale n=7 participants with no baseline information are not included