Chronic Conditions: All cancers

				Any chronic condition (grade 1-5)		Maximum Grade										Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]					
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**25728**	**21435**	**83.3**	**3974**	**15.4**	**5248**	**20.4**	**5684**	**22.1**	**4014**	**15.6**	**2515**	**9.8**	**5555**	**21.6**	**2584**	**10.0**
	Age at baseline	<18	5693	4520	79.4	1071	18.8	1274	22.4	1061	18.6	782	13.7	332	5.8	867	15.2	369	6.5
		18-19	2151	1707	79.4	402	18.7	453	21.1	464	21.6	280	13.0	108	5.0	334	15.5	138	6.4
		20-24	6023	4875	80.9	1004	16.7	1218	20.2	1298	21.6	914	15.2	441	7.3	1165	19.3	524	8.7
		25-29	5571	4748	85.2	820	14.7	1149	20.6	1336	24.0	888	15.9	555	10.0	1285	23.1	598	10.7
		30-34	3885	3391	87.3	488	12.6	755	19.4	935	24.1	671	17.3	542	14.0	1049	27.0	519	13.4
		35+	2405	2194	91.2	189	7.9	399	16.6	590	24.5	479	19.9	537	22.3	855	35.6	436	18.1
	Years since diagnosis	5-9	2595	2137	82.4	450	17.3	466	18.0	536	20.7	430	16.6	255	9.8	506	19.5	198	7.6
		10-14	8345	6841	82.0	1362	16.3	1836	22.0	1785	21.4	1235	14.8	623	7.5	1544	18.5	669	8.0
		15-19	8211	6833	83.2	1255	15.3	1726	21.0	1858	22.6	1233	15.0	761	9.3	1735	21.1	835	10.2
		20+	6577	5624	85.5	907	13.8	1220	18.5	1505	22.9	1116	17.0	876	13.3	1770	26.9	882	13.4
	Age at diagnosis	<1	1934	1494	77.2	412	21.3	393	20.3	348	18.0	264	13.7	77	4.0	290	15.0	141	7.3
		1-4	8297	6627	79.9	1507	18.2	1809	21.8	1648	19.9	1126	13.6	537	6.5	1402	16.9	631	7.6
		5-9	5792	4828	83.4	914	15.8	1216	21.0	1328	22.9	893	15.4	477	8.2	1212	20.9	546	9.4
		10-14	5453	4699	86.2	704	12.9	1040	19.1	1375	25.2	904	16.6	676	12.4	1398	25.6	642	11.8
		15-20	4252	3787	89.1	437	10.3	790	18.6	985	23.2	827	19.4	748	17.6	1253	29.5	624	14.7
	Treatment	Surgery only	2169	1739	80.2	511	23.6	522	24.1	379	17.5	249	11.5	78	3.6	251	11.6	90	4.1
		Chemotherapy, no radiation	8167	6310	77.3	1605	19.7	1716	21.0	1772	21.7	873	10.7	344	4.2	1113	13.6	453	5.5
		Radiation, no chemotherapy	2087	1941	93.0	180	8.6	365	17.5	406	19.5	590	28.3	400	19.2	790	37.9	417	20.0
		Chemotherapy and radiation	10809	9446	87.4	1274	11.8	2208	20.4	2652	24.5	1991	18.4	1321	12.2	2921	27.0	1426	13.2
		Unknown	2496	1999	80.1	404	16.2	437	17.5	475	19.0	311	12.5	372	14.9	480	19.2	198	7.9
Males	**All cases**		**13756**	**11134**	**80.9**	**2234**	**16.2**	**2817**	**20.5**	**2809**	**20.4**	**1911**	**13.9**	**1363**	**9.9**	**2678**	**19.5**	**1209**	**8.8**
	Age at baseline	<18	3068	2397	78.1	594	19.4	678	22.1	537	17.5	388	12.6	200	6.5	434	14.1	180	5.9
		18-19	1122	865	77.1	210	18.7	231	20.6	217	19.3	147	13.1	60	5.3	161	14.3	69	6.1
		20-24	3170	2456	77.5	527	16.6	628	19.8	621	19.6	445	14.0	235	7.4	577	18.2	262	8.3
		25-29	3091	2573	83.2	484	15.7	650	21.0	672	21.7	443	14.3	324	10.5	667	21.6	300	9.7
		30-34	2072	1737	83.8	297	14.3	401	19.4	466	22.5	291	14.0	282	13.6	468	22.6	225	10.9
		35+	1233	1106	89.7	122	9.9	229	18.6	296	24.0	197	16.0	262	21.2	371	30.1	173	14.0
	Years since diagnosis	5-9	1458	1173	80.5	274	18.8	265	18.2	276	18.9	210	14.4	148	10.2	258	17.7	88	6.0
		10-14	4468	3571	79.9	753	16.9	973	21.8	872	19.5	604	13.5	369	8.3	768	17.2	347	7.8
		15-19	4314	3462	80.3	701	16.2	886	20.5	914	21.2	564	13.1	397	9.2	815	18.9	382	8.9
		20+	3516	2928	83.3	506	14.4	693	19.7	747	21.2	533	15.2	449	12.8	837	23.8	392	11.1
	Age at diagnosis	<1	988	741	75.0	202	20.4	200	20.2	171	17.3	131	13.3	37	3.7	130	13.2	64	6.5
		1-4	4345	3374	77.7	813	18.7	922	21.2	782	18.0	566	13.0	291	6.7	690	15.9	314	7.2
		5-9	3264	2659	81.5	531	16.3	680	20.8	673	20.6	479	14.7	296	9.1	645	19.8	277	8.5
		10-14	2887	2397	83.0	413	14.3	576	20.0	684	23.7	378	13.1	346	12.0	642	22.2	282	9.8
		15-20	2272	1963	86.4	275	12.1	439	19.3	499	22.0	357	15.7	393	17.3	571	25.1	272	12.0
	Treatment	Surgery only	1070	840	78.5	251	23.5	261	24.4	170	15.9	113	10.6	45	4.2	115	10.7	47	4.4
		Chemotherapy, no radiation	4300	3166	73.6	845	19.7	838	19.5	900	20.9	403	9.4	180	4.2	523	12.2	195	4.5

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All cancers

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	1087	998	91.8	109	10.0	215	19.8	202	18.6	275	25.3	197	18.1	368	33.9	192	17.7
		Chemotherapy and radiation	5826	4968	85.3	794	13.6	1242	21.3	1278	21.9	942	16.2	712	12.2	1399	24.0	669	11.5
		Unknown	1473	1162	78.9	235	16.0	261	17.7	259	17.6	178	12.1	229	15.5	273	18.5	106	7.2
Females	**All cases**		**11972**	**10301**	**86.0**	**1740**	**14.5**	**2431**	**20.3**	**2875**	**24.0**	**2103**	**17.6**	**1152**	**9.6**	**2877**	**24.0**	**1375**	**11.5**
	Age at baseline	<18	2625	2123	80.9	477	18.2	596	22.7	524	20.0	394	15.0	132	5.0	433	16.5	189	7.2
		18-19	1029	842	81.8	192	18.7	222	21.6	247	24.0	133	12.9	48	4.7	173	16.8	69	6.7
		20-24	2853	2419	84.8	477	16.7	590	20.7	677	23.7	469	16.4	206	7.2	588	20.6	262	9.2
		25-29	2480	2175	87.7	336	13.5	499	20.1	664	26.8	445	17.9	231	9.3	618	24.9	298	12.0
		30-34	1813	1654	91.2	191	10.5	354	19.5	469	25.9	380	21.0	260	14.3	581	32.0	294	16.2
		35+	1172	1088	92.8	67	5.7	170	14.5	294	25.1	282	24.1	275	23.5	484	41.3	263	22.4
	Years since diagnosis	5-9	1137	964	84.8	176	15.5	201	17.7	260	22.9	220	19.3	107	9.4	248	21.8	110	9.7
		10-14	3877	3270	84.3	609	15.7	863	22.3	913	23.5	631	16.3	254	6.6	776	20.0	322	8.3
		15-19	3897	3371	86.5	554	14.2	840	21.6	944	24.2	669	17.2	364	9.3	920	23.6	453	11.6
		20+	3061	2696	88.1	401	13.1	527	17.2	758	24.8	583	19.0	427	13.9	933	30.5	490	16.0
	Age at diagnosis	<1	946	753	79.6	210	22.2	193	20.4	177	18.7	133	14.1	40	4.2	160	16.9	77	8.1
		1-4	3952	3253	82.3	694	17.6	887	22.4	866	21.9	560	14.2	246	6.2	712	18.0	317	8.0
		5-9	2528	2169	85.8	383	15.2	536	21.2	655	25.9	414	16.4	181	7.2	567	22.4	269	10.6
		10-14	2566	2302	89.7	291	11.3	464	18.1	691	26.9	526	20.5	330	12.9	756	29.5	360	14.0
		15-20	1980	1824	92.1	162	8.2	351	17.7	486	24.5	470	23.7	355	17.9	682	34.4	352	17.8
	Treatment	Surgery only	1099	899	81.8	260	23.7	261	23.7	209	19.0	136	12.4	33	3.0	136	12.4	43	3.9
		Chemotherapy, no radiation	3867	3144	81.3	760	19.7	878	22.7	872	22.5	470	12.2	164	4.2	590	15.3	258	6.7
		Radiation, no chemotherapy	1000	943	94.3	71	7.1	150	15.0	204	20.4	315	31.5	203	20.3	422	42.2	225	22.5
		Chemotherapy and radiation	4983	4478	89.9	480	9.6	966	19.4	1374	27.6	1049	21.1	609	12.2	1522	30.5	757	15.2
		Unknown	1023	837	81.8	169	16.5	176	17.2	216	21.1	133	13.0	143	14.0	207	20.2	92	9.0

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All leukemias

				Any chronic condition (grade 1-5)		Maximum Grade										Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]					
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**7908**	**6260**	**79.2**	**1378**	**17.4**	**1959**	**24.8**	**1474**	**18.6**	**944**	**11.9**	**505**	**6.4**	**1171**	**14.8**	**512**	**6.5**
	Age at baseline	<18	2236	1713	76.6	447	20.0	577	25.8	329	14.7	236	10.6	124	5.5	250	11.2	89	4.0
		18-19	844	648	76.8	163	19.3	212	25.1	159	18.8	75	8.9	39	4.6	101	12.0	38	4.5
		20-24	1970	1532	77.8	314	15.9	495	25.1	378	19.2	241	12.2	104	5.3	289	14.7	127	6.4
		25-29	1608	1312	81.6	281	17.5	397	24.7	326	20.3	188	11.7	120	7.5	266	16.5	122	7.6
		30-34	847	708	83.6	135	15.9	185	21.8	175	20.7	137	16.2	76	9.0	166	19.6	90	10.6
		35+	403	347	86.1	38	9.4	93	23.1	107	26.6	67	16.6	42	10.4	99	24.6	46	11.4
	Years since diagnosis	5-9	981	758	77.3	188	19.2	218	22.2	149	15.2	120	12.2	83	8.5	142	14.5	55	5.6
		10-14	2637	2043	77.5	482	18.3	672	25.5	461	17.5	294	11.1	134	5.1	313	11.9	125	4.7
		15-19	2441	1963	80.4	410	16.8	637	26.1	490	20.1	293	12.0	133	5.4	374	15.3	162	6.6
		20+	1849	1496	80.9	298	16.1	432	23.4	374	20.2	237	12.8	155	8.4	342	18.5	170	9.2
	Age at diagnosis	<1	242	197	81.4	40	16.5	56	23.1	53	21.9	31	12.8	17	7.0	55	22.7	31	12.8
		1-4	3735	2877	77.0	724	19.4	953	25.5	614	16.4	388	10.4	198	5.3	462	12.4	187	5.0
		5-9	1931	1526	79.0	341	17.7	494	25.6	356	18.4	207	10.7	128	6.6	259	13.4	106	5.5
		10-14	1313	1081	82.3	196	14.9	300	22.8	281	21.4	208	15.8	96	7.3	249	19.0	113	8.6
		15-20	687	579	84.3	77	11.2	156	22.7	170	24.7	110	16.0	66	9.6	146	21.3	75	10.9
	Treatment	Surgery only	3	2	66.7	1	33.3	1	33.3	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	3383	2504	74.0	737	21.8	871	25.7	500	14.8	294	8.7	102	3.0	276	8.2	108	3.2
		Radiation, no chemotherapy	4	2	50.0	.	.	1	25.0	1	25.0	.	.	.	.	1	25.0	.	.
		Chemotherapy and radiation	3775	3192	84.6	505	13.4	929	24.6	855	22.6	580	15.4	323	8.6	788	20.9	367	9.7
		Unknown	743	560	75.4	135	18.2	157	21.1	118	15.9	70	9.4	80	10.8	106	14.3	37	5.0
Males	**All cases**		**4218**	**3216**	**76.2**	**764**	**18.1**	**1029**	**24.4**	**703**	**16.7**	**454**	**10.8**	**266**	**6.3**	**565**	**13.4**	**247**	**5.9**
	Age at baseline	<18	1222	913	74.7	248	20.3	306	25.0	163	13.3	119	9.7	77	6.3	131	10.7	46	3.8
		18-19	454	341	75.1	93	20.5	109	24.0	77	17.0	41	9.0	21	4.6	50	11.0	17	3.7
		20-24	997	731	73.3	157	15.7	248	24.9	171	17.2	106	10.6	49	4.9	133	13.3	55	5.5
		25-29	870	687	79.0	160	18.4	218	25.1	147	16.9	99	11.4	63	7.2	137	15.7	65	7.5
		30-34	449	354	78.8	79	17.6	93	20.7	86	19.2	63	14.0	33	7.3	68	15.1	42	9.4
		35+	226	190	84.1	27	11.9	55	24.3	59	26.1	26	11.5	23	10.2	46	20.4	22	9.7
	Years since diagnosis	5-9	557	423	75.9	121	21.7	127	22.8	66	11.8	59	10.6	50	9.0	68	12.2	22	3.9
		10-14	1415	1068	75.5	254	18.0	366	25.9	230	16.3	135	9.5	83	5.9	162	11.4	68	4.8
		15-19	1252	953	76.1	225	18.0	303	24.2	216	17.3	146	11.7	63	5.0	172	13.7	77	6.2
		20+	994	772	77.7	164	16.5	233	23.4	191	19.2	114	11.5	70	7.0	163	16.4	80	8.0
	Age at diagnosis	<1	113	92	81.4	22	19.5	26	23.0	20	17.7	16	14.2	8	7.1	24	21.2	15	13.3
		1-4	1998	1471	73.6	386	19.3	483	24.2	301	15.1	200	10.0	101	5.1	235	11.8	92	4.6
		5-9	1041	805	77.3	196	18.8	258	24.8	170	16.3	109	10.5	72	6.9	123	11.8	48	4.6
		10-14	650	508	78.2	109	16.8	160	24.6	120	18.5	75	11.5	44	6.8	108	16.6	56	8.6
		15-20	416	340	81.7	51	12.3	102	24.5	92	22.1	54	13.0	41	9.9	75	18.0	36	8.7
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	1694	1188	70.1	365	21.5	406	24.0	228	13.5	133	7.9	56	3.3	130	7.7	51	3.0
		Radiation, no chemotherapy	3	1	33.3	.	.	1	33.3	.	.	.	.	.	.	.	.	.	.

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All leukemias

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	2076	1709	82.3	326	15.7	525	25.3	412	19.8	280	13.5	166	8.0	378	18.2	176	8.5
		Unknown	444	318	71.6	73	16.4	97	21.8	63	14.2	41	9.2	44	9.9	57	12.8	20	4.5
Females	**All cases**		**3690**	**3044**	**82.5**	**614**	**16.6**	**930**	**25.2**	**771**	**20.9**	**490**	**13.3**	**239**	**6.5**	**606**	**16.4**	**265**	**7.2**
	Age at baseline	<18	1014	800	78.9	199	19.6	271	26.7	166	16.4	117	11.5	47	4.6	119	11.7	43	4.2
		18-19	390	307	78.7	70	17.9	103	26.4	82	21.0	34	8.7	18	4.6	51	13.1	21	5.4
		20-24	973	801	82.3	157	16.1	247	25.4	207	21.3	135	13.9	55	5.7	156	16.0	72	7.4
		25-29	738	625	84.7	121	16.4	179	24.3	179	24.3	89	12.1	57	7.7	129	17.5	57	7.7
		30-34	398	354	88.9	56	14.1	92	23.1	89	22.4	74	18.6	43	10.8	98	24.6	48	12.1
		35+	177	157	88.7	11	6.2	38	21.5	48	27.1	41	23.2	19	10.7	53	29.9	24	13.6
	Years since diagnosis	5-9	424	335	79.0	67	15.8	91	21.5	83	19.6	61	14.4	33	7.8	74	17.5	33	7.8
		10-14	1222	975	79.8	228	18.7	306	25.0	231	18.9	159	13.0	51	4.2	151	12.4	57	4.7
		15-19	1189	1010	84.9	185	15.6	334	28.1	274	23.0	147	12.4	70	5.9	202	17.0	85	7.1
		20+	855	724	84.7	134	15.7	199	23.3	183	21.4	123	14.4	85	9.9	179	20.9	90	10.5
	Age at diagnosis	<1	129	105	81.4	18	14.0	30	23.3	33	25.6	15	11.6	9	7.0	31	24.0	16	12.4
		1-4	1737	1406	80.9	338	19.5	470	27.1	313	18.0	188	10.8	97	5.6	227	13.1	95	5.5
		5-9	890	721	81.0	145	16.3	236	26.5	186	20.9	98	11.0	56	6.3	136	15.3	58	6.5
		10-14	663	573	86.4	87	13.1	140	21.1	161	24.3	133	20.1	52	7.8	141	21.3	57	8.6
		15-20	271	239	88.2	26	9.6	54	19.9	78	28.8	56	20.7	25	9.2	71	26.2	39	14.4
	Treatment	Surgery only	2	2	100.0	1	50.0	1	50.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	1689	1316	77.9	372	22.0	465	27.5	272	16.1	161	9.5	46	2.7	146	8.6	57	3.4
		Radiation, no chemotherapy	1	1	100.0	.	.	.	.	1	100.0	.	.	.	.	1	100.0	.	.
		Chemotherapy and radiation	1699	1483	87.3	179	10.5	404	23.8	443	26.1	300	17.7	157	9.2	410	24.1	191	11.2
		Unknown	299	242	80.9	62	20.7	60	20.1	55	18.4	29	9.7	36	12.0	49	16.4	17	5.7

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: ALL

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**6646**	**5182**	**78.0**	**1209**	**18.2**	**1662**	**25.0**	**1179**	**17.7**	**756**	**11.4**	**376**	**5.7**	**887**	**13.3**	**372**	**5.6**
	Age at baseline	<18	1941	1463	75.4	408	21.0	498	25.7	265	13.7	194	10.0	98	5.0	183	9.4	58	3.0
		18-19	730	551	75.5	146	20.0	187	25.6	129	17.7	59	8.1	30	4.1	70	9.6	22	3.0
		20-24	1693	1303	77.0	281	16.6	432	25.5	311	18.4	196	11.6	83	4.9	230	13.6	97	5.7
		25-29	1338	1078	80.6	241	18.0	325	24.3	270	20.2	150	11.2	92	6.9	210	15.7	94	7.0
		30-34	657	545	83.0	105	16.0	155	23.6	127	19.3	105	16.0	53	8.1	124	18.9	71	10.8
		35+	287	242	84.3	28	9.8	65	22.6	77	26.8	52	18.1	20	7.0	70	24.4	30	10.5
	Years since diagnosis	5-9	844	647	76.7	164	19.4	196	23.2	111	13.2	104	12.3	72	8.5	117	13.9	45	5.3
		10-14	2222	1688	76.0	436	19.6	558	25.1	373	16.8	230	10.4	91	4.1	212	9.5	71	3.2
		15-19	2024	1607	79.4	352	17.4	541	26.7	393	19.4	233	11.5	88	4.3	288	14.2	122	6.0
		20+	1556	1240	79.7	257	16.5	367	23.6	302	19.4	189	12.1	125	8.0	270	17.4	134	8.6
	Age at diagnosis	<1	134	109	81.3	24	17.9	30	22.4	28	20.9	15	11.2	12	9.0	28	20.9	13	9.7
		1-4	3322	2533	76.2	667	20.1	853	25.7	519	15.6	328	9.9	166	5.0	366	11.0	143	4.3
		5-9	1696	1316	77.6	314	18.5	427	25.2	300	17.7	173	10.2	102	6.0	211	12.4	83	4.9
		10-14	1027	824	80.2	152	14.8	238	23.2	213	20.7	157	15.3	64	6.2	186	18.1	85	8.3
		15-20	467	400	85.7	52	11.1	114	24.4	119	25.5	83	17.8	32	6.9	96	20.6	48	10.3
	Treatment	Chemotherapy, no radiation	2699	1947	72.1	621	23.0	715	26.5	347	12.9	205	7.6	59	2.2	163	6.0	59	2.2
		Radiation, no chemotherapy	4	2	50.0	.	.	1	25.0	1	25.0	.	.	.	.	1	25.0	.	.
		Chemotherapy and radiation	3306	2762	83.5	470	14.2	810	24.5	731	22.1	493	14.9	258	7.8	640	19.4	286	8.7
		Unknown	637	471	73.9	118	18.5	136	21.4	100	15.7	58	9.1	59	9.3	83	13.0	27	4.2
Males	**All cases**		**3576**	**2692**	**75.3**	**674**	**18.8**	**869**	**24.3**	**577**	**16.1**	**375**	**10.5**	**197**	**5.5**	**443**	**12.4**	**187**	**5.2**
	Age at baseline	<18	1061	780	73.5	230	21.7	263	24.8	131	12.3	96	9.0	60	5.7	96	9.0	29	2.7
		18-19	397	292	73.6	82	20.7	95	23.9	64	16.1	34	8.6	17	4.3	37	9.3	12	3.0
		20-24	858	623	72.6	139	16.2	216	25.2	145	16.9	87	10.1	36	4.2	106	12.4	42	4.9
		25-29	736	577	78.4	141	19.2	175	23.8	127	17.3	86	11.7	48	6.5	114	15.5	52	7.1
		30-34	354	280	79.1	60	16.9	79	22.3	64	18.1	53	15.0	24	6.8	56	15.8	37	10.5
		35+	170	140	82.4	22	12.9	41	24.1	46	27.1	19	11.2	12	7.1	34	20.0	15	8.8
	Years since diagnosis	5-9	480	361	75.2	104	21.7	111	23.1	51	10.6	54	11.3	41	8.5	59	12.3	18	3.8
		10-14	1201	893	74.4	235	19.6	300	25.0	189	15.7	112	9.3	57	4.7	116	9.7	43	3.6
		15-19	1052	793	75.4	192	18.3	265	25.2	180	17.1	116	11.0	40	3.8	134	12.7	61	5.8
		20+	843	645	76.5	143	17.0	193	22.9	157	18.6	93	11.0	59	7.0	134	15.9	65	7.7
	Age at diagnosis	<1	65	53	81.5	15	23.1	15	23.1	12	18.5	7	10.8	4	6.2	12	18.5	5	7.7
		1-4	1769	1289	72.9	356	20.1	430	24.3	251	14.2	166	9.4	86	4.9	184	10.4	71	4.0
		5-9	924	701	75.9	181	19.6	221	23.9	149	16.1	95	10.3	55	6.0	105	11.4	41	4.4
		10-14	527	408	77.4	88	16.7	126	23.9	98	18.6	65	12.3	31	5.9	91	17.3	46	8.7
		15-20	291	241	82.8	34	11.7	77	26.5	67	23.0	42	14.4	21	7.2	51	17.5	24	8.2
	Treatment	Chemotherapy, no radiation	1349	921	68.3	311	23.1	323	23.9	166	12.3	88	6.5	33	2.4	78	5.8	31	2.3
		Radiation, no chemotherapy	3	1	33.3	.	.	1	33.3	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1839	1501	81.6	299	16.3	462	25.1	356	19.4	250	13.6	134	7.3	318	17.3	141	7.7
		Unknown	385	269	69.9	64	16.6	83	21.6	55	14.3	37	9.6	30	7.8	47	12.2	15	3.9

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: ALL

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Females	**All cases**		**3070**	**2490**	**81.1**	**535**	**17.4**	**793**	**25.8**	**602**	**19.6**	**381**	**12.4**	**179**	**5.8**	**444**	**14.5**	**185**	**6.0**
	Age at baseline	<18	880	683	77.6	178	20.2	235	26.7	134	15.2	98	11.1	38	4.3	87	9.9	29	3.3
		18-19	333	259	77.8	64	19.2	92	27.6	65	19.5	25	7.5	13	3.9	33	9.9	10	3.0
		20-24	835	680	81.4	142	17.0	216	25.9	166	19.9	109	13.1	47	5.6	124	14.9	55	6.6
		25-29	602	501	83.2	100	16.6	150	24.9	143	23.8	64	10.6	44	7.3	96	15.9	42	7.0
		30-34	303	265	87.5	45	14.9	76	25.1	63	20.8	52	17.2	29	9.6	68	22.4	34	11.2
		35+	117	102	87.2	6	5.1	24	20.5	31	26.5	33	28.2	8	6.8	36	30.8	15	12.8
	Years since diagnosis	5-9	364	286	78.6	60	16.5	85	23.4	60	16.5	50	13.7	31	8.5	58	15.9	27	7.4
		10-14	1021	795	77.9	201	19.7	258	25.3	184	18.0	118	11.6	34	3.3	96	9.4	28	2.7
		15-19	972	814	83.7	160	16.5	276	28.4	213	21.9	117	12.0	48	4.9	154	15.8	61	6.3
		20+	713	595	83.5	114	16.0	174	24.4	145	20.3	96	13.5	66	9.3	136	19.1	69	9.7
	Age at diagnosis	<1	69	56	81.2	9	13.0	15	21.7	16	23.2	8	11.6	8	11.6	16	23.2	8	11.6
		1-4	1553	1244	80.1	311	20.0	423	27.2	268	17.3	162	10.4	80	5.2	182	11.7	72	4.6
		5-9	772	615	79.7	133	17.2	206	26.7	151	19.6	78	10.1	47	6.1	106	13.7	42	5.4
		10-14	500	416	83.2	64	12.8	112	22.4	115	23.0	92	18.4	33	6.6	95	19.0	39	7.8
		15-20	176	159	90.3	18	10.2	37	21.0	52	29.5	41	23.3	11	6.3	45	25.6	24	13.6
	Treatment	Chemotherapy, no radiation	1350	1026	76.0	310	23.0	392	29.0	181	13.4	117	8.7	26	1.9	85	6.3	28	2.1
		Radiation, no chemotherapy	1	1	100.0	.	.	.	.	1	100.0	.	.	.	.	1	100.0	.	.
		Chemotherapy and radiation	1467	1261	86.0	171	11.7	348	23.7	375	25.6	243	16.6	124	8.5	322	21.9	145	9.9
		Unknown	252	202	80.2	54	21.4	53	21.0	45	17.9	21	8.3	29	11.5	36	14.3	12	4.8

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: AML

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**930**	**797**	**85.7**	**127**	**13.7**	**229**	**24.6**	**214**	**23.0**	**139**	**14.9**	**88**	**9.5**	**202**	**21.7**	**99**	**10.6**
	Age at baseline	<18	231	196	84.8	28	12.1	67	29.0	53	22.9	31	13.4	17	7.4	54	23.4	25	10.8
		18-19	89	76	85.4	12	13.5	20	22.5	22	24.7	13	14.6	9	10.1	26	29.2	12	13.5
		20-24	199	169	84.9	28	14.1	45	22.6	50	25.1	29	14.6	17	8.5	40	20.1	21	10.6
		25-29	201	175	87.1	31	15.4	55	27.4	35	17.4	34	16.9	20	10.0	40	19.9	20	10.0
		30-34	134	114	85.1	21	15.7	22	16.4	34	25.4	23	17.2	14	10.4	26	19.4	12	9.0
		35+	76	67	88.2	7	9.2	20	26.3	20	26.3	9	11.8	11	14.5	16	21.1	9	11.8
	Years since diagnosis	5-9	85	75	88.2	16	18.8	17	20.0	28	32.9	10	11.8	4	4.7	19	22.4	6	7.1
		10-14	320	273	85.3	38	11.9	88	27.5	63	19.7	50	15.6	34	10.6	74	23.1	40	12.5
		15-19	323	274	84.8	42	13.0	75	23.2	72	22.3	50	15.5	35	10.8	70	21.7	33	10.2
		20+	202	175	86.6	31	15.3	49	24.3	51	25.2	29	14.4	15	7.4	39	19.3	20	9.9
	Age at diagnosis	<1	93	75	80.6	12	12.9	24	25.8	23	24.7	13	14.0	3	3.2	25	26.9	16	17.2
		1-4	315	262	83.2	43	13.7	78	24.8	69	21.9	48	15.2	24	7.6	71	22.5	34	10.8
		5-9	172	157	91.3	23	13.4	52	30.2	43	25.0	21	12.2	18	10.5	34	19.8	16	9.3
		10-14	199	181	91.0	32	16.1	48	24.1	46	23.1	34	17.1	21	10.6	37	18.6	16	8.0
		15-20	151	122	80.8	17	11.3	27	17.9	33	21.9	23	15.2	22	14.6	35	23.2	17	11.3
	Treatment	Surgery only	3	2	66.7	1	33.3	1	33.3	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	558	456	81.7	92	16.5	133	23.8	124	22.2	76	13.6	31	5.6	92	16.5	39	7.0
		Chemotherapy and radiation	296	276	93.2	21	7.1	79	26.7	78	26.4	55	18.6	43	14.5	95	32.1	52	17.6
		Unknown	73	63	86.3	13	17.8	16	21.9	12	16.4	8	11.0	14	19.2	15	20.5	8	11.0
Males	**All cases**		**456**	**376**	**82.5**	**61**	**13.4**	**119**	**26.1**	**90**	**19.7**	**62**	**13.6**	**44**	**9.6**	**88**	**19.3**	**44**	**9.6**
	Age at baseline	<18	126	104	82.5	13	10.3	37	29.4	27	21.4	17	13.5	10	7.9	28	22.2	14	11.1
		18-19	45	39	86.7	7	15.6	11	24.4	10	22.2	7	15.6	4	8.9	12	26.7	5	11.1
		20-24	95	77	81.1	15	15.8	20	21.1	19	20.0	13	13.7	10	10.5	18	18.9	8	8.4
		25-29	90	75	83.3	12	13.3	30	33.3	12	13.3	12	13.3	9	10.0	15	16.7	8	8.9
		30-34	65	50	76.9	11	16.9	13	20.0	13	20.0	7	10.8	6	9.2	7	10.8	3	4.6
		35+	35	31	88.6	3	8.6	8	22.9	9	25.7	6	17.1	5	14.3	8	22.9	6	17.1
	Years since diagnosis	5-9	50	42	84.0	11	22.0	13	26.0	11	22.0	4	8.0	3	6.0	7	14.0	3	6.0
		10-14	160	132	82.5	16	10.0	49	30.6	28	17.5	18	11.3	21	13.1	33	20.6	17	10.6
		15-19	149	119	79.9	20	13.4	29	19.5	30	20.1	24	16.1	16	10.7	32	21.5	14	9.4
		20+	97	83	85.6	14	14.4	28	28.9	21	21.6	16	16.5	4	4.1	16	16.5	10	10.3
	Age at diagnosis	<1	40	32	80.0	6	15.0	11	27.5	7	17.5	6	15.0	2	5.0	10	25.0	8	20.0
		1-4	172	137	79.7	21	12.2	40	23.3	37	21.5	29	16.9	10	5.8	37	21.5	16	9.3
		5-9	79	74	93.7	11	13.9	27	34.2	16	20.3	9	11.4	11	13.9	14	17.7	6	7.6
		10-14	82	69	84.1	13	15.9	26	31.7	15	18.3	8	9.8	7	8.5	10	12.2	6	7.3
		15-20	83	64	77.1	10	12.0	15	18.1	15	18.1	10	12.0	14	16.9	17	20.5	8	9.6
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	269	209	77.7	36	13.4	66	24.5	52	19.3	38	14.1	17	6.3	44	16.4	16	5.9
		Chemotherapy and radiation	146	133	91.1	17	11.6	42	28.8	34	23.3	22	15.1	18	12.3	38	26.0	24	16.4
		Unknown	40	34	85.0	8	20.0	11	27.5	4	10.0	2	5.0	9	22.5	6	15.0	4	10.0
Females	**All cases**		**474**	**421**	**88.8**	**66**	**13.9**	**110**	**23.2**	**124**	**26.2**	**77**	**16.2**	**44**	**9.3**	**114**	**24.1**	**55**	**11.6**

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: AML

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
	Age at baseline	<18	105	92	87.6	15	14.3	30	28.6	26	24.8	14	13.3	7	6.7	26	24.8	11	10.5
		18-19	44	37	84.1	5	11.4	9	20.5	12	27.3	6	13.6	5	11.4	14	31.8	7	15.9
		20-24	104	92	88.5	13	12.5	25	24.0	31	29.8	16	15.4	7	6.7	22	21.2	13	12.5
		25-29	111	100	90.1	19	17.1	25	22.5	23	20.7	22	19.8	11	9.9	25	22.5	12	10.8
		30-34	69	64	92.8	10	14.5	9	13.0	21	30.4	16	23.2	8	11.6	19	27.5	9	13.0
		35+	41	36	87.8	4	9.8	12	29.3	11	26.8	3	7.3	6	14.6	8	19.5	3	7.3
	Years since diagnosis	5-9	35	33	94.3	5	14.3	4	11.4	17	48.6	6	17.1	1	2.9	12	34.3	3	8.6
		10-14	160	141	88.1	22	13.8	39	24.4	35	21.9	32	20.0	13	8.1	41	25.6	23	14.4
		15-19	174	155	89.1	22	12.6	46	26.4	42	24.1	26	14.9	19	10.9	38	21.8	19	10.9
		20+	105	92	87.6	17	16.2	21	20.0	30	28.6	13	12.4	11	10.5	23	21.9	10	9.5
	Age at diagnosis	<1	53	43	81.1	6	11.3	13	24.5	16	30.2	7	13.2	1	1.9	15	28.3	8	15.1
		1-4	143	125	87.4	22	15.4	38	26.6	32	22.4	19	13.3	14	9.8	34	23.8	18	12.6
		5-9	93	83	89.2	12	12.9	25	26.9	27	29.0	12	12.9	7	7.5	20	21.5	10	10.8
		10-14	117	112	95.7	19	16.2	22	18.8	31	26.5	26	22.2	14	12.0	27	23.1	10	8.5
		15-20	68	58	85.3	7	10.3	12	17.6	18	26.5	13	19.1	8	11.8	18	26.5	9	13.2
	Treatment	Surgery only	2	2	100.0	1	50.0	1	50.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	289	247	85.5	56	19.4	67	23.2	72	24.9	38	13.1	14	4.8	48	16.6	23	8.0
		Chemotherapy and radiation	150	143	95.3	4	2.7	37	24.7	44	29.3	33	22.0	25	16.7	57	38.0	28	18.7
		Unknown	33	29	87.9	5	15.2	5	15.2	8	24.2	6	18.2	5	15.2	9	27.3	4	12.1

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All CNS

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal[1]		Multiple severe conditions (>=2)[2]		Multiple severe conditions (>=3)[2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**4498**	**4107**	**91.3**	**555**	**12.3**	**929**	**20.7**	**1021**	**22.7**	**1164**	**25.9**	**438**	**9.7**	**1368**	**30.4**	**722**	**16.1**
	Age at baseline	<18	954	901	94.4	127	13.3	188	19.7	240	25.2	282	29.6	64	6.7	294	30.8	159	16.7
		18-19	376	347	92.3	50	13.3	70	18.6	105	27.9	97	25.8	25	6.6	104	27.7	51	13.6
		20-24	1181	1057	89.5	155	13.1	236	20.0	238	20.2	315	26.7	113	9.6	345	29.2	185	15.7
		25-29	1086	983	90.5	121	11.1	223	20.5	255	23.5	272	25.0	112	10.3	334	30.8	189	17.4
		30-34	625	570	91.2	77	12.3	154	24.6	123	19.7	134	21.4	82	13.1	201	32.2	98	15.7
		35+	276	249	90.2	25	9.1	58	21.0	60	21.7	64	23.2	42	15.2	90	32.6	40	14.5
	Years since diagnosis	5-9	464	438	94.4	70	15.1	78	16.8	107	23.1	143	30.8	40	8.6	149	32.1	73	15.7
		10-14	1540	1406	91.3	200	13.0	347	22.5	343	22.3	386	25.1	130	8.4	426	27.7	217	14.1
		15-19	1416	1285	90.7	168	11.9	302	21.3	339	23.9	335	23.7	141	10.0	412	29.1	226	16.0
		20+	1078	978	90.7	117	10.9	202	18.7	232	21.5	300	27.8	127	11.8	381	35.3	206	19.1
	Age at diagnosis	<1	220	205	93.2	18	8.2	39	17.7	49	22.3	84	38.2	15	6.8	73	33.2	49	22.3
		1-4	1322	1220	92.3	168	12.7	239	18.1	338	25.6	372	28.1	103	7.8	417	31.5	232	17.5
		5-9	1407	1282	91.1	172	12.2	293	20.8	329	23.4	364	25.9	124	8.8	438	31.1	230	16.3
		10-14	1069	969	90.6	145	13.6	240	22.5	221	20.7	238	22.3	125	11.7	302	28.3	136	12.7
		15-20	480	431	89.8	52	10.8	118	24.6	84	17.5	106	22.1	71	14.8	138	28.8	75	15.6
	Treatment	Surgery only	1275	1090	85.5	282	22.1	364	28.5	217	17.0	177	13.9	50	3.9	159	12.5	60	4.7
		Chemotherapy, no radiation	355	316	89.0	47	13.2	79	22.3	98	27.6	81	22.8	11	3.1	74	20.8	32	9.0
		Radiation, no chemotherapy	1170	1102	94.2	98	8.4	215	18.4	262	22.4	376	32.1	151	12.9	452	38.6	230	19.7
		Chemotherapy and radiation	1257	1203	95.7	61	4.9	181	14.4	359	28.6	431	34.3	171	13.6	571	45.4	347	27.6
		Unknown	441	396	89.8	67	15.2	90	20.4	85	19.3	99	22.4	55	12.5	112	25.4	53	12.0
Males	**All cases**		**2456**	**2226**	**90.6**	**321**	**13.1**	**500**	**20.4**	**538**	**21.9**	**613**	**25.0**	**254**	**10.3**	**733**	**29.8**	**396**	**16.1**
	Age at baseline	<18	530	498	94.0	74	14.0	109	20.6	135	25.5	143	27.0	37	7.0	150	28.3	83	15.7
		18-19	191	176	92.1	29	15.2	35	18.3	50	26.2	49	25.7	13	6.8	52	27.2	28	14.7
		20-24	634	558	88.0	83	13.1	120	18.9	127	20.0	166	26.2	62	9.8	189	29.8	105	16.6
		25-29	619	558	90.1	76	12.3	123	19.9	137	22.1	148	23.9	74	12.0	190	30.7	107	17.3
		30-34	333	302	90.7	44	13.2	81	24.3	62	18.6	74	22.2	41	12.3	107	32.1	53	15.9
		35+	149	134	89.9	15	10.1	32	21.5	27	18.1	33	22.1	27	18.1	45	30.2	20	13.4
	Years since diagnosis	5-9	265	248	93.6	38	14.3	51	19.2	56	21.1	79	29.8	24	9.1	78	29.4	38	14.3
		10-14	832	753	90.5	123	14.8	168	20.2	175	21.0	208	25.0	79	9.5	227	27.3	122	14.7
		15-19	772	697	90.3	96	12.4	166	21.5	185	24.0	172	22.3	78	10.1	228	29.5	124	16.1
		20+	587	528	89.9	64	10.9	115	19.6	122	20.8	154	26.2	73	12.4	200	34.1	112	19.1
	Age at diagnosis	<1	129	120	93.0	11	8.5	26	20.2	33	25.6	44	34.1	6	4.7	40	31.0	27	20.9
		1-4	699	637	91.1	93	13.3	124	17.7	176	25.2	185	26.5	59	8.4	212	30.3	129	18.5
		5-9	786	716	91.1	99	12.6	162	20.6	175	22.3	202	25.7	78	9.9	252	32.1	131	16.7
		10-14	571	512	89.7	81	14.2	123	21.5	114	20.0	123	21.5	71	12.4	154	27.0	67	11.7
		15-20	271	241	88.9	37	13.7	65	24.0	40	14.8	59	21.8	40	14.8	75	27.7	42	15.5
	Treatment	Surgery only	650	549	84.5	153	23.5	187	28.8	99	15.2	81	12.5	29	4.5	77	11.8	34	5.2
		Chemotherapy, no radiation	191	161	84.3	33	17.3	32	16.8	56	29.3	35	18.3	5	2.6	35	18.3	13	6.8
		Radiation, no chemotherapy	616	579	94.0	56	9.1	119	19.3	129	20.9	195	31.7	80	13.0	223	36.2	115	18.7

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All CNS

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal[1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	745	709	95.2	41	5.5	110	14.8	208	27.9	248	33.3	102	13.7	335	45.0	206	27.7
		Unknown	254	228	89.8	38	15.0	52	20.5	46	18.1	54	21.3	38	15.0	63	24.8	28	11.0
Females	**All cases**		**2042**	**1881**	**92.1**	**234**	**11.5**	**429**	**21.0**	**483**	**23.7**	**551**	**27.0**	**184**	**9.0**	**635**	**31.1**	**326**	**16.0**
	Age at baseline	<18	424	403	95.0	53	12.5	79	18.6	105	24.8	139	32.8	27	6.4	144	34.0	76	17.9
		18-19	185	171	92.4	21	11.4	35	18.9	55	29.7	48	25.9	12	6.5	52	28.1	23	12.4
		20-24	547	499	91.2	72	13.2	116	21.2	111	20.3	149	27.2	51	9.3	156	28.5	80	14.6
		25-29	467	425	91.0	45	9.6	100	21.4	118	25.3	124	26.6	38	8.1	144	30.8	82	17.6
		30-34	292	268	91.8	33	11.3	73	25.0	61	20.9	60	20.5	41	14.0	94	32.2	45	15.4
		35+	127	115	90.6	10	7.9	26	20.5	33	26.0	31	24.4	15	11.8	45	35.4	20	15.7
	Years since diagnosis	5-9	199	190	95.5	32	16.1	27	13.6	51	25.6	64	32.2	16	8.0	71	35.7	35	17.6
		10-14	708	653	92.2	77	10.9	179	25.3	168	23.7	178	25.1	51	7.2	199	28.1	95	13.4
		15-19	644	588	91.3	72	11.2	136	21.1	154	23.9	163	25.3	63	9.8	184	28.6	102	15.8
		20+	491	450	91.6	53	10.8	87	17.7	110	22.4	146	29.7	54	11.0	181	36.9	94	19.1
	Age at diagnosis	<1	91	85	93.4	7	7.7	13	14.3	16	17.6	40	44.0	9	9.9	33	36.3	22	24.2
		1-4	623	583	93.6	75	12.0	115	18.5	162	26.0	187	30.0	44	7.1	205	32.9	103	16.5
		5-9	621	566	91.1	73	11.8	131	21.1	154	24.8	162	26.1	46	7.4	186	30.0	99	15.9
		10-14	498	457	91.8	64	12.9	117	23.5	107	21.5	115	23.1	54	10.8	148	29.7	69	13.9
		15-20	209	190	90.9	15	7.2	53	25.4	44	21.1	47	22.5	31	14.8	63	30.1	33	15.8
	Treatment	Surgery only	625	541	86.6	129	20.6	177	28.3	118	18.9	96	15.4	21	3.4	82	13.1	26	4.2
		Chemotherapy, no radiation	164	155	94.5	14	8.5	47	28.7	42	25.6	46	28.0	6	3.7	39	23.8	19	11.6
		Radiation, no chemotherapy	554	523	94.4	42	7.6	96	17.3	133	24.0	181	32.7	71	12.8	229	41.3	115	20.8
		Chemotherapy and radiation	512	494	96.5	20	3.9	71	13.9	151	29.5	183	35.7	69	13.5	236	46.1	141	27.5
		Unknown	187	168	89.8	29	15.5	38	20.3	39	20.9	45	24.1	17	9.1	49	26.2	25	13.4

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Astrocytomas

				Any chronic condition (grade 1-5)		Maximum Grade										Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]					
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2695**	**2409**	**89.4**	**403**	**15.0**	**561**	**20.8**	**546**	**20.3**	**658**	**24.4**	**241**	**8.9**	**711**	**26.4**	**371**	**13.8**
	Age at baseline	<18	529	489	92.4	85	16.1	95	18.0	123	23.3	155	29.3	31	5.9	154	29.1	81	15.3
		18-19	215	195	90.7	40	18.6	38	17.7	56	26.0	46	21.4	15	7.0	42	19.5	21	9.8
		20-24	715	620	86.7	114	15.9	146	20.4	128	17.9	172	24.1	60	8.4	164	22.9	84	11.7
		25-29	665	589	88.6	94	14.1	140	21.1	134	20.2	157	23.6	64	9.6	185	27.8	104	15.6
		30-34	387	347	89.7	51	13.2	102	26.4	64	16.5	83	21.4	47	12.1	112	28.9	56	14.5
		35+	184	169	91.8	19	10.3	40	21.7	41	22.3	45	24.5	24	13.0	54	29.3	25	13.6
	Years since diagnosis	5-9	239	223	93.3	45	18.8	37	15.5	50	20.9	71	29.7	20	8.4	76	31.8	39	16.3
		10-14	906	797	88.0	149	16.4	204	22.5	174	19.2	205	22.6	65	7.2	198	21.9	99	10.9
		15-19	831	738	88.8	117	14.1	189	22.7	176	21.2	180	21.7	76	9.1	195	23.5	110	13.2
		20+	719	651	90.5	92	12.8	131	18.2	146	20.3	202	28.1	80	11.1	242	33.7	123	17.1
	Age at diagnosis	<1	152	142	93.4	9	5.9	19	12.5	34	22.4	65	42.8	15	9.9	56	36.8	38	25.0
		1-4	802	726	90.5	124	15.5	142	17.7	191	23.8	220	27.4	49	6.1	225	28.1	112	14.0
		5-9	794	698	87.9	133	16.8	168	21.2	157	19.8	166	20.9	74	9.3	196	24.7	111	14.0
		10-14	642	577	89.9	104	16.2	154	24.0	114	17.8	140	21.8	65	10.1	159	24.8	66	10.3
		15-20	305	266	87.2	33	10.8	78	25.6	50	16.4	67	22.0	38	12.5	75	24.6	44	14.4
	Treatment	Surgery only	1049	888	84.7	232	22.1	289	27.6	188	17.9	145	13.8	34	3.2	126	12.0	47	4.5
		Chemotherapy, no radiation	255	227	89.0	34	13.3	51	20.0	73	28.6	60	23.5	9	3.5	54	21.2	23	9.0
		Radiation, no chemotherapy	730	688	94.2	69	9.5	121	16.6	143	19.6	252	34.5	103	14.1	287	39.3	156	21.4
		Chemotherapy and radiation	375	356	94.9	23	6.1	44	11.7	84	22.4	141	37.6	64	17.1	178	47.5	115	30.7
		Unknown	286	250	87.4	45	15.7	56	19.6	58	20.3	60	21.0	31	10.8	66	23.1	30	10.5
Males	**All cases**		**1410**	**1240**	**87.9**	**222**	**15.7**	**288**	**20.4**	**278**	**19.7**	**322**	**22.8**	**130**	**9.2**	**359**	**25.5**	**189**	**13.4**
	Age at baseline	<18	280	255	91.1	43	15.4	51	18.2	71	25.4	71	25.4	19	6.8	74	26.4	40	14.3
		18-19	109	98	89.9	22	20.2	20	18.3	26	23.9	23	21.1	7	6.4	24	22.0	11	10.1
		20-24	355	298	83.9	58	16.3	72	20.3	63	17.7	78	22.0	27	7.6	76	21.4	37	10.4
		25-29	372	324	87.1	59	15.9	71	19.1	68	18.3	83	22.3	43	11.6	106	28.5	64	17.2
		30-34	196	174	88.8	26	13.3	52	26.5	32	16.3	43	21.9	21	10.7	55	28.1	26	13.3
		35+	98	91	92.9	14	14.3	22	22.4	18	18.4	24	24.5	13	13.3	24	24.5	11	11.2
	Years since diagnosis	5-9	127	116	91.3	19	15.0	23	18.1	27	21.3	36	28.3	11	8.7	37	29.1	21	16.5
		10-14	479	412	86.0	87	18.2	93	19.4	88	18.4	102	21.3	42	8.8	102	21.3	49	10.2
		15-19	422	369	87.4	66	15.6	101	23.9	87	20.6	80	19.0	35	8.3	99	23.5	53	12.6
		20+	382	343	89.8	50	13.1	71	18.6	76	19.9	104	27.2	42	11.0	121	31.7	66	17.3
	Age at diagnosis	<1	87	80	92.0	4	4.6	12	13.8	23	26.4	35	40.2	6	6.9	31	35.6	22	25.3
		1-4	404	358	88.6	63	15.6	73	18.1	94	23.3	102	25.2	26	6.4	108	26.7	59	14.6
		5-9	422	366	86.7	74	17.5	86	20.4	81	19.2	81	19.2	44	10.4	108	25.6	60	14.2
		10-14	329	290	88.1	57	17.3	72	21.9	58	17.6	67	20.4	36	10.9	76	23.1	26	7.9
		15-20	168	146	86.9	24	14.3	45	26.8	22	13.1	37	22.0	18	10.7	36	21.4	22	13.1
	Treatment	Surgery only	525	435	82.9	122	23.2	144	27.4	85	16.2	65	12.4	19	3.6	64	12.2	26	5.0
		Chemotherapy, no radiation	142	120	84.5	25	17.6	22	15.5	44	31.0	25	17.6	4	2.8	26	18.3	10	7.0
		Radiation, no chemotherapy	371	346	93.3	36	9.7	63	17.0	70	18.9	128	34.5	49	13.2	140	37.7	73	19.7

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Astrocytomas

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	213	200	93.9	14	6.6	25	11.7	50	23.5	73	34.3	38	17.8	96	45.1	65	30.5
		Unknown	159	139	87.4	25	15.7	34	21.4	29	18.2	31	19.5	20	12.6	33	20.8	15	9.4
Females	**All cases**		**1285**	**1169**	**91.0**	**181**	**14.1**	**273**	**21.2**	**268**	**20.9**	**336**	**26.1**	**111**	**8.6**	**352**	**27.4**	**182**	**14.2**
	Age at baseline	<18	249	234	94.0	42	16.9	44	17.7	52	20.9	84	33.7	12	4.8	80	32.1	41	16.5
		18-19	106	97	91.5	18	17.0	18	17.0	30	28.3	23	21.7	8	7.5	18	17.0	10	9.4
		20-24	360	322	89.4	56	15.6	74	20.6	65	18.1	94	26.1	33	9.2	88	24.4	47	13.1
		25-29	293	265	90.4	35	11.9	69	23.5	66	22.5	74	25.3	21	7.2	79	27.0	40	13.7
		30-34	191	173	90.6	25	13.1	50	26.2	32	16.8	40	20.9	26	13.6	57	29.8	30	15.7
		35+	86	78	90.7	5	5.8	18	20.9	23	26.7	21	24.4	11	12.8	30	34.9	14	16.3
	Years since diagnosis	5-9	112	107	95.5	26	23.2	14	12.5	23	20.5	35	31.3	9	8.0	39	34.8	18	16.1
		10-14	427	385	90.2	62	14.5	111	26.0	86	20.1	103	24.1	23	5.4	96	22.5	50	11.7
		15-19	409	369	90.2	51	12.5	88	21.5	89	21.8	100	24.4	41	10.0	96	23.5	57	13.9
		20+	337	308	91.4	42	12.5	60	17.8	70	20.8	98	29.1	38	11.3	121	35.9	57	16.9
	Age at diagnosis	<1	65	62	95.4	5	7.7	7	10.8	11	16.9	30	46.2	9	13.8	25	38.5	16	24.6
		1-4	398	368	92.5	61	15.3	69	17.3	97	24.4	118	29.6	23	5.8	117	29.4	53	13.3
		5-9	372	332	89.2	59	15.9	82	22.0	76	20.4	85	22.8	30	8.1	88	23.7	51	13.7
		10-14	313	287	91.7	47	15.0	82	26.2	56	17.9	73	23.3	29	9.3	83	26.5	40	12.8
		15-20	137	120	87.6	9	6.6	33	24.1	28	20.4	30	21.9	20	14.6	39	28.5	22	16.1
	Treatment	Surgery only	524	453	86.5	110	21.0	145	27.7	103	19.7	80	15.3	15	2.9	62	11.8	21	4.0
		Chemotherapy, no radiation	113	107	94.7	9	8.0	29	25.7	29	25.7	35	31.0	5	4.4	28	24.8	13	11.5
		Radiation, no chemotherapy	359	342	95.3	33	9.2	58	16.2	73	20.3	124	34.5	54	15.0	147	40.9	83	23.1
		Chemotherapy and radiation	162	156	96.3	9	5.6	19	11.7	34	21.0	68	42.0	26	16.0	82	50.6	50	30.9
		Unknown	127	111	87.4	20	15.7	22	17.3	29	22.8	29	22.8	11	8.7	33	26.0	15	11.8

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Medulloblastoma/PNET

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1040**	**997**	**95.9**	**58**	**5.6**	**167**	**16.1**	**323**	**31.1**	**325**	**31.3**	**124**	**11.9**	**471**	**45.3**	**261**	**25.1**
	Age at baseline	<18	246	243	98.8	17	6.9	50	20.3	71	28.9	86	35.0	19	7.7	101	41.1	56	22.8
		18-19	82	81	98.8	5	6.1	12	14.6	28	34.1	29	35.4	7	8.5	40	48.8	24	29.3
		20-24	292	275	94.2	16	5.5	46	15.8	81	27.7	95	32.5	37	12.7	138	47.3	80	27.4
		25-29	252	237	94.0	12	4.8	33	13.1	90	35.7	73	29.0	29	11.5	105	41.7	61	24.2
		30-34	131	126	96.2	5	3.8	21	16.0	43	32.8	35	26.7	22	16.8	68	51.9	32	24.4
		35+	37	35	94.6	3	8.1	5	13.5	10	27.0	7	18.9	10	27.0	19	51.4	8	21.6
	Years since diagnosis	5-9	124	120	96.8	10	8.1	21	16.9	34	27.4	45	36.3	10	8.1	47	37.9	23	18.5
		10-14	355	348	98.0	21	5.9	67	18.9	113	31.8	113	31.8	34	9.6	160	45.1	86	24.2
		15-19	344	326	94.8	18	5.2	45	13.1	115	33.4	102	29.7	46	13.4	161	46.8	88	25.6
		20+	217	203	93.5	9	4.1	34	15.7	61	28.1	65	30.0	34	15.7	103	47.5	64	29.5
	Age at diagnosis	<1	28	27	96.4	2	7.1	9	32.1	6	21.4	10	35.7	.	.	10	35.7	6	21.4
		1-4	298	287	96.3	21	7.0	44	14.8	85	28.5	100	33.6	37	12.4	139	46.6	92	30.9
		5-9	422	406	96.2	13	3.1	72	17.1	143	33.9	138	32.7	40	9.5	191	45.3	101	23.9
		10-14	230	218	94.8	16	7.0	33	14.3	73	31.7	61	26.5	35	15.2	100	43.5	47	20.4
		15-20	62	59	95.2	6	9.7	9	14.5	16	25.8	16	25.8	12	19.4	31	50.0	15	24.2
	Treatment	Surgery only	8	8	100.0	1	12.5	2	25.0	3	37.5	.	.	2	25.0	4	50.0	2	25.0
		Chemotherapy, no radiation	53	47	88.7	8	15.1	14	26.4	14	26.4	9	17.0	2	3.8	13	24.5	5	9.4
		Radiation, no chemotherapy	208	200	96.2	10	4.8	37	17.8	68	32.7	64	30.8	21	10.1	97	46.6	47	22.6
		Chemotherapy and radiation	694	670	96.5	26	3.7	99	14.3	222	32.0	232	33.4	91	13.1	333	48.0	196	28.2
		Unknown	77	72	93.5	13	16.9	15	19.5	16	20.8	20	26.0	8	10.4	24	31.2	11	14.3
Males	**All cases**		**631**	**603**	**95.6**	**36**	**5.7**	**111**	**17.6**	**181**	**28.7**	**194**	**30.7**	**81**	**12.8**	**283**	**44.8**	**164**	**26.0**
	Age at baseline	<18	147	146	99.3	12	8.2	33	22.4	39	26.5	50	34.0	12	8.2	60	40.8	36	24.5
		18-19	47	47	100.0	4	8.5	6	12.8	14	29.8	17	36.2	6	12.8	22	46.8	15	31.9
		20-24	185	172	93.0	9	4.9	29	15.7	49	26.5	60	32.4	25	13.5	92	49.7	59	31.9
		25-29	157	147	93.6	7	4.5	27	17.2	53	33.8	42	26.8	18	11.5	59	37.6	30	19.1
		30-34	73	71	97.3	3	4.1	12	16.4	21	28.8	22	30.1	13	17.8	40	54.8	20	27.4
		35+	22	20	90.9	1	4.5	4	18.2	5	22.7	3	13.6	7	31.8	10	45.5	4	18.2
	Years since diagnosis	5-9	76	74	97.4	8	10.5	14	18.4	17	22.4	28	36.8	7	9.2	28	36.8	14	18.4
		10-14	208	202	97.1	14	6.7	43	20.7	57	27.4	68	32.7	20	9.6	94	45.2	57	27.4
		15-19	217	207	95.4	10	4.6	30	13.8	72	33.2	63	29.0	32	14.7	99	45.6	57	26.3
		20+	130	120	92.3	4	3.1	24	18.5	35	26.9	35	26.9	22	16.9	62	47.7	36	27.7
	Age at diagnosis	<1	16	16	100.0	1	6.3	5	31.3	5	31.3	5	31.3	.	.	7	43.8	4	25.0
		1-4	180	173	96.1	13	7.2	27	15.0	50	27.8	57	31.7	26	14.4	82	45.6	59	32.8
		5-9	266	257	96.6	8	3.0	49	18.4	82	30.8	88	33.1	30	11.3	124	46.6	66	24.8
		10-14	132	123	93.2	10	7.6	25	18.9	35	26.5	35	26.5	18	13.6	54	40.9	27	20.5
		15-20	37	34	91.9	4	10.8	5	13.5	9	24.3	9	24.3	7	18.9	16	43.2	8	21.6
	Treatment	Surgery only	5	5	100.0	1	20.0	1	20.0	1	20.0	.	.	2	40.0	2	40.0	1	20.0
		Chemotherapy, no radiation	27	23	85.2	4	14.8	7	25.9	8	29.6	3	11.1	1	3.7	6	22.2	2	7.4
		Radiation, no chemotherapy	116	112	96.6	7	6.0	27	23.3	32	27.6	35	30.2	11	9.5	49	42.2	28	24.1

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Medulloblastoma/PNET

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	436	420	96.3	18	4.1	69	15.8	129	29.6	144	33.0	60	13.8	210	48.2	126	28.9
		Unknown	47	43	91.5	6	12.8	7	14.9	11	23.4	12	25.5	7	14.9	16	34.0	7	14.9
Females	**All cases**		**409**	**394**	**96.3**	**22**	**5.4**	**56**	**13.7**	**142**	**34.7**	**131**	**32.0**	**43**	**10.5**	**188**	**46.0**	**97**	**23.7**
	Age at baseline	<18	99	97	98.0	5	5.1	17	17.2	32	32.3	36	36.4	7	7.1	41	41.4	20	20.2
		18-19	35	34	97.1	1	2.9	6	17.1	14	40.0	12	34.3	1	2.9	18	51.4	9	25.7
		20-24	107	103	96.3	7	6.5	17	15.9	32	29.9	35	32.7	12	11.2	46	43.0	21	19.6
		25-29	95	90	94.7	5	5.3	6	6.3	37	38.9	31	32.6	11	11.6	46	48.4	31	32.6
		30-34	58	55	94.8	2	3.4	9	15.5	22	37.9	13	22.4	9	15.5	28	48.3	12	20.7
		35+	15	15	100.0	2	13.3	1	6.7	5	33.3	4	26.7	3	20.0	9	60.0	4	26.7
	Years since diagnosis	5-9	48	46	95.8	2	4.2	7	14.6	17	35.4	17	35.4	3	6.3	19	39.6	9	18.8
		10-14	147	146	99.3	7	4.8	24	16.3	56	38.1	45	30.6	14	9.5	66	44.9	29	19.7
		15-19	127	119	93.7	8	6.3	15	11.8	43	33.9	39	30.7	14	11.0	62	48.8	31	24.4
		20+	87	83	95.4	5	5.7	10	11.5	26	29.9	30	34.5	12	13.8	41	47.1	28	32.2
	Age at diagnosis	<1	12	11	91.7	1	8.3	4	33.3	1	8.3	5	41.7	.	.	3	25.0	2	16.7
		1-4	118	114	96.6	8	6.8	17	14.4	35	29.7	43	36.4	11	9.3	57	48.3	33	28.0
		5-9	156	149	95.5	5	3.2	23	14.7	61	39.1	50	32.1	10	6.4	67	42.9	35	22.4
		10-14	98	95	96.9	6	6.1	8	8.2	38	38.8	26	26.5	17	17.3	46	46.9	20	20.4
		15-20	25	25	100.0	2	8.0	4	16.0	7	28.0	7	28.0	5	20.0	15	60.0	7	28.0
	Treatment	Surgery only	3	3	100.0	.	.	1	33.3	2	66.7	.	.	.	.	2	66.7	1	33.3
		Chemotherapy, no radiation	26	24	92.3	4	15.4	7	26.9	6	23.1	6	23.1	1	3.8	7	26.9	3	11.5
		Radiation, no chemotherapy	92	88	95.7	3	3.3	10	10.9	36	39.1	29	31.5	10	10.9	48	52.2	19	20.7
		Chemotherapy and radiation	258	250	96.9	8	3.1	30	11.6	93	36.0	88	34.1	31	12.0	123	47.7	70	27.1
		Unknown	30	29	96.7	7	23.3	8	26.7	5	16.7	8	26.7	1	3.3	8	26.7	4	13.3

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Hodgkin

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3111**	**2756**	**88.6**	**304**	**9.8**	**608**	**19.5**	**518**	**16.7**	**591**	**19.0**	**735**	**23.6**	**949**	**30.5**	**479**	**15.4**
	Age at baseline	<18	61	48	78.7	3	4.9	19	31.1	13	21.3	6	9.8	7	11.5	11	18.0	3	4.9
		18-19	61	51	83.6	11	18.0	19	31.1	13	21.3	2	3.3	6	9.8	4	6.6	1	1.6
		20-24	375	291	77.6	49	13.1	80	21.3	59	15.7	54	14.4	49	13.1	80	21.3	27	7.2
		25-29	798	692	86.7	110	13.8	167	20.9	146	18.3	142	17.8	127	15.9	195	24.4	80	10.0
		30-34	951	853	89.7	85	8.9	183	19.2	166	17.5	186	19.6	233	24.5	280	29.4	155	16.3
		35+	865	821	94.9	46	5.3	140	16.2	121	14.0	201	23.2	313	36.2	379	43.8	213	24.6
	Years since diagnosis	5-9	242	193	79.8	27	11.2	46	19.0	35	14.5	41	16.9	44	18.2	54	22.3	24	9.9
		10-14	946	823	87.0	116	12.3	215	22.7	166	17.5	169	17.9	157	16.6	226	23.9	90	9.5
		15-19	1008	888	88.1	100	9.9	201	19.9	172	17.1	187	18.6	228	22.6	303	30.1	163	16.2
		20+	915	852	93.1	61	6.7	146	16.0	145	15.8	194	21.2	306	33.4	366	40.0	202	22.1
	Age at diagnosis	1-4	82	66	80.5	13	15.9	24	29.3	13	15.9	7	8.5	9	11.0	14	17.1	8	9.8
		5-9	421	350	83.1	61	14.5	84	20.0	84	20.0	53	12.6	68	16.2	88	20.9	32	7.6
		10-14	1120	984	87.9	117	10.4	218	19.5	198	17.7	195	17.4	256	22.9	339	30.3	165	14.7
		15-20	1488	1356	91.1	113	7.6	282	19.0	223	15.0	336	22.6	402	27.0	508	34.1	274	18.4
	Treatment	Surgery only	2	1	50.0	1	50.0	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	364	281	77.2	75	20.6	76	20.9	66	18.1	34	9.3	30	8.2	51	14.0	14	3.8
		Radiation, no chemotherapy	652	617	94.6	35	5.4	99	15.2	91	14.0	172	26.4	220	33.7	280	42.9	160	24.5
		Chemotherapy and radiation	1765	1575	89.2	150	8.5	382	21.6	325	18.4	337	19.1	381	21.6	532	30.1	260	14.7
		Unknown	328	282	86.0	43	13.1	51	15.5	36	11.0	48	14.6	104	31.7	86	26.2	45	13.7
Males	**All cases**		**1634**	**1373**	**84.0**	**199**	**12.2**	**356**	**21.8**	**234**	**14.3**	**214**	**13.1**	**370**	**22.6**	**379**	**23.2**	**181**	**11.1**
	Age at baseline	<18	46	36	78.3	3	6.5	16	34.8	8	17.4	4	8.7	5	10.9	8	17.4	2	4.3
		18-19	48	40	83.3	8	16.7	14	29.2	13	27.1	.	.	5	10.4	3	6.3	1	2.1
		20-24	239	169	70.7	35	14.6	49	20.5	35	14.6	18	7.5	32	13.4	43	18.0	16	6.7
		25-29	445	369	82.9	68	15.3	103	23.1	65	14.6	62	13.9	71	16.0	91	20.4	40	9.0
		30-34	482	412	85.5	57	11.8	100	20.7	70	14.5	61	12.7	124	25.7	102	21.2	52	10.8
		35+	374	347	92.8	28	7.5	74	19.8	43	11.5	69	18.4	133	35.6	132	35.3	70	18.7
	Years since diagnosis	5-9	138	98	71.0	15	10.9	25	18.1	20	14.5	15	10.9	23	16.7	28	20.3	11	8.0
		10-14	491	411	83.7	70	14.3	122	24.8	72	14.7	59	12.0	88	17.9	89	18.1	40	8.1
		15-19	537	443	82.5	74	13.8	118	22.0	85	15.8	58	10.8	108	20.1	112	20.9	53	9.9
		20+	468	421	90.0	40	8.5	91	19.4	57	12.2	82	17.5	151	32.3	150	32.1	77	16.5
	Age at diagnosis	1-4	62	47	75.8	9	14.5	18	29.0	9	14.5	3	4.8	8	12.9	11	17.7	6	9.7
		5-9	305	246	80.7	46	15.1	68	22.3	51	16.7	32	10.5	49	16.1	57	18.7	20	6.6
		10-14	581	486	83.6	77	13.3	128	22.0	92	15.8	64	11.0	125	21.5	130	22.4	56	9.6
		15-20	686	594	86.6	67	9.8	142	20.7	82	12.0	115	16.8	188	27.4	181	26.4	99	14.4
	Treatment	Surgery only	2	1	50.0	1	50.0	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	187	130	69.5	39	20.9	35	18.7	26	13.9	16	8.6	14	7.5	16	8.6	5	2.7
		Radiation, no chemotherapy	336	311	92.6	27	8.0	73	21.7	50	14.9	61	18.2	100	29.8	114	33.9	64	19.0
		Chemotherapy and radiation	915	769	84.0	103	11.3	216	23.6	143	15.6	114	12.5	193	21.1	204	22.3	88	9.6
		Unknown	194	162	83.5	29	14.9	32	16.5	15	7.7	23	11.9	63	32.5	45	23.2	24	12.4

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Hodgkin

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Females	**All cases**		**1477**	**1383**	**93.6**	**105**	**7.1**	**252**	**17.1**	**284**	**19.2**	**377**	**25.5**	**365**	**24.7**	**570**	**38.6**	**298**	**20.2**
	Age at baseline	<18	15	12	80.0	.	.	3	20.0	5	33.3	2	13.3	2	13.3	3	20.0	1	6.7
		18-19	13	11	84.6	3	23.1	5	38.5	.	.	2	15.4	1	7.7	1	7.7	.	.
		20-24	136	122	89.7	14	10.3	31	22.8	24	17.6	36	26.5	17	12.5	37	27.2	11	8.1
		25-29	353	323	91.5	42	11.9	64	18.1	81	22.9	80	22.7	56	15.9	104	29.5	40	11.3
		30-34	469	441	94.0	28	6.0	83	17.7	96	20.5	125	26.7	109	23.2	178	38.0	103	22.0
		35+	491	474	96.5	18	3.7	66	13.4	78	15.9	132	26.9	180	36.7	247	50.3	143	29.1
	Years since diagnosis	5-9	104	95	91.3	12	11.5	21	20.2	15	14.4	26	25.0	21	20.2	26	25.0	13	12.5
		10-14	455	412	90.5	46	10.1	93	20.4	94	20.7	110	24.2	69	15.2	137	30.1	50	11.0
		15-19	471	445	94.5	26	5.5	83	17.6	87	18.5	129	27.4	120	25.5	191	40.6	110	23.4
		20+	447	431	96.4	21	4.7	55	12.3	88	19.7	112	25.1	155	34.7	216	48.3	125	28.0
	Age at diagnosis	1-4	20	19	95.0	4	20.0	6	30.0	4	20.0	4	20.0	1	5.0	3	15.0	2	10.0
		5-9	116	104	89.7	15	12.9	16	13.8	33	28.4	21	18.1	19	16.4	31	26.7	12	10.3
		10-14	539	498	92.4	40	7.4	90	16.7	106	19.7	131	24.3	131	24.3	209	38.8	109	20.2
		15-20	802	762	95.0	46	5.7	140	17.5	141	17.6	221	27.6	214	26.7	327	40.8	175	21.8
	Treatment	Chemotherapy, no radiation	177	151	85.3	36	20.3	41	23.2	40	22.6	18	10.2	16	9.0	35	19.8	9	5.1
		Radiation, no chemotherapy	316	306	96.8	8	2.5	26	8.2	41	13.0	111	35.1	120	38.0	166	52.5	96	30.4
		Chemotherapy and radiation	850	806	94.8	47	5.5	166	19.5	182	21.4	223	26.2	188	22.1	328	38.6	172	20.2
		Unknown	134	120	89.6	14	10.4	19	14.2	21	15.7	25	18.7	41	30.6	41	30.6	21	15.7

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: NHL

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2117**	**1670**	**78.9**	**337**	**15.9**	**418**	**19.7**	**448**	**21.2**	**264**	**12.5**	**203**	**9.6**	**368**	**17.4**	**159**	**7.5**
	Age at baseline	<18	212	156	73.6	36	17.0	38	17.9	42	19.8	22	10.4	18	8.5	26	12.3	12	5.7
		18-19	132	105	79.5	26	19.7	25	18.9	23	17.4	21	15.9	10	7.6	19	14.4	7	5.3
		20-24	469	354	75.5	85	18.1	84	17.9	103	22.0	49	10.4	33	7.0	66	14.1	27	5.8
		25-29	572	449	78.5	84	14.7	126	22.0	121	21.2	66	11.5	52	9.1	100	17.5	48	8.4
		30-34	483	390	80.7	75	15.5	100	20.7	102	21.1	68	14.1	45	9.3	95	19.7	38	7.9
		35+	249	216	86.7	31	12.4	45	18.1	57	22.9	38	15.3	45	18.1	62	24.9	27	10.8
	Years since diagnosis	5-9	144	116	80.6	36	25.0	23	16.0	29	20.1	9	6.3	19	13.2	17	11.8	5	3.5
		10-14	671	517	77.0	101	15.1	138	20.6	138	20.6	95	14.2	45	6.7	107	15.9	48	7.2
		15-19	730	581	79.6	115	15.8	149	20.4	156	21.4	88	12.1	73	10.0	116	15.9	48	6.6
		20+	572	456	79.7	85	14.9	108	18.9	125	21.9	72	12.6	66	11.5	128	22.4	58	10.1
	Age at diagnosis	<1	15	10	66.7	2	13.3	2	13.3	2	13.3	2	13.3	2	13.3	4	26.7	.	.
		1-4	347	249	71.8	54	15.6	65	18.7	69	19.9	37	10.7	24	6.9	51	14.7	21	6.1
		5-9	649	506	78.0	120	18.5	124	19.1	139	21.4	75	11.6	48	7.4	97	14.9	43	6.6
		10-14	672	536	79.8	103	15.3	135	20.1	156	23.2	80	11.9	62	9.2	122	18.2	54	8.0
		15-20	434	369	85.0	58	13.4	92	21.2	82	18.9	70	16.1	67	15.4	94	21.7	41	9.4
	Treatment	Surgery only	16	11	68.8	1	6.3	1	6.3	5	31.3	2	12.5	2	12.5	3	18.8	.	.
		Chemotherapy, no radiation	1077	796	73.9	202	18.8	227	21.1	211	19.6	107	9.9	49	4.5	117	10.9	48	4.5
		Radiation, no chemotherapy	38	35	92.1	4	10.5	9	23.7	5	13.2	5	13.2	12	31.6	9	23.7	6	15.8
		Chemotherapy and radiation	767	657	85.7	98	12.8	150	19.6	179	23.3	124	16.2	106	13.8	195	25.4	92	12.0
		Unknown	219	171	78.1	32	14.6	31	14.2	48	21.9	26	11.9	34	15.5	44	20.1	13	5.9
Males	**All cases**		**1437**	**1088**	**75.7**	**219**	**15.2**	**270**	**18.8**	**293**	**20.4**	**169**	**11.8**	**137**	**9.5**	**250**	**17.4**	**99**	**6.9**
	Age at baseline	<18	146	103	70.5	23	15.8	23	15.8	28	19.2	16	11.0	13	8.9	20	13.7	9	6.2
		18-19	97	71	73.2	21	21.6	15	15.5	14	14.4	15	15.5	6	6.2	13	13.4	5	5.2
		20-24	304	218	71.7	55	18.1	50	16.4	60	19.7	35	11.5	18	5.9	42	13.8	16	5.3
		25-29	407	310	76.2	48	11.8	90	22.1	92	22.6	42	10.3	38	9.3	73	17.9	29	7.1
		30-34	319	248	77.7	51	16.0	63	19.7	60	18.8	41	12.9	33	10.3	58	18.2	22	6.9
		35+	164	138	84.1	21	12.8	29	17.7	39	23.8	20	12.2	29	17.7	44	26.8	18	11.0
	Years since diagnosis	5-9	109	84	77.1	25	22.9	16	14.7	24	22.0	8	7.3	11	10.1	15	13.8	4	3.7
		10-14	456	337	73.9	70	15.4	86	18.9	88	19.3	64	14.0	29	6.4	71	15.6	32	7.0
		15-19	480	365	76.0	71	14.8	93	19.4	98	20.4	52	10.8	51	10.6	81	16.9	32	6.7
		20+	392	302	77.0	53	13.5	75	19.1	83	21.2	45	11.5	46	11.7	83	21.2	31	7.9
	Age at diagnosis	<1	5	3	60.0	.	.	.	.	1	20.0	1	20.0	1	20.0	2	40.0	.	.
		1-4	235	160	68.1	33	14.0	40	17.0	42	17.9	27	11.5	18	7.7	37	15.7	11	4.7
		5-9	451	332	73.6	77	17.1	79	17.5	92	20.4	53	11.8	31	6.9	64	14.2	25	5.5
		10-14	462	358	77.5	72	15.6	90	19.5	105	22.7	46	10.0	45	9.7	86	18.6	36	7.8
		15-20	284	235	82.7	37	13.0	61	21.5	53	18.7	42	14.8	42	14.8	61	21.5	27	9.5
	Treatment	Surgery only	13	10	76.9	1	7.7	1	7.7	4	30.8	2	15.4	2	15.4	3	23.1	.	.
		Chemotherapy, no radiation	728	505	69.4	122	16.8	138	19.0	146	20.1	64	8.8	35	4.8	84	11.5	30	4.1
		Radiation, no chemotherapy	28	25	89.3	4	14.3	7	25.0	3	10.7	2	7.1	9	32.1	7	25.0	4	14.3

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: NHL

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	511	427	83.6	70	13.7	104	20.4	106	20.7	81	15.9	66	12.9	122	23.9	55	10.8
		Unknown	157	121	77.1	22	14.0	20	12.7	34	21.7	20	12.7	25	15.9	34	21.7	10	6.4
Females	**All cases**		**680**	**582**	**85.6**	**118**	**17.4**	**148**	**21.8**	**155**	**22.8**	**95**	**14.0**	**66**	**9.7**	**118**	**17.4**	**60**	**8.8**
	Age at baseline	<18	66	53	80.3	13	19.7	15	22.7	14	21.2	6	9.1	5	7.6	6	9.1	3	4.5
		18-19	35	34	97.1	5	14.3	10	28.6	9	25.7	6	17.1	4	11.4	6	17.1	2	5.7
		20-24	165	136	82.4	30	18.2	34	20.6	43	26.1	14	8.5	15	9.1	24	14.5	11	6.7
		25-29	165	139	84.2	36	21.8	36	21.8	29	17.6	24	14.5	14	8.5	27	16.4	19	11.5
		30-34	164	142	86.6	24	14.6	37	22.6	42	25.6	27	16.5	12	7.3	37	22.6	16	9.8
		35+	85	78	91.8	10	11.8	16	18.8	18	21.2	18	21.2	16	18.8	18	21.2	9	10.6
	Years since diagnosis	5-9	35	32	91.4	11	31.4	7	20.0	5	14.3	1	2.9	8	22.9	2	5.7	1	2.9
		10-14	215	180	83.7	31	14.4	52	24.2	50	23.3	31	14.4	16	7.4	36	16.7	16	7.4
		15-19	250	216	86.4	44	17.6	56	22.4	58	23.2	36	14.4	22	8.8	35	14.0	16	6.4
		20+	180	154	85.6	32	17.8	33	18.3	42	23.3	27	15.0	20	11.1	45	25.0	27	15.0
	Age at diagnosis	<1	10	7	70.0	2	20.0	2	20.0	1	10.0	1	10.0	1	10.0	2	20.0	.	.
		1-4	112	89	79.5	21	18.8	25	22.3	27	24.1	10	8.9	6	5.4	14	12.5	10	8.9
		5-9	198	174	87.9	43	21.7	45	22.7	47	23.7	22	11.1	17	8.6	33	16.7	18	9.1
		10-14	210	178	84.8	31	14.8	45	21.4	51	24.3	34	16.2	17	8.1	36	17.1	18	8.6
		15-20	150	134	89.3	21	14.0	31	20.7	29	19.3	28	18.7	25	16.7	33	22.0	14	9.3
	Treatment	Surgery only	3	1	33.3	.	.	.	.	1	33.3	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	349	291	83.4	80	22.9	89	25.5	65	18.6	43	12.3	14	4.0	33	9.5	18	5.2
		Radiation, no chemotherapy	10	10	100.0	.	.	2	20.0	2	20.0	3	30.0	3	30.0	2	20.0	2	20.0
		Chemotherapy and radiation	256	230	89.8	28	10.9	46	18.0	73	28.5	43	16.8	40	15.6	73	28.5	37	14.5
		Unknown	62	50	80.6	10	16.1	11	17.7	14	22.6	6	9.7	9	14.5	10	16.1	3	4.8

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Wilms

				Any chronic condition (grade 1-5)		Maximum Grade													
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2278**	**1698**	**74.5**	**498**	**21.9**	**482**	**21.2**	**359**	**15.8**	**243**	**10.7**	**116**	**5.1**	**251**	**11.0**	**99**	**4.3**
	Age at baseline	<18	833	610	73.2	177	21.2	189	22.7	126	15.1	84	10.1	34	4.1	72	8.6	27	3.2
		18-19	305	212	69.5	68	22.3	59	19.3	49	16.1	35	11.5	1	0.3	26	8.5	11	3.6
		20-24	670	509	76.0	159	23.7	140	20.9	106	15.8	67	10.0	37	5.5	78	11.6	32	4.8
		25-29	374	295	78.9	73	19.5	75	20.1	66	17.6	45	12.0	36	9.6	64	17.1	23	6.1
		30-34	77	54	70.1	16	20.8	15	19.5	10	13.0	8	10.4	5	6.5	6	7.8	3	3.9
		35+	19	18	94.7	5	26.3	4	21.1	2	10.5	4	21.1	3	15.8	5	26.3	3	15.8
	Years since diagnosis	5-9	177	134	75.7	32	18.1	33	18.6	37	20.9	19	10.7	13	7.3	20	11.3	7	4.0
		10-14	739	544	73.6	163	22.1	173	23.4	117	15.8	70	9.5	21	2.8	66	8.9	23	3.1
		15-19	759	554	73.0	179	23.6	156	20.6	105	13.8	84	11.1	30	4.0	71	9.4	36	4.7
		20+	603	466	77.3	124	20.6	120	19.9	100	16.6	70	11.6	52	8.6	94	15.6	33	5.5
	Age at diagnosis	<1	331	238	71.9	72	21.8	75	22.7	44	13.3	38	11.5	9	2.7	33	10.0	13	3.9
		1-4	1397	1032	73.9	313	22.4	296	21.2	215	15.4	136	9.7	72	5.2	138	9.9	43	3.1
		5-9	468	359	76.7	92	19.7	99	21.2	87	18.6	53	11.3	28	6.0	63	13.5	36	7.7
		10-14	59	50	84.7	16	27.1	9	15.3	8	13.6	12	20.3	5	8.5	13	22.0	6	10.2
		15-20	23	19	82.6	5	21.7	3	13.0	5	21.7	4	17.4	2	8.7	4	17.4	1	4.3
	Treatment	Surgery only	35	29	82.9	14	40.0	8	22.9	4	11.4	3	8.6	.	.	2	5.7	1	2.9
		Chemotherapy, no radiation	873	604	69.2	245	28.1	194	22.2	94	10.8	58	6.6	13	1.5	40	4.6	18	2.1
		Radiation, no chemotherapy	4	3	75.0	.	.	1	25.0	1	25.0	1	25.0	.	.	1	25.0	1	25.0
		Chemotherapy and radiation	1156	918	79.4	194	16.8	244	21.1	230	19.9	168	14.5	82	7.1	188	16.3	73	6.3
		Unknown	210	144	68.6	45	21.4	35	16.7	30	14.3	13	6.2	21	10.0	20	9.5	6	2.9
Males	**All cases**		**1019**	**733**	**71.9**	**240**	**23.6**	**217**	**21.3**	**118**	**11.6**	**105**	**10.3**	**53**	**5.2**	**93**	**9.1**	**35**	**3.4**
	Age at baseline	<18	403	292	72.5	96	23.8	86	21.3	48	11.9	42	10.4	20	5.0	28	6.9	11	2.7
		18-19	126	81	64.3	29	23.0	23	18.3	14	11.1	14	11.1	1	0.8	6	4.8	4	3.2
		20-24	285	204	71.6	69	24.2	61	21.4	32	11.2	27	9.5	15	5.3	31	10.9	14	4.9
		25-29	165	131	79.4	38	23.0	37	22.4	23	13.9	18	10.9	15	9.1	26	15.8	5	3.0
		30-34	32	18	56.3	6	18.8	7	21.9	1	3.1	2	6.3	2	6.3	.	.	.	.
		35+	8	7	87.5	2	25.0	3	37.5	.	.	2	25.0	.	.	2	25.0	1	12.5
	Years since diagnosis	5-9	79	60	75.9	19	24.1	10	12.7	16	20.3	8	10.1	7	8.9	8	10.1	2	2.5
		10-14	333	240	72.1	82	24.6	80	24.0	36	10.8	30	9.0	12	3.6	23	6.9	11	3.3
		15-19	334	231	69.2	85	25.4	64	19.2	31	9.3	39	11.7	12	3.6	23	6.9	12	3.6
		20+	273	202	74.0	54	19.8	63	23.1	35	12.8	28	10.3	22	8.1	39	14.3	10	3.7
	Age at diagnosis	<1	169	117	69.2	33	19.5	38	22.5	17	10.1	24	14.2	5	3.0	13	7.7	5	3.0
		1-4	628	453	72.1	159	25.3	131	20.9	74	11.8	57	9.1	32	5.1	52	8.3	16	2.5
		5-9	192	142	74.0	40	20.8	45	23.4	23	12.0	19	9.9	15	7.8	23	12.0	13	6.8
		10-14	21	15	71.4	5	23.8	3	14.3	3	14.3	3	14.3	1	4.8	3	14.3	1	4.8
		15-20	9	6	66.7	3	33.3	.	.	1	11.1	2	22.2	.	.	2	22.2	.	.
	Treatment	Surgery only	19	16	84.2	6	31.6	5	26.3	2	10.5	3	15.8	.	.	1	5.3	1	5.3
		Chemotherapy, no radiation	396	260	65.7	113	28.5	83	21.0	34	8.6	25	6.3	5	1.3	14	3.5	6	1.5
		Chemotherapy and radiation	499	382	76.6	94	18.8	109	21.8	74	14.8	68	13.6	37	7.4	69	13.8	25	5.0

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Wilms

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Unknown	105	75	71.4	27	25.7	20	19.0	8	7.6	9	8.6	11	10.5	9	8.6	3	2.9
Females	**All cases**		**1259**	**965**	**76.6**	**258**	**20.5**	**265**	**21.0**	**241**	**19.1**	**138**	**11.0**	**63**	**5.0**	**158**	**12.5**	**64**	**5.1**
	Age at baseline	<18	430	318	74.0	81	18.8	103	24.0	78	18.1	42	9.8	14	3.3	44	10.2	16	3.7
		18-19	179	131	73.2	39	21.8	36	20.1	35	19.6	21	11.7	.	.	20	11.2	7	3.9
		20-24	385	305	79.2	90	23.4	79	20.5	74	19.2	40	10.4	22	5.7	47	12.2	18	4.7
		25-29	209	164	78.5	35	16.7	38	18.2	43	20.6	27	12.9	21	10.0	38	18.2	18	8.6
		30-34	45	36	80.0	10	22.2	8	17.8	9	20.0	6	13.3	3	6.7	6	13.3	3	6.7
		35+	11	11	100.0	3	27.3	1	9.1	2	18.2	2	18.2	3	27.3	3	27.3	2	18.2
	Years since diagnosis	5-9	98	74	75.5	13	13.3	23	23.5	21	21.4	11	11.2	6	6.1	12	12.2	5	5.1
		10-14	406	304	74.9	81	20.0	93	22.9	81	20.0	40	9.9	9	2.2	43	10.6	12	3.0
		15-19	425	323	76.0	94	22.1	92	21.6	74	17.4	45	10.6	18	4.2	48	11.3	24	5.6
		20+	330	264	80.0	70	21.2	57	17.3	65	19.7	42	12.7	30	9.1	55	16.7	23	7.0
	Age at diagnosis	<1	162	121	74.7	39	24.1	37	22.8	27	16.7	14	8.6	4	2.5	20	12.3	8	4.9
		1-4	769	579	75.3	154	20.0	165	21.5	141	18.3	79	10.3	40	5.2	86	11.2	27	3.5
		5-9	276	217	78.6	52	18.8	54	19.6	64	23.2	34	12.3	13	4.7	40	14.5	23	8.3
		10-14	38	35	92.1	11	28.9	6	15.8	5	13.2	9	23.7	4	10.5	10	26.3	5	13.2
		15-20	14	13	92.9	2	14.3	3	21.4	4	28.6	2	14.3	2	14.3	2	14.3	1	7.1
	Treatment	Surgery only	16	13	81.3	8	50.0	3	18.8	2	12.5	.	.	.	.	1	6.3	.	.
		Chemotherapy, no radiation	477	344	72.1	132	27.7	111	23.3	60	12.6	33	6.9	8	1.7	26	5.5	12	2.5
		Radiation, no chemotherapy	4	3	75.0	.	.	1	25.0	1	25.0	1	25.0	.	.	1	25.0	1	25.0
		Chemotherapy and radiation	657	536	81.6	100	15.2	135	20.5	156	23.7	100	15.2	45	6.8	119	18.1	48	7.3
		Unknown	105	69	65.7	18	17.1	15	14.3	22	21.0	4	3.8	10	9.5	11	10.5	3	2.9

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Neuroblastoma

				Any chronic condition (grade 1-5)		Maximum Grade													
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1954**	**1535**	**78.6**	**439**	**22.5**	**368**	**18.8**	**399**	**20.4**	**236**	**12.1**	**93**	**4.8**	**289**	**14.8**	**120**	**6.1**
	Age at baseline	<18	958	734	76.6	210	21.9	194	20.3	183	19.1	109	11.4	38	4.0	125	13.0	47	4.9
		18-19	236	176	74.6	60	25.4	45	19.1	45	19.1	16	6.8	10	4.2	20	8.5	8	3.4
		20-24	544	437	80.3	125	23.0	85	15.6	120	22.1	80	14.7	27	5.0	104	19.1	48	8.8
		25-29	172	150	87.2	37	21.5	35	20.3	41	23.8	22	12.8	15	8.7	32	18.6	11	6.4
		30-34	36	31	86.1	6	16.7	8	22.2	8	22.2	7	19.4	2	5.6	6	16.7	5	13.9
		35+	8	7	87.5	1	12.5	1	12.5	2	25.0	2	25.0	1	12.5	2	25.0	1	12.5
	Years since diagnosis	5-9	160	128	80.0	26	16.3	24	15.0	35	21.9	34	21.3	9	5.6	24	15.0	8	5.0
		10-14	610	469	76.9	141	23.1	124	20.3	123	20.2	55	9.0	26	4.3	78	12.8	30	4.9
		15-19	639	484	75.7	153	23.9	124	19.4	117	18.3	62	9.7	28	4.4	87	13.6	36	5.6
		20+	545	454	83.3	119	21.8	96	17.6	124	22.8	85	15.6	30	5.5	100	18.3	46	8.4
	Age at diagnosis	<1	993	742	74.7	248	25.0	203	20.4	165	16.6	100	10.1	26	2.6	109	11.0	43	4.3
		1-4	764	631	82.6	147	19.2	130	17.0	191	25.0	107	14.0	56	7.3	151	19.8	64	8.4
		5-9	148	125	84.5	34	23.0	27	18.2	33	22.3	23	15.5	8	5.4	21	14.2	10	6.8
		10-14	30	19	63.3	6	20.0	3	10.0	5	16.7	3	10.0	2	6.7	5	16.7	2	6.7
		15-20	19	18	94.7	4	21.1	5	26.3	5	26.3	3	15.8	1	5.3	3	15.8	1	5.3
	Treatment	Surgery only	548	362	66.1	159	29.0	103	18.8	64	11.7	30	5.5	6	1.1	26	4.7	10	1.8
		Chemotherapy, no radiation	562	431	76.7	131	23.3	120	21.4	103	18.3	63	11.2	14	2.5	60	10.7	22	3.9
		Radiation, no chemotherapy	139	121	87.1	37	26.6	27	19.4	23	16.5	24	17.3	10	7.2	31	22.3	13	9.4
		Chemotherapy and radiation	532	496	93.2	74	13.9	81	15.2	181	34.0	111	20.9	49	9.2	162	30.5	72	13.5
		Unknown	173	125	72.3	38	22.0	37	21.4	28	16.2	8	4.6	14	8.1	10	5.8	3	1.7
Males	**All cases**		**954**	**731**	**76.6**	**216**	**22.6**	**184**	**19.3**	**179**	**18.8**	**104**	**10.9**	**48**	**5.0**	**118**	**12.4**	**46**	**4.8**
	Age at baseline	<18	480	358	74.6	110	22.9	96	20.0	86	17.9	44	9.2	22	4.6	53	11.0	16	3.3
		18-19	104	74	71.2	18	17.3	21	20.2	21	20.2	10	9.6	4	3.8	10	9.6	4	3.8
		20-24	275	213	77.5	63	22.9	46	16.7	54	19.6	38	13.8	12	4.4	40	14.5	19	6.9
		25-29	78	70	89.7	23	29.5	17	21.8	15	19.2	7	9.0	8	10.3	11	14.1	3	3.8
		30-34	14	13	92.9	2	14.3	4	28.6	2	14.3	3	21.4	2	14.3	3	21.4	3	21.4
		35+	3	3	100.0	.	.	.	.	1	33.3	2	66.7	.	.	1	33.3	1	33.3
	Years since diagnosis	5-9	76	57	75.0	16	21.1	9	11.8	15	19.7	11	14.5	6	7.9	10	13.2	3	3.9
		10-14	304	229	75.3	68	22.4	65	21.4	52	17.1	30	9.9	14	4.6	35	11.5	10	3.3
		15-19	308	228	74.0	68	22.1	63	20.5	60	19.5	24	7.8	13	4.2	35	11.4	15	4.9
		20+	266	217	81.6	64	24.1	47	17.7	52	19.5	39	14.7	15	5.6	38	14.3	18	6.8
	Age at diagnosis	<1	516	371	71.9	125	24.2	100	19.4	86	16.7	44	8.5	16	3.1	48	9.3	17	3.3
		1-4	345	284	82.3	72	20.9	63	18.3	75	21.7	48	13.9	26	7.5	57	16.5	23	6.7
		5-9	74	61	82.4	15	20.3	17	23.0	15	20.3	8	10.8	6	8.1	10	13.5	4	5.4
		10-14	13	9	69.2	3	23.1	2	15.4	2	15.4	2	15.4	.	.	2	15.4	1	7.7
		15-20	6	6	100.0	1	16.7	2	33.3	1	16.7	2	33.3	.	.	1	16.7	1	16.7
	Treatment	Surgery only	263	165	62.7	69	26.2	51	19.4	29	11.0	13	4.9	3	1.1	15	5.7	4	1.5
		Chemotherapy, no radiation	279	207	74.2	69	24.7	60	21.5	49	17.6	26	9.3	3	1.1	20	7.2	8	2.9
		Radiation, no chemotherapy	63	53	84.1	18	28.6	11	17.5	10	15.9	10	15.9	4	6.3	13	20.6	5	7.9

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Neuroblastoma

				Any chronic condition (grade 1-5)		Maximum Grade											
						1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	259	239	92.3	42	16.2	42	16.2	76	29.3	49	18.9	30	11.6	65	25.1	27	10.4
		Unknown	90	67	74.4	18	20.0	20	22.2	15	16.7	6	6.7	8	8.9	5	5.6	2	2.2
Females	**All cases**		**1000**	**804**	**80.4**	**223**	**22.3**	**184**	**18.4**	**220**	**22.0**	**132**	**13.2**	**45**	**4.5**	**171**	**17.1**	**74**	**7.4**
	Age at baseline	<18	478	376	78.7	100	20.9	98	20.5	97	20.3	65	13.6	16	3.3	72	15.1	31	6.5
		18-19	132	102	77.3	42	31.8	24	18.2	24	18.2	6	4.5	6	4.5	10	7.6	4	3.0
		20-24	269	224	83.3	62	23.0	39	14.5	66	24.5	42	15.6	15	5.6	64	23.8	29	10.8
		25-29	94	80	85.1	14	14.9	18	19.1	26	27.7	15	16.0	7	7.4	21	22.3	8	8.5
		30-34	22	18	81.8	4	18.2	4	18.2	6	27.3	4	18.2	.	.	3	13.6	2	9.1
		35+	5	4	80.0	1	20.0	1	20.0	1	20.0	.	.	1	20.0	1	20.0	.	.
	Years since diagnosis	5-9	84	71	84.5	10	11.9	15	17.9	20	23.8	23	27.4	3	3.6	14	16.7	5	6.0
		10-14	306	240	78.4	73	23.9	59	19.3	71	23.2	25	8.2	12	3.9	43	14.1	20	6.5
		15-19	331	256	77.3	85	25.7	61	18.4	57	17.2	38	11.5	15	4.5	52	15.7	21	6.3
		20+	279	237	84.9	55	19.7	49	17.6	72	25.8	46	16.5	15	5.4	62	22.2	28	10.0
	Age at diagnosis	<1	477	371	77.8	123	25.8	103	21.6	79	16.6	56	11.7	10	2.1	61	12.8	26	5.5
		1-4	419	347	82.8	75	17.9	67	16.0	116	27.7	59	14.1	30	7.2	94	22.4	41	9.8
		5-9	74	64	86.5	19	25.7	10	13.5	18	24.3	15	20.3	2	2.7	11	14.9	6	8.1
		10-14	17	10	58.8	3	17.6	1	5.9	3	17.6	1	5.9	2	11.8	3	17.6	1	5.9
		15-20	13	12	92.3	3	23.1	3	23.1	4	30.8	1	7.7	1	7.7	2	15.4	.	.
	Treatment	Surgery only	285	197	69.1	90	31.6	52	18.2	35	12.3	17	6.0	3	1.1	11	3.9	6	2.1
		Chemotherapy, no radiation	283	224	79.2	62	21.9	60	21.2	54	19.1	37	13.1	11	3.9	40	14.1	14	4.9
		Radiation, no chemotherapy	76	68	89.5	19	25.0	16	21.1	13	17.1	14	18.4	6	7.9	18	23.7	8	10.5
		Chemotherapy and radiation	273	257	94.1	32	11.7	39	14.3	105	38.5	62	22.7	19	7.0	97	35.5	45	16.5
		Unknown	83	58	69.9	20	24.1	17	20.5	13	15.7	2	2.4	6	7.2	5	6.0	1	1.2

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: STS

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1761**	**1483**	**84.2**	**250**	**14.2**	**296**	**16.8**	**514**	**29.2**	**232**	**13.2**	**191**	**10.8**	**419**	**23.8**	**179**	**10.2**
	Age at baseline	<18	342	275	80.4	53	15.5	60	17.5	97	28.4	28	8.2	37	10.8	63	18.4	24	7.0
		18-19	125	106	84.8	18	14.4	15	12.0	41	32.8	22	17.6	10	8.0	36	28.8	14	11.2
		20-24	425	341	80.2	69	16.2	63	14.8	122	28.7	46	10.8	41	9.6	88	20.7	32	7.5
		25-29	393	350	89.1	53	13.5	72	18.3	133	33.8	59	15.0	33	8.4	107	27.2	50	12.7
		30-34	299	253	84.6	42	14.0	51	17.1	77	25.8	45	15.1	38	12.7	73	24.4	32	10.7
		35+	177	158	89.3	15	8.5	35	19.8	44	24.9	32	18.1	32	18.1	52	29.4	27	15.3
	Years since diagnosis	5-9	183	150	82.0	32	17.5	30	16.4	50	27.3	21	11.5	17	9.3	28	15.3	7	3.8
		10-14	521	427	82.0	76	14.6	94	18.0	143	27.4	67	12.9	47	9.0	112	21.5	49	9.4
		15-19	541	450	83.2	75	13.9	97	17.9	158	29.2	61	11.3	59	10.9	116	21.4	47	8.7
		20+	516	456	88.4	67	13.0	75	14.5	163	31.6	83	16.1	68	13.2	163	31.6	76	14.7
	Age at diagnosis	<1	124	95	76.6	29	23.4	17	13.7	32	25.8	9	7.3	8	6.5	16	12.9	5	4.0
		1-4	562	472	84.0	75	13.3	90	16.0	178	31.7	67	11.9	62	11.0	136	24.2	62	11.0
		5-9	398	345	86.7	61	15.3	57	14.3	130	32.7	57	14.3	40	10.1	124	31.2	42	10.6
		10-14	348	294	84.5	44	12.6	58	16.7	105	30.2	43	12.4	44	12.6	80	23.0	35	10.1
		15-20	329	277	84.2	41	12.5	74	22.5	69	21.0	56	17.0	37	11.2	63	19.1	35	10.6
	Treatment	Surgery only	171	145	84.8	37	21.6	33	19.3	38	22.2	26	15.2	11	6.4	30	17.5	8	4.7
		Chemotherapy, no radiation	361	267	74.0	72	19.9	59	16.3	70	19.4	38	10.5	28	7.8	50	13.9	26	7.2
		Radiation, no chemotherapy	63	46	73.0	4	6.3	12	19.0	16	25.4	9	14.3	5	7.9	10	15.9	4	6.3
		Chemotherapy and radiation	975	880	90.3	106	10.9	169	17.3	346	35.5	137	14.1	122	12.5	292	29.9	126	12.9
		Unknown	191	145	75.9	31	16.2	23	12.0	44	23.0	22	11.5	25	13.1	37	19.4	15	7.9
Males	**All cases**		**951**	**782**	**82.2**	**152**	**16.0**	**162**	**17.0**	**247**	**26.0**	**110**	**11.6**	**111**	**11.7**	**187**	**19.7**	**77**	**8.1**
	Age at baseline	<18	192	153	79.7	30	15.6	40	20.8	47	24.5	14	7.3	22	11.5	29	15.1	10	5.2
		18-19	66	54	81.8	8	12.1	7	10.6	20	30.3	12	18.2	7	10.6	18	27.3	8	12.1
		20-24	242	187	77.3	45	18.6	33	13.6	60	24.8	22	9.1	27	11.2	43	17.8	16	6.6
		25-29	208	183	88.0	34	16.3	41	19.7	61	29.3	27	13.0	20	9.6	48	23.1	21	10.1
		30-34	159	129	81.1	26	16.4	23	14.5	41	25.8	20	12.6	19	11.9	29	18.2	13	8.2
		35+	84	76	90.5	9	10.7	18	21.4	18	21.4	15	17.9	16	19.0	20	23.8	9	10.7
	Years since diagnosis	5-9	100	81	81.0	18	18.0	17	17.0	25	25.0	7	7.0	14	14.0	13	13.0	3	3.0
		10-14	288	230	79.9	42	14.6	54	18.8	74	25.7	34	11.8	26	9.0	52	18.1	23	8.0
		15-19	282	221	78.4	46	16.3	49	17.4	71	25.2	22	7.8	33	11.7	45	16.0	18	6.4
		20+	281	250	89.0	46	16.4	42	14.9	77	27.4	47	16.7	38	13.5	77	27.4	33	11.7
	Age at diagnosis	<1	52	35	67.3	10	19.2	10	19.2	12	23.1	2	3.8	1	1.9	3	5.8	.	.
		1-4	331	280	84.6	52	15.7	57	17.2	90	27.2	41	12.4	40	12.1	72	21.8	33	10.0
		5-9	225	184	81.8	41	18.2	30	13.3	59	26.2	27	12.0	27	12.0	55	24.4	17	7.6
		10-14	186	153	82.3	26	14.0	31	16.7	55	29.6	18	9.7	23	12.4	35	18.8	15	8.1
		15-20	157	130	82.8	23	14.6	34	21.7	31	19.7	22	14.0	20	12.7	22	14.0	12	7.6
	Treatment	Surgery only	74	62	83.8	17	23.0	14	18.9	15	20.3	11	14.9	5	6.8	7	9.5	2	2.7
		Chemotherapy, no radiation	212	151	71.2	45	21.2	34	16.0	36	17.0	22	10.4	14	6.6	23	10.8	12	5.7
		Radiation, no chemotherapy	32	20	62.5	3	9.4	3	9.4	7	21.9	5	15.6	2	6.3	7	21.9	2	6.3

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: STS

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	524	469	89.5	67	12.8	97	18.5	167	31.9	62	11.8	76	14.5	132	25.2	55	10.5
		Unknown	109	80	73.4	20	18.3	14	12.8	22	20.2	10	9.2	14	12.8	18	16.5	6	5.5
Females	**All cases**		**810**	**701**	**86.5**	**98**	**12.1**	**134**	**16.5**	**267**	**33.0**	**122**	**15.1**	**80**	**9.9**	**232**	**28.6**	**102**	**12.6**
	Age at baseline	<18	150	122	81.3	23	15.3	20	13.3	50	33.3	14	9.3	15	10.0	34	22.7	14	9.3
		18-19	59	52	88.1	10	16.9	8	13.6	21	35.6	10	16.9	3	5.1	18	30.5	6	10.2
		20-24	183	154	84.2	24	13.1	30	16.4	62	33.9	24	13.1	14	7.7	45	24.6	16	8.7
		25-29	185	167	90.3	19	10.3	31	16.8	72	38.9	32	17.3	13	7.0	59	31.9	29	15.7
		30-34	140	124	88.6	16	11.4	28	20.0	36	25.7	25	17.9	19	13.6	44	31.4	19	13.6
		35+	93	82	88.2	6	6.5	17	18.3	26	28.0	17	18.3	16	17.2	32	34.4	18	19.4
	Years since diagnosis	5-9	83	69	83.1	14	16.9	13	15.7	25	30.1	14	16.9	3	3.6	15	18.1	4	4.8
		10-14	233	197	84.5	34	14.6	40	17.2	69	29.6	33	14.2	21	9.0	60	25.8	26	11.2
		15-19	259	229	88.4	29	11.2	48	18.5	87	33.6	39	15.1	26	10.0	71	27.4	29	11.2
		20+	235	206	87.7	21	8.9	33	14.0	86	36.6	36	15.3	30	12.8	86	36.6	43	18.3
	Age at diagnosis	<1	72	60	83.3	19	26.4	7	9.7	20	27.8	7	9.7	7	9.7	13	18.1	5	6.9
		1-4	231	192	83.1	23	10.0	33	14.3	88	38.1	26	11.3	22	9.5	64	27.7	29	12.6
		5-9	173	161	93.1	20	11.6	27	15.6	71	41.0	30	17.3	13	7.5	69	39.9	25	14.5
		10-14	162	141	87.0	18	11.1	27	16.7	50	30.9	25	15.4	21	13.0	45	27.8	20	12.3
		15-20	172	147	85.5	18	10.5	40	23.3	38	22.1	34	19.8	17	9.9	41	23.8	23	13.4
	Treatment	Surgery only	97	83	85.6	20	20.6	19	19.6	23	23.7	15	15.5	6	6.2	23	23.7	6	6.2
		Chemotherapy, no radiation	149	116	77.9	27	18.1	25	16.8	34	22.8	16	10.7	14	9.4	27	18.1	14	9.4
		Radiation, no chemotherapy	31	26	83.9	1	3.2	9	29.0	9	29.0	4	12.9	3	9.7	3	9.7	2	6.5
		Chemotherapy and radiation	451	411	91.1	39	8.6	72	16.0	179	39.7	75	16.6	46	10.2	160	35.5	71	15.7
		Unknown	82	65	79.3	11	13.4	9	11.0	22	26.8	12	14.6	11	13.4	19	23.2	9	11.0

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All bone

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2101**	**1926**	**91.7**	**213**	**10.1**	**188**	**8.9**	**951**	**45.3**	**340**	**16.2**	**234**	**11.1**	**740**	**35.2**	**314**	**14.9**
	Age at baseline	<18	97	83	85.6	18	18.6	9	9.3	31	32.0	15	15.5	10	10.3	26	26.8	8	8.2
		18-19	72	62	86.1	6	8.3	8	11.1	29	40.3	12	16.7	7	9.7	24	33.3	8	11.1
		20-24	389	354	91.0	48	12.3	35	9.0	172	44.2	62	15.9	37	9.5	115	29.6	46	11.8
		25-29	568	517	91.0	61	10.7	54	9.5	248	43.7	94	16.5	60	10.6	187	32.9	75	13.2
		30-34	567	532	93.8	52	9.2	59	10.4	274	48.3	86	15.2	61	10.8	222	39.2	98	17.3
		35+	408	378	92.6	28	6.9	23	5.6	197	48.3	71	17.4	59	14.5	166	40.7	79	19.4
	Years since diagnosis	5-9	244	220	90.2	39	16.0	14	5.7	94	38.5	43	17.6	30	12.3	72	29.5	19	7.8
		10-14	681	612	89.9	83	12.2	73	10.7	294	43.2	99	14.5	63	9.3	216	31.7	87	12.8
		15-19	677	628	92.8	55	8.1	60	8.9	321	47.4	123	18.2	69	10.2	256	37.8	117	17.3
		20+	499	466	93.4	36	7.2	41	8.2	242	48.5	75	15.0	72	14.4	196	39.3	91	18.2
	Age at diagnosis	<1	9	7	77.8	3	33.3	1	11.1	3	33.3	.	.	.	.	.	.	.	.
		1-4	88	80	90.9	13	14.8	12	13.6	30	34.1	12	13.6	13	14.8	33	37.5	14	15.9
		5-9	370	335	90.5	33	8.9	38	10.3	170	45.9	61	16.5	33	8.9	122	33.0	47	12.7
		10-14	842	766	91.0	77	9.1	77	9.1	401	47.6	125	14.8	86	10.2	288	34.2	131	15.6
		15-20	792	738	93.2	87	11.0	60	7.6	347	43.8	142	17.9	102	12.9	297	37.5	122	15.4
	Treatment	Surgery only	119	99	83.2	16	13.4	12	10.1	51	42.9	11	9.2	9	7.6	31	26.1	11	9.2
		Chemotherapy, no radiation	1192	1111	93.2	96	8.1	90	7.6	630	52.9	198	16.6	97	8.1	445	37.3	185	15.5
		Radiation, no chemotherapy	17	15	88.2	2	11.8	1	5.9	7	41.2	3	17.6	2	11.8	6	35.3	3	17.6
		Chemotherapy and radiation	582	525	90.2	86	14.8	72	12.4	177	30.4	103	17.7	87	14.9	193	33.2	89	15.3
		Unknown	191	176	92.1	13	6.8	13	6.8	86	45.0	25	13.1	39	20.4	65	34.0	26	13.6
Males	**All cases**		**1087**	**985**	**90.6**	**123**	**11.3**	**99**	**9.1**	**497**	**45.7**	**142**	**13.1**	**124**	**11.4**	**353**	**32.5**	**128**	**11.8**
	Age at baseline	<18	49	44	89.8	10	20.4	2	4.1	22	44.9	6	12.2	4	8.2	15	30.6	3	6.1
		18-19	36	28	77.8	4	11.1	7	19.4	8	22.2	6	16.7	3	8.3	9	25.0	2	5.6
		20-24	194	176	90.7	20	10.3	21	10.8	82	42.3	33	17.0	20	10.3	56	28.9	21	10.8
		25-29	299	265	88.6	37	12.4	21	7.0	132	44.1	40	13.4	35	11.7	91	30.4	30	10.0
		30-34	284	261	91.9	32	11.3	30	10.6	144	50.7	27	9.5	28	9.9	101	35.6	40	14.1
		35+	225	211	93.8	20	8.9	18	8.0	109	48.4	30	13.3	34	15.1	81	36.0	32	14.2
	Years since diagnosis	5-9	134	122	91.0	22	16.4	10	7.5	54	40.3	23	17.2	13	9.7	38	28.4	5	3.7
		10-14	349	303	86.8	44	12.6	32	9.2	145	41.5	44	12.6	38	10.9	109	31.2	41	11.7
		15-19	349	324	92.8	36	10.3	30	8.6	168	48.1	51	14.6	39	11.2	119	34.1	51	14.6
		20+	255	236	92.5	21	8.2	27	10.6	130	51.0	24	9.4	34	13.3	87	34.1	31	12.2
	Age at diagnosis	<1	4	3	75.0	1	25.0	.	.	2	50.0	.	.	.	.	.	.	.	.
		1-4	47	42	89.4	9	19.1	6	12.8	15	31.9	5	10.6	7	14.9	14	29.8	4	8.5
		5-9	190	173	91.1	17	8.9	21	11.1	88	46.3	29	15.3	18	9.5	61	32.1	19	10.0
		10-14	403	356	88.3	40	9.9	39	9.7	193	47.9	47	11.7	37	9.2	124	30.8	50	12.4
		15-20	443	411	92.8	56	12.6	33	7.4	199	44.9	61	13.8	62	14.0	154	34.8	55	12.4
	Treatment	Surgery only	48	37	77.1	4	8.3	3	6.3	21	43.8	3	6.3	6	12.5	12	25.0	6	12.5
		Chemotherapy, no radiation	613	564	92.0	59	9.6	50	8.2	325	53.0	82	13.4	48	7.8	201	32.8	70	11.4
		Radiation, no chemotherapy	9	9	100.0	1	11.1	1	11.1	3	33.3	2	22.2	2	22.2	4	44.4	2	22.2

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: All bone

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	297	264	88.9	51	17.2	39	13.1	92	31.0	40	13.5	42	14.1	94	31.6	37	12.5
		Unknown	120	111	92.5	8	6.7	6	5.0	56	46.7	15	12.5	26	21.7	42	35.0	13	10.8
Females	**All cases**		**1014**	**941**	**92.8**	**90**	**8.9**	**89**	**8.8**	**454**	**44.8**	**198**	**19.5**	**110**	**10.8**	**387**	**38.2**	**186**	**18.3**
	Age at baseline	<18	48	39	81.3	8	16.7	7	14.6	9	18.8	9	18.8	6	12.5	11	22.9	5	10.4
		18-19	36	34	94.4	2	5.6	1	2.8	21	58.3	6	16.7	4	11.1	15	41.7	6	16.7
		20-24	195	178	91.3	28	14.4	14	7.2	90	46.2	29	14.9	17	8.7	59	30.3	25	12.8
		25-29	269	252	93.7	24	8.9	33	12.3	116	43.1	54	20.1	25	9.3	96	35.7	45	16.7
		30-34	283	271	95.8	20	7.1	29	10.2	130	45.9	59	20.8	33	11.7	121	42.8	58	20.5
		35+	183	167	91.3	8	4.4	5	2.7	88	48.1	41	22.4	25	13.7	85	46.4	47	25.7
	Years since diagnosis	5-9	110	98	89.1	17	15.5	4	3.6	40	36.4	20	18.2	17	15.5	34	30.9	14	12.7
		10-14	332	309	93.1	39	11.7	41	12.3	149	44.9	55	16.6	25	7.5	107	32.2	46	13.9
		15-19	328	304	92.7	19	5.8	30	9.1	153	46.6	72	22.0	30	9.1	137	41.8	66	20.1
		20+	244	230	94.3	15	6.1	14	5.7	112	45.9	51	20.9	38	15.6	109	44.7	60	24.6
	Age at diagnosis	<1	5	4	80.0	2	40.0	1	20.0	1	20.0	.	.	.	.	.	.	.	.
		1-4	41	38	92.7	4	9.8	6	14.6	15	36.6	7	17.1	6	14.6	19	46.3	10	24.4
		5-9	180	162	90.0	16	8.9	17	9.4	82	45.6	32	17.8	15	8.3	61	33.9	28	15.6
		10-14	439	410	93.4	37	8.4	38	8.7	208	47.4	78	17.8	49	11.2	164	37.4	81	18.5
		15-20	349	327	93.7	31	8.9	27	7.7	148	42.4	81	23.2	40	11.5	143	41.0	67	19.2
	Treatment	Surgery only	71	62	87.3	12	16.9	9	12.7	30	42.3	8	11.3	3	4.2	19	26.8	5	7.0
		Chemotherapy, no radiation	579	547	94.5	37	6.4	40	6.9	305	52.7	116	20.0	49	8.5	244	42.1	115	19.9
		Radiation, no chemotherapy	8	6	75.0	1	12.5	.	.	4	50.0	1	12.5	.	.	2	25.0	1	12.5
		Chemotherapy and radiation	285	261	91.6	35	12.3	33	11.6	85	29.8	63	22.1	45	15.8	99	34.7	52	18.2
		Unknown	71	65	91.5	5	7.0	7	9.9	30	42.3	10	14.1	13	18.3	23	32.4	13	18.3

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Ewings

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**739**	**647**	**87.6**	**118**	**16.0**	**112**	**15.2**	**206**	**27.9**	**120**	**16.2**	**91**	**12.3**	**200**	**27.1**	**88**	**11.9**
	Age at baseline	<18	62	49	79.0	14	22.6	9	14.5	11	17.7	8	12.9	7	11.3	12	19.4	3	4.8
		18-19	36	30	83.3	5	13.9	4	11.1	9	25.0	6	16.7	6	16.7	13	36.1	5	13.9
		20-24	170	149	87.6	31	18.2	24	14.1	51	30.0	24	14.1	19	11.2	39	22.9	18	10.6
		25-29	204	178	87.3	30	14.7	35	17.2	55	27.0	39	19.1	19	9.3	54	26.5	23	11.3
		30-34	164	148	90.2	24	14.6	30	18.3	50	30.5	27	16.5	17	10.4	49	29.9	23	14.0
		35+	103	93	90.3	14	13.6	10	9.7	30	29.1	16	15.5	23	22.3	33	32.0	16	15.5
	Years since diagnosis	5-9	105	86	81.9	24	22.9	8	7.6	21	20.0	18	17.1	15	14.3	23	21.9	7	6.7
		10-14	247	213	86.2	44	17.8	45	18.2	64	25.9	37	15.0	23	9.3	53	21.5	26	10.5
		15-19	223	197	88.3	31	13.9	33	14.8	70	31.4	39	17.5	24	10.8	74	33.2	31	13.9
		20+	164	151	92.1	19	11.6	26	15.9	51	31.1	26	15.9	29	17.7	50	30.5	24	14.6
	Age at diagnosis	<1	5	3	60.0	2	40.0	1	20.0	.	.	.	.	.	.	.	.	.	.
		1-4	54	48	88.9	10	18.5	10	18.5	13	24.1	5	9.3	10	18.5	19	35.2	7	13.0
		5-9	184	162	88.0	23	12.5	26	14.1	57	31.0	37	20.1	19	10.3	54	29.3	25	13.6
		10-14	278	234	84.2	40	14.4	47	16.9	79	28.4	35	12.6	33	11.9	65	23.4	24	8.6
		15-20	218	200	91.7	43	19.7	28	12.8	57	26.1	43	19.7	29	13.3	62	28.4	32	14.7
	Treatment	Surgery only	1	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	211	179	84.8	33	15.6	40	19.0	61	28.9	35	16.6	10	4.7	47	22.3	16	7.6
		Radiation, no chemotherapy	2	1	50.0	.	.	.	.	1	50.0	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	463	412	89.0	78	16.8	65	14.0	127	27.4	76	16.4	66	14.3	139	30.0	65	14.0
		Unknown	62	54	87.1	6	9.7	7	11.3	17	27.4	9	14.5	15	24.2	14	22.6	7	11.3
Males	**All cases**		**387**	**334**	**86.3**	**69**	**17.8**	**60**	**15.5**	**113**	**29.2**	**46**	**11.9**	**46**	**11.9**	**96**	**24.8**	**35**	**9.0**
	Age at baseline	<18	28	23	82.1	7	25.0	2	7.1	9	32.1	3	10.7	2	7.1	6	21.4	1	3.6
		18-19	20	15	75.0	4	20.0	3	15.0	2	10.0	3	15.0	3	15.0	4	20.0	2	10.0
		20-24	88	77	87.5	12	13.6	15	17.0	26	29.5	13	14.8	11	12.5	22	25.0	7	8.0
		25-29	105	88	83.8	19	18.1	14	13.3	31	29.5	15	14.3	9	8.6	25	23.8	7	6.7
		30-34	90	81	90.0	17	18.9	17	18.9	31	34.4	8	8.9	8	8.9	25	27.8	9	10.0
		35+	56	50	89.3	10	17.9	9	16.1	14	25.0	4	7.1	13	23.2	14	25.0	9	16.1
	Years since diagnosis	5-9	57	47	82.5	12	21.1	6	10.5	15	26.3	8	14.0	6	10.5	11	19.3	1	1.8
		10-14	121	100	82.6	23	19.0	18	14.9	28	23.1	20	16.5	11	9.1	28	23.1	12	9.9
		15-19	123	110	89.4	23	18.7	19	15.4	41	33.3	12	9.8	15	12.2	36	29.3	13	10.6
		20+	86	77	89.5	11	12.8	17	19.8	29	33.7	6	7.0	14	16.3	21	24.4	9	10.5
	Age at diagnosis	<1	2	1	50.0	1	50.0	.	.	.	.	.	.	.	.	.	.	.	.
		1-4	29	26	89.7	7	24.1	4	13.8	7	24.1	2	6.9	6	20.7	9	31.0	3	10.3
		5-9	92	82	89.1	11	12.0	14	15.2	33	35.9	14	15.2	10	10.9	24	26.1	7	7.6
		10-14	147	119	81.0	21	14.3	25	17.0	44	29.9	17	11.6	12	8.2	34	23.1	11	7.5
		15-20	117	106	90.6	29	24.8	17	14.5	29	24.8	13	11.1	18	15.4	29	24.8	14	12.0
	Treatment	Chemotherapy, no radiation	112	93	83.0	20	17.9	20	17.9	35	31.3	12	10.7	6	5.4	24	21.4	5	4.5
		Radiation, no chemotherapy	1	1	100.0	.	.	.	.	1	100.0	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	237	207	87.3	45	19.0	37	15.6	64	27.0	29	12.2	32	13.5	66	27.8	27	11.4

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Ewings

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		Unknown	37	33	89.2	4	10.8	3	8.1	13	35.1	5	13.5	8	21.6	6	16.2	3	8.1
Females	**All cases**		**352**	**313**	**88.9**	**49**	**13.9**	**52**	**14.8**	**93**	**26.4**	**74**	**21.0**	**45**	**12.8**	**104**	**29.5**	**53**	**15.1**
	Age at baseline	<18	34	26	76.5	7	20.6	7	20.6	2	5.9	5	14.7	5	14.7	6	17.6	2	5.9
		18-19	16	15	93.8	1	6.3	1	6.3	7	43.8	3	18.8	3	18.8	9	56.3	3	18.8
		20-24	82	72	87.8	19	23.2	9	11.0	25	30.5	11	13.4	8	9.8	17	20.7	11	13.4
		25-29	99	90	90.9	11	11.1	21	21.2	24	24.2	24	24.2	10	10.1	29	29.3	16	16.2
		30-34	74	67	90.5	7	9.5	13	17.6	19	25.7	19	25.7	9	12.2	24	32.4	14	18.9
		35+	47	43	91.5	4	8.5	1	2.1	16	34.0	12	25.5	10	21.3	19	40.4	7	14.9
	Years since diagnosis	5-9	48	39	81.3	12	25.0	2	4.2	6	12.5	10	20.8	9	18.8	12	25.0	6	12.5
		10-14	126	113	89.7	21	16.7	27	21.4	36	28.6	17	13.5	12	9.5	25	19.8	14	11.1
		15-19	100	87	87.0	8	8.0	14	14.0	29	29.0	27	27.0	9	9.0	38	38.0	18	18.0
		20+	78	74	94.9	8	10.3	9	11.5	22	28.2	20	25.6	15	19.2	29	37.2	15	19.2
	Age at diagnosis	<1	3	2	66.7	1	33.3	1	33.3	.	.	.	.	.	.	.	.	.	.
		1-4	25	22	88.0	3	12.0	6	24.0	6	24.0	3	12.0	4	16.0	10	40.0	4	16.0
		5-9	92	80	87.0	12	13.0	12	13.0	24	26.1	23	25.0	9	9.8	30	32.6	18	19.6
		10-14	131	115	87.8	19	14.5	22	16.8	35	26.7	18	13.7	21	16.0	31	23.7	13	9.9
		15-20	101	94	93.1	14	13.9	11	10.9	28	27.7	30	29.7	11	10.9	33	32.7	18	17.8
	Treatment	Surgery only	1	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	99	86	86.9	13	13.1	20	20.2	26	26.3	23	23.2	4	4.0	23	23.2	11	11.1
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	226	205	90.7	33	14.6	28	12.4	63	27.9	47	20.8	34	15.0	73	32.3	38	16.8
		Unknown	25	21	84.0	2	8.0	4	16.0	4	16.0	4	16.0	7	28.0	8	32.0	4	16.0

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Osteosarcoma

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1259**	**1188**	**94.4**	**74**	**5.9**	**58**	**4.6**	**717**	**56.9**	**202**	**16.0**	**137**	**10.9**	**524**	**41.6**	**219**	**17.4**
	Age at baseline	<18	29	29	100.0	4	13.8	.	.	17	58.6	6	20.7	2	6.9	12	41.4	4	13.8
		18-19	30	27	90.0	.	.	2	6.7	19	63.3	5	16.7	1	3.3	10	33.3	3	10.0
		20-24	199	189	95.0	12	6.0	11	5.5	115	57.8	35	17.6	16	8.0	72	36.2	26	13.1
		25-29	344	322	93.6	27	7.8	15	4.4	191	55.5	50	14.5	39	11.3	129	37.5	50	14.5
		30-34	374	356	95.2	22	5.9	20	5.3	217	58.0	54	14.4	43	11.5	169	45.2	74	19.8
		35+	283	265	93.6	9	3.2	10	3.5	158	55.8	52	18.4	36	12.7	132	46.6	62	21.9
	Years since diagnosis	5-9	132	128	97.0	15	11.4	5	3.8	73	55.3	23	17.4	12	9.1	48	36.4	12	9.1
		10-14	397	368	92.7	31	7.8	21	5.3	219	55.2	58	14.6	39	9.8	156	39.3	60	15.1
		15-19	423	402	95.0	17	4.0	22	5.2	242	57.2	78	18.4	43	10.2	176	41.6	81	19.1
		20+	307	290	94.5	11	3.6	10	3.3	183	59.6	43	14.0	43	14.0	144	46.9	66	21.5
	Age at diagnosis	1-4	25	23	92.0	1	4.0	1	4.0	15	60.0	4	16.0	2	8.0	11	44.0	6	24.0
		5-9	168	160	95.2	7	4.2	10	6.0	109	64.9	21	12.5	13	7.7	63	37.5	19	11.3
		10-14	534	506	94.8	31	5.8	23	4.3	316	59.2	85	15.9	51	9.6	220	41.2	106	19.9
		15-20	532	499	93.8	35	6.6	24	4.5	277	52.1	92	17.3	71	13.3	230	43.2	88	16.5
	Treatment	Surgery only	86	72	83.7	7	8.1	5	5.8	44	51.2	8	9.3	8	9.3	28	32.6	9	10.5
		Chemotherapy, no radiation	957	909	95.0	57	6.0	46	4.8	564	58.9	158	16.5	84	8.8	396	41.4	168	17.6
		Radiation, no chemotherapy	10	10	100.0	1	10.0	.	.	5	50.0	2	20.0	2	20.0	5	50.0	3	30.0
		Chemotherapy and radiation	83	79	95.2	3	3.6	2	2.4	35	42.2	19	22.9	20	24.1	45	54.2	20	24.1
		Unknown	123	118	95.9	6	4.9	5	4.1	69	56.1	15	12.2	23	18.7	50	40.7	19	15.4
Males	**All cases**		**648**	**606**	**93.5**	**42**	**6.5**	**30**	**4.6**	**370**	**57.1**	**90**	**13.9**	**74**	**11.4**	**248**	**38.3**	**89**	**13.7**
	Age at baseline	<18	20	20	100.0	3	15.0	.	.	12	60.0	3	15.0	2	10.0	9	45.0	2	10.0
		18-19	12	10	83.3	.	.	2	16.7	6	50.0	2	16.7	.	.	4	33.3	.	.
		20-24	95	90	94.7	5	5.3	6	6.3	52	54.7	19	20.0	8	8.4	32	33.7	13	13.7
		25-29	183	168	91.8	15	8.2	5	2.7	101	55.2	23	12.6	24	13.1	64	35.0	22	12.0
		30-34	179	166	92.7	11	6.1	9	5.0	109	60.9	18	10.1	19	10.6	73	40.8	30	16.8
		35+	159	152	95.6	8	5.0	8	5.0	90	56.6	25	15.7	21	13.2	66	41.5	22	13.8
	Years since diagnosis	5-9	74	72	97.3	10	13.5	3	4.1	39	52.7	15	20.3	5	6.8	26	35.1	4	5.4
		10-14	209	188	90.0	16	7.7	10	4.8	112	53.6	23	11.0	27	12.9	78	37.3	29	13.9
		15-19	211	200	94.8	9	4.3	10	4.7	122	57.8	37	17.5	22	10.4	80	37.9	35	16.6
		20+	154	146	94.8	7	4.5	7	4.5	97	63.0	15	9.7	20	13.0	64	41.6	21	13.6
	Age at diagnosis	1-4	14	12	85.7	1	7.1	1	7.1	8	57.1	1	7.1	1	7.1	4	28.6	1	7.1
		5-9	84	80	95.2	3	3.6	5	6.0	52	61.9	13	15.5	7	8.3	34	40.5	10	11.9
		10-14	246	229	93.1	16	6.5	11	4.5	149	60.6	30	12.2	23	9.3	89	36.2	39	15.9
		15-20	304	285	93.8	22	7.2	13	4.3	161	53.0	46	15.1	43	14.1	121	39.8	39	12.8
	Treatment	Surgery only	30	23	76.7	.	.	1	3.3	16	53.3	1	3.3	5	16.7	9	30.0	4	13.3
		Chemotherapy, no radiation	489	460	94.1	35	7.2	27	5.5	289	59.1	69	14.1	40	8.2	177	36.2	65	13.3
		Radiation, no chemotherapy	6	6	100.0	1	16.7	.	.	2	33.3	1	16.7	2	33.3	3	50.0	2	33.3
		Chemotherapy and radiation	44	42	95.5	3	6.8	.	.	20	45.5	9	20.5	10	22.7	24	54.5	8	18.2
		Unknown	79	75	94.9	3	3.8	2	2.5	43	54.4	10	12.7	17	21.5	35	44.3	10	12.7

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)

Chronic Conditions: Osteosarcoma

				Any chronic condition (grade 1-5)		Maximum Grade 1:Mild		2:Moderate		3:Severe		4:Disabling		5:Fatal [1]		Multiple severe conditions (>=2) [2]		Multiple severe conditions (>=3) [2]	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Females	**All cases**		**611**	**582**	**95.3**	**32**	**5.2**	**28**	**4.6**	**347**	**56.8**	**112**	**18.3**	**63**	**10.3**	**276**	**45.2**	**130**	**21.3**
	Age at baseline	<18	9	9	100.0	1	11.1	.	.	5	55.6	3	33.3	.	.	3	33.3	2	22.2
		18-19	18	17	94.4	.	.	.	.	13	72.2	3	16.7	1	5.6	6	33.3	3	16.7
		20-24	104	99	95.2	7	6.7	5	4.8	63	60.6	16	15.4	8	7.7	40	38.5	13	12.5
		25-29	161	154	95.7	12	7.5	10	6.2	90	55.9	27	16.8	15	9.3	65	40.4	28	17.4
		30-34	195	190	97.4	11	5.6	11	5.6	108	55.4	36	18.5	24	12.3	96	49.2	44	22.6
		35+	124	113	91.1	1	0.8	2	1.6	68	54.8	27	21.8	15	12.1	66	53.2	40	32.3
	Years since diagnosis	5-9	58	56	96.6	5	8.6	2	3.4	34	58.6	8	13.8	7	12.1	22	37.9	8	13.8
		10-14	188	180	95.7	15	8.0	11	5.9	107	56.9	35	18.6	12	6.4	78	41.5	31	16.5
		15-19	212	202	95.3	8	3.8	12	5.7	120	56.6	41	19.3	21	9.9	96	45.3	46	21.7
		20+	153	144	94.1	4	2.6	3	2.0	86	56.2	28	18.3	23	15.0	80	52.3	45	29.4
	Age at diagnosis	1-4	11	11	100.0	.	.	.	.	7	63.6	3	27.3	1	9.1	7	63.6	5	45.5
		5-9	84	80	95.2	4	4.8	5	6.0	57	67.9	8	9.5	6	7.1	29	34.5	9	10.7
		10-14	288	277	96.2	15	5.2	12	4.2	167	58.0	55	19.1	28	9.7	131	45.5	67	23.3
		15-20	228	214	93.9	13	5.7	11	4.8	116	50.9	46	20.2	28	12.3	109	47.8	49	21.5
	Treatment	Surgery only	56	49	87.5	7	12.5	4	7.1	28	50.0	7	12.5	3	5.4	19	33.9	5	8.9
		Chemotherapy, no radiation	468	449	95.9	22	4.7	19	4.1	275	58.8	89	19.0	44	9.4	219	46.8	103	22.0
		Radiation, no chemotherapy	4	4	100.0	.	.	.	.	3	75.0	1	25.0	.	.	2	50.0	1	25.0
		Chemotherapy and radiation	39	37	94.9	.	.	2	5.1	15	38.5	10	25.6	10	25.6	21	53.8	12	30.8
		Unknown	44	43	97.7	3	6.8	3	6.8	26	59.1	5	11.4	6	13.6	15	34.1	9	20.5

Conditions at any time through Followup 7 (Follow 8 for SMN), with scoring per the Common Terminology Criteria for Adverse Events (v4.03)
Denominator for all percentages is all cases.
[1] Fatal does not represent all deaths, only those attributed to specific chronic conditions
[2] Severe, disabling, or fatal conditions (grades 3-5)