

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		25658	5787	23.6	701	19466	85.4	7518	38.6	5407	27.8	1047	5.4	2536	13.0	206	1.1	745	3.8
	Age at baseline	<18	5685	1239	23.1	197	4375	93.6	949	21.7	234	5.3	24	0.5	345	7.9	17	0.4	53	1.2
		18-19	2155	361	17.7	72	1642	87.0	99	6.0	1013	61.7	40	2.4	232	14.1	18	1.1	102	6.2
		20-24	6010	1104	19.3	192	4193	79.4	1129	26.9	2173	51.8	242	5.8	686	16.4	54	1.3	266	6.3
		25-29	5553	1346	25.1	144	4124	81.7	2299	55.7	792	19.2	370	9.0	674	16.3	62	1.5	172	4.2
		30-34	3865	1031	27.4	71	3109	86.0	1862	59.9	681	21.9	218	7.0	380	12.2	44	1.4	100	3.2
		35+	2390	706	30.2	25	2023	88.4	1180	58.3	514	25.4	153	7.6	219	10.8	11	0.5	52	2.6
	Years since diagnosis	5-9	2588	509	23.1	93	1290	90.1	203	15.7	196	15.2	28	2.2	78	6.0	7	0.5	27	2.1
		10-14	8347	1938	24.1	272	6620	88.1	2149	32.5	1524	23.0	279	4.2	768	11.6	61	0.9	219	3.3
		15-19	8210	1785	22.4	192	6441	83.9	2535	39.4	2350	36.5	349	5.4	880	13.7	85	1.3	294	4.6
		20+	6513	1555	24.4	144	5115	82.8	2631	51.4	1337	26.1	391	7.6	810	15.8	53	1.0	205	4.0
	Age at diagnosis	<1	1926	348	18.6	46	1622	90.2	406	25.0	426	26.3	34	2.1	226	13.9	11	0.7	67	4.1
		1-4	8262	1744	22.0	276	6328	85.7	1541	24.4	1767	27.9	208	3.3	820	13.0	50	0.8	238	3.8
		5-9	5782	1149	20.8	175	4238	83.0	1481	34.9	1409	33.2	247	5.8	578	13.6	58	1.4	186	4.4
		10-14	5444	1306	25.1	150	4001	83.3	2169	54.2	1017	25.4	280	7.0	563	14.1	50	1.2	157	3.9
		15-20	4244	1240	30.7	54	3277	88.4	1921	58.6	788	24.0	278	8.5	349	10.6	37	1.1	97	3.0
	Treatment	Surgery only	2162	368	17.5	68	1727	86.2	658	38.1	523	30.3	87	5.0	227	13.1	26	1.5	64	3.7
		Chemotherapy, no radiation	8136	1650	21.1	132	6469	85.5	2404	37.2	1828	28.3	307	4.7	823	12.7	71	1.1	252	3.9
		Radiation, no chemotherapy	2086	554	27.6	92	1593	88.3	650	40.8	428	26.9	111	7.0	230	14.4	18	1.1	50	3.1
		Chemotherapy and radiation	10771	2650	25.9	341	7881	85.1	3123	39.6	2186	27.7	441	5.6	1003	12.7	73	0.9	312	4.0
		Unknown	2503	565	23.5	68	1796	83.0	683	38.0	442	24.6	101	5.6	253	14.1	18	1.0	67	3.7
Males	All cases		13721	2955	22.6	388	10074	83.6	4358	43.3	2367	23.5	611	6.1	1171	11.6	80	0.8	400	4.0
	Age at baseline	<18	3062	673	23.4	102	2316	93.3	504	21.8	127	5.5	16	0.7	195	8.4	11	0.5	33	1.4
		18-19	1125	196	18.3	40	844	86.4	58	6.9	512	60.7	22	2.6	117	13.9	10	1.2	48	5.7
		20-24	3164	527	17.6	101	2119	77.3	649	30.6	1084	51.2	118	5.6	292	13.8	20	0.9	137	6.5
		25-29	3085	687	23.2	92	2209	79.8	1376	62.3	283	12.8	240	10.9	307	13.9	25	1.1	100	4.5
		30-34	2056	506	25.3	41	1577	82.6	1097	69.6	209	13.3	119	7.5	166	10.5	12	0.8	53	3.4
		35+	1229	366	30.6	12	1009	85.9	674	66.8	152	15.1	96	9.5	94	9.3	2	0.2	29	2.9
	Years since diagnosis	5-9	1453	271	22.1	54	688	90.3	117	17.0	100	14.5	12	1.7	42	6.1	4	0.6	13	1.9
		10-14	4469	1020	23.8	148	3464	87.0	1208	34.9	719	20.8	156	4.5	368	10.6	24	0.7	127	3.7
		15-19	4317	866	20.7	106	3279	81.6	1469	44.8	1031	31.4	214	6.5	410	12.5	37	1.1	153	4.7
		20+	3482	798	23.5	80	2643	80.2	1564	59.2	517	19.6	229	8.7	351	13.3	15	0.6	107	4.0
	Age at diagnosis	<1	983	160	16.8	23	810	88.5	204	25.2	200	24.7	19	2.3	120	14.8	5	0.6	39	4.8
		1-4	4326	889	21.3	144	3251	84.7	870	26.8	848	26.1	117	3.6	372	11.4	20	0.6	117	3.6
		5-9	3261	641	20.7	98	2312	81.2	912	39.4	712	30.8	149	6.4	282	12.2	27	1.2	106	4.6
		10-14	2880	640	23.3	91	2035	80.8	1266	62.2	372	18.3	160	7.9	227	11.2	19	0.9	82	4.0
		15-20	2271	625	29.2	32	1666	86.1	1106	66.4	235	14.1	166	10.0	170	10.2	9	0.5	56	3.4

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		25658	709	3.6	428	2.2
	Age at baseline	<18	5685	186	4.3	83	1.9
		18-19	2155	48	2.9	27	1.6
		20-24	6010	141	3.4	87	2.1
		25-29	5553	152	3.7	110	2.7
		30-34	3865	99	3.2	70	2.3
		35+	2390	83	4.1	51	2.5
	Years since diagnosis	5-9	2588	85	6.6	32	2.5
		10-14	8347	280	4.2	144	2.2
		15-19	8210	185	2.9	134	2.1
		20+	6513	159	3.1	118	2.3
	Age at diagnosis	<1	1926	51	3.1	31	1.9
		1-4	8262	227	3.6	126	2.0
		5-9	5782	128	3.0	83	2.0
		10-14	5444	149	3.7	91	2.3
		15-20	4244	154	4.7	97	3.0
	Treatment	Surgery only	2162	50	2.9	37	2.1
		Chemotherapy, no radiation	8136	216	3.3	144	2.2
		Radiation, no chemotherapy	2086	65	4.1	49	3.1
		Chemotherapy and radiation	10771	308	3.9	163	2.1
		Unknown	2503	70	3.9	35	1.9
Males	All cases		13721	375	3.7	229	2.3
	Age at baseline	<18	3062	120	5.2	47	2.0
		18-19	1125	31	3.7	10	1.2
		20-24	3164	60	2.8	35	1.7
		25-29	3085	70	3.2	63	2.9
		30-34	2056	52	3.3	40	2.5
		35+	1229	42	4.2	34	3.4
	Years since diagnosis	5-9	1453	47	6.8	16	2.3
		10-14	4469	162	4.7	80	2.3
		15-19	4317	94	2.9	63	1.9
		20+	3482	72	2.7	70	2.6
	Age at diagnosis	<1	983	24	3.0	12	1.5
		1-4	4326	132	4.1	60	1.8
		5-9	3261	72	3.1	50	2.2
		10-14	2880	65	3.2	45	2.2
		15-20	2271	82	4.9	62	3.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
	Treatment	Surgery only	1065	181	17.5	37	831	84.6	342	41.2	223	26.8	53	6.4	104	12.5	8	1.0	38	4.6
		Chemotherapy, no radiation	4287	803	19.5	74	3315	83.4	1389	41.9	813	24.5	173	5.2	387	11.7	28	0.8	138	4.2
		Radiation, no chemotherapy	1086	272	26.2	50	793	85.5	370	46.7	172	21.7	71	9.0	93	11.7	9	1.1	28	3.5
		Chemotherapy and radiation	5805	1369	24.9	186	4121	84.0	1827	44.3	947	23.0	247	6.0	466	11.3	25	0.6	151	3.7
		Unknown	1478	330	23.3	41	1014	80.3	430	42.4	212	20.9	67	6.6	121	11.9	10	1.0	45	4.4
Females	All cases		11937	2832	24.7	313	9392	87.4	3160	33.6	3040	32.4	436	4.6	1365	14.5	126	1.3	345	3.7
	Age at baseline	<18	2623	566	22.8	95	2059	93.8	445	21.6	107	5.2	8	0.4	150	7.3	6	0.3	20	1.0
		18-19	1030	165	17.1	32	798	87.7	41	5.1	501	62.8	18	2.3	115	14.4	8	1.0	54	6.8
		20-24	2846	577	21.2	91	2074	81.7	480	23.1	1089	52.5	124	6.0	394	19.0	34	1.6	129	6.2
		25-29	2468	659	27.5	52	1915	84.0	923	48.2	509	26.6	130	6.8	367	19.2	37	1.9	72	3.8
		30-34	1809	525	29.7	30	1532	89.7	765	49.9	472	30.8	99	6.5	214	14.0	32	2.1	47	3.1
		35+	1161	340	29.8	13	1014	91.1	506	49.9	362	35.7	57	5.6	125	12.3	9	0.9	23	2.3
	Years since diagnosis	5-9	1135	238	24.5	39	602	90.0	86	14.3	96	15.9	16	2.7	36	6.0	3	0.5	14	2.3
		10-14	3878	918	24.5	124	3156	89.4	941	29.8	805	25.5	123	3.9	400	12.7	37	1.2	92	2.9
		15-19	3893	919	24.4	86	3162	86.4	1066	33.7	1319	41.7	135	4.3	470	14.9	48	1.5	141	4.5
		20+	3031	757	25.5	64	2472	85.7	1067	43.2	820	33.2	162	6.6	459	18.6	38	1.5	98	4.0
	Age at diagnosis	<1	943	188	20.5	23	812	91.9	202	24.9	226	27.8	15	1.8	106	13.1	6	0.7	28	3.4
		1-4	3936	855	22.7	132	3077	86.9	671	21.8	919	29.9	91	3.0	448	14.6	30	1.0	121	3.9
		5-9	2521	508	21.0	77	1926	85.2	569	29.5	697	36.2	98	5.1	296	15.4	31	1.6	80	4.2
		10-14	2564	666	27.2	59	1966	86.0	903	45.9	645	32.8	120	6.1	336	17.1	31	1.6	75	3.8
		15-20	1973	615	32.3	22	1611	90.9	815	50.6	553	34.3	112	7.0	179	11.1	28	1.7	41	2.5
	Treatment	Surgery only	1097	187	17.6	31	896	87.8	316	35.3	300	33.5	34	3.8	123	13.7	18	2.0	26	2.9
		Chemotherapy, no radiation	3849	847	22.9	58	3154	87.8	1015	32.2	1015	32.2	134	4.2	436	13.8	43	1.4	114	3.6
		Radiation, no chemotherapy	1000	282	29.2	42	800	91.1	280	35.0	256	32.0	40	5.0	137	17.1	9	1.1	22	2.8
		Chemotherapy and radiation	4966	1281	27.0	155	3760	86.5	1296	34.5	1239	33.0	194	5.2	537	14.3	48	1.3	161	4.3
		Unknown	1025	235	23.8	27	782	86.7	253	32.4	230	29.4	34	4.3	132	16.9	8	1.0	22	2.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
	Treatment	Surgery only	1065	22	2.6	19	2.3
		Chemotherapy, no radiation	4287	108	3.3	71	2.1
		Radiation, no chemotherapy	1086	37	4.7	31	3.9
		Chemotherapy and radiation	5805	163	4.0	88	2.1
		Unknown	1478	45	4.4	20	2.0
Females	All cases		11937	334	3.6	199	2.1
	Age at baseline	<18	2623	66	3.2	36	1.7
		18-19	1030	17	2.1	17	2.1
		20-24	2846	81	3.9	52	2.5
		25-29	2468	82	4.3	47	2.5
		30-34	1809	47	3.1	30	2.0
		35+	1161	41	4.0	17	1.7
	Years since diagnosis	5-9	1135	38	6.3	16	2.7
		10-14	3878	118	3.7	64	2.0
		15-19	3893	91	2.9	71	2.2
		20+	3031	87	3.5	48	1.9
	Age at diagnosis	<1	943	27	3.3	19	2.3
		1-4	3936	95	3.1	66	2.1
		5-9	2521	56	2.9	33	1.7
		10-14	2564	84	4.3	46	2.3
		15-20	1973	72	4.5	35	2.2
	Treatment	Surgery only	1097	28	3.1	18	2.0
		Chemotherapy, no radiation	3849	108	3.4	73	2.3
		Radiation, no chemotherapy	1000	28	3.5	18	2.3
		Chemotherapy and radiation	4966	145	3.9	75	2.0
		Unknown	1025	25	3.2	15	1.9

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
		All cases	N	%		Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	7872	1872	24.7		222	5903	84.2	2006	34.0	1584	26.8	284	4.8	655	11.1	61	1.0	227	3.8
	Age at baseline	<18	2233	555	25.9	83	1664	92.6	254	15.3	59	3.5	4	0.2	95	5.7	6	0.4	19	1.1
		18-19	844	176	21.7	33	645	85.9	48	7.4	378	58.6	19	2.9	85	13.2	4	0.6	37	5.7
		20-24	1964	396	21.0	64	1402	78.7	392	28.0	706	50.4	97	6.9	217	15.5	22	1.6	91	6.5
		25-29	1598	395	25.4	28	1205	80.0	707	58.7	213	17.7	99	8.2	161	13.4	21	1.7	55	4.6
		30-34	837	235	28.8	11	667	84.0	426	63.9	138	20.7	43	6.4	70	10.5	6	0.9	16	2.4
		35+	396	115	29.8	3	320	84.0	179	55.9	90	28.1	22	6.9	27	8.4	2	0.6	9	2.8
	Years since diagnosis	5-9	980	209	23.8	36	510	89.9	51	10.0	61	12.0	10	2.0	23	4.5	3	0.6	9	1.8
		10-14	2637	660	25.8	101	2105	88.0	520	24.7	434	20.6	61	2.9	192	9.1	19	0.9	61	2.9
		15-19	2439	555	23.4	58	1883	81.8	697	37.0	733	38.9	102	5.4	251	13.3	25	1.3	89	4.7
		20+	1816	448	25.1	27	1405	80.4	738	52.5	356	25.3	111	7.9	189	13.5	14	1.0	68	4.8
	Age at diagnosis	<1	241	49	21.1	.	209	91.3	59	28.2	59	28.2	4	1.9	41	19.6	1	0.5	16	7.7
		1-4	3709	875	24.4	119	2817	85.1	617	21.9	716	25.4	92	3.3	304	10.8	19	0.7	108	3.8
		5-9	1924	416	22.3	58	1424	83.3	502	35.3	441	31.0	88	6.2	155	10.9	22	1.5	52	3.7
		10-14	1311	341	27.1	36	943	81.2	521	55.2	259	27.5	58	6.2	100	10.6	11	1.2	40	4.2
		15-20	687	191	29.6	9	510	85.4	307	60.2	109	21.4	42	8.2	55	10.8	8	1.6	11	2.2
	Treatment	Surgery only	3	1	50.0	.	2	.	1	50.0	1	50.0
		Chemotherapy, no radiation	3367	702	21.7	31	2701	85.7	867	32.1	756	28.0	110	4.1	322	11.9	28	1.0	104	3.9
		Radiation, no chemotherapy	4	2	50.0	.	3	.	2	66.7	1	33.3	1	33.3
		Chemotherapy and radiation	3762	988	27.2	167	2678	83.3	943	35.2	701	26.2	138	5.2	273	10.2	29	1.1	107	4.0
		Unknown	736	179	25.0	24	519	81.3	193	37.2	125	24.1	35	6.7	60	11.6	4	0.8	16	3.1
Males	All cases	4200	954	23.5		123	3069	82.9	1162	37.9	746	24.3	155	5.1	278	9.1	28	0.9	118	3.8
	Age at baseline	<18	1219	308	26.3	42	891	92.3	133	14.9	39	4.4	2	0.2	53	5.9	5	0.6	11	1.2
		18-19	455	95	21.4	19	347	86.3	27	7.8	211	60.8	13	3.7	45	13.0	2	0.6	19	5.5
		20-24	996	178	18.6	32	697	77.8	231	33.1	342	49.1	48	6.9	78	11.2	14	2.0	41	5.9
		25-29	867	204	24.3	20	620	76.8	399	64.4	78	12.6	59	9.5	67	10.8	5	0.8	34	5.5
		30-34	440	107	25.0	9	334	80.3	247	74.0	48	14.4	20	6.0	25	7.5	2	0.6	8	2.4
		35+	223	62	28.6	1	180	83.7	125	69.4	28	15.6	13	7.2	10	5.6	.	.	5	2.8
	Years since diagnosis	5-9	557	114	22.7	19	273	89.2	31	11.4	34	12.5	3	1.1	11	4.0	2	0.7	3	1.1
		10-14	1414	354	25.7	54	1117	87.2	292	26.1	222	19.9	34	3.0	85	7.6	12	1.1	34	3.0
		15-19	1254	271	22.1	33	949	80.2	396	41.7	342	36.0	66	7.0	107	11.3	11	1.2	43	4.5
		20+	975	215	22.6	17	730	78.5	443	60.7	148	20.3	52	7.1	75	10.3	3	0.4	38	5.2
	Age at diagnosis	<1	112	18	16.7	.	95	89.6	20	21.1	30	31.6	2	2.1	23	24.2	.	.	10	10.5
		1-4	1985	447	23.1	63	1482	84.3	355	24.0	361	24.4	53	3.6	140	9.4	9	0.6	55	3.7
		5-9	1038	226	22.5	31	744	82.1	293	39.4	223	30.0	48	6.5	58	7.8	12	1.6	26	3.5
		10-14	647	146	23.5	21	442	77.5	284	64.3	90	20.4	27	6.1	31	7.0	4	0.9	18	4.1
		15-20	418	117	29.8	8	306	84.8	210	68.6	42	13.7	25	8.2	26	8.5	3	1.0	9	2.9

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		7872	191	3.2	113	1.9
	Age at baseline	<18	2233	68	4.1	31	1.9
		18-19	844	18	2.8	7	1.1
		20-24	1964	47	3.4	31	2.2
		25-29	1598	27	2.2	25	2.1
		30-34	837	19	2.8	14	2.1
		35+	396	12	3.8	5	1.6
	Years since diagnosis	5-9	980	33	6.5	11	2.2
		10-14	2637	76	3.6	37	1.8
		15-19	2439	40	2.1	36	1.9
		20+	1816	42	3.0	29	2.1
	Age at diagnosis	<1	241	5	2.4	5	2.4
		1-4	3709	100	3.5	47	1.7
		5-9	1924	37	2.6	31	2.2
		10-14	1311	30	3.2	24	2.5
		15-20	687	19	3.7	6	1.2
	Treatment	Surgery only	3
		Chemotherapy, no radiation	3367	80	3.0	51	1.9
		Radiation, no chemotherapy	4	.	.	1	33.3
		Chemotherapy and radiation	3762	99	3.7	55	2.1
		Unknown	736	12	2.3	6	1.2
Males	All cases		4200	111	3.6	57	1.9
	Age at baseline	<18	1219	44	4.9	12	1.3
		18-19	455	14	4.0	3	0.9
		20-24	996	24	3.4	13	1.9
		25-29	867	13	2.1	16	2.6
		30-34	440	9	2.7	9	2.7
		35+	223	7	3.9	4	2.2
	Years since diagnosis	5-9	557	19	7.0	4	1.5
		10-14	1414	47	4.2	19	1.7
		15-19	1254	24	2.5	15	1.6
		20+	975	21	2.9	19	2.6
	Age at diagnosis	<1	112	3	3.2	1	1.1
		1-4	1985	63	4.3	20	1.3
		5-9	1038	21	2.8	16	2.2
		10-14	647	12	2.7	15	3.4
		15-20	418	12	3.9	5	1.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
	Treatment	Surgery only	1	1	.	.	1	.	1	100.0
		Chemotherapy, no radiation	1689	316	19.4	19	1329	84.1	481	36.2	348	26.2	53	4.0	139	10.5	13	1.0	56	4.2
		Radiation, no chemotherapy	3	2	66.7	.	2	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	2066	533	26.7	91	1433	82.5	556	38.8	324	22.6	77	5.4	114	8.0	13	0.9	50	3.5
		Unknown	441	102	23.8	13	304	80.0	123	40.5	74	24.3	24	7.9	25	8.2	2	0.7	12	3.9
Females	All cases		3672	918	26.0	99	2834	85.6	844	29.8	838	29.6	129	4.6	377	13.3	33	1.2	109	3.8
	Age at baseline	<18	1014	247	25.5	41	773	92.9	121	15.7	20	2.6	2	0.3	42	5.4	1	0.1	8	1.0
		18-19	389	81	22.1	14	298	85.4	21	7.0	167	56.0	6	2.0	40	13.4	2	0.7	18	6.0
		20-24	968	218	23.5	32	705	79.7	161	22.8	364	51.6	49	7.0	139	19.7	8	1.1	50	7.1
		25-29	731	191	26.7	8	585	83.7	308	52.6	135	23.1	40	6.8	94	16.1	16	2.7	21	3.6
		30-34	397	128	33.1	2	333	88.1	179	53.8	90	27.0	23	6.9	45	13.5	4	1.2	8	2.4
		35+	173	53	31.4	2	140	84.3	54	38.6	62	44.3	9	6.4	17	12.1	2	1.4	4	2.9
	Years since diagnosis	5-9	423	95	25.2	17	237	90.8	20	8.4	27	11.4	7	3.0	12	5.1	1	0.4	6	2.5
		10-14	1223	306	25.8	47	988	88.8	228	23.1	212	21.5	27	2.7	107	10.8	7	0.7	27	2.7
		15-19	1185	284	24.9	25	934	83.5	301	32.2	391	41.9	36	3.9	144	15.4	14	1.5	46	4.9
		20+	841	233	28.0	10	675	82.6	295	43.7	208	30.8	59	8.7	114	16.9	11	1.6	30	4.4
	Age at diagnosis	<1	129	31	25.0	.	114	92.7	39	34.2	29	25.4	2	1.8	18	15.8	1	0.9	6	5.3
		1-4	1724	428	25.8	56	1335	85.9	262	19.6	355	26.6	39	2.9	164	12.3	10	0.7	53	4.0
		5-9	886	190	22.0	27	680	84.6	209	30.7	218	32.1	40	5.9	97	14.3	10	1.5	26	3.8
		10-14	664	195	30.7	15	501	84.6	237	47.3	169	33.7	31	6.2	69	13.8	7	1.4	22	4.4
		15-20	269	74	29.2	1	204	86.4	97	47.5	67	32.8	17	8.3	29	14.2	5	2.5	2	1.0
	Treatment	Surgery only	2	.	.	.	1	.	.	.	1	100.0
		Chemotherapy, no radiation	1678	386	23.9	12	1372	87.3	386	28.1	408	29.7	57	4.2	183	13.3	15	1.1	48	3.5
		Radiation, no chemotherapy	1	.	.	.	1	.	1	100.0	1	100.0
		Chemotherapy and radiation	1696	455	27.9	76	1245	84.2	387	31.1	377	30.3	61	4.9	159	12.8	16	1.3	57	4.6
		Unknown	295	77	26.9	11	215	83.3	70	32.6	51	23.7	11	5.1	35	16.3	2	0.9	4	1.9

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
	Treatment	Surgery only	1
		Chemotherapy, no radiation	1689	44	3.3	23	1.7
		Radiation, no chemotherapy	3	.	.	1	50.0
		Chemotherapy and radiation	2066	58	4.0	32	2.2
		Unknown	441	9	3.0	1	0.3
Females	All cases		3672	80	2.8	56	2.0
	Age at baseline	<18	1014	24	3.1	19	2.5
		18-19	389	4	1.3	4	1.3
		20-24	968	23	3.3	18	2.6
		25-29	731	14	2.4	9	1.5
		30-34	397	10	3.0	5	1.5
		35+	173	5	3.6	1	0.7
	Years since diagnosis	5-9	423	14	5.9	7	3.0
		10-14	1223	29	2.9	18	1.8
		15-19	1185	16	1.7	21	2.2
		20+	841	21	3.1	10	1.5
	Age at diagnosis	<1	129	2	1.8	4	3.5
		1-4	1724	37	2.8	27	2.0
		5-9	886	16	2.4	15	2.2
		10-14	664	18	3.6	9	1.8
		15-20	269	7	3.4	1	0.5
	Treatment	Surgery only	2
		Chemotherapy, no radiation	1678	36	2.6	28	2.0
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	1696	41	3.3	23	1.8
		Unknown	295	3	1.4	5	2.3

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		6615	1597	25.0	211	4938	83.9	1613	32.7	1310	26.5	241	4.9	497	10.1	51	1.0	187	3.8
	Age at baseline	<18	1940	499	26.8	78	1437	92.5	183	12.7	36	2.5	2	0.1	63	4.4	2	0.1	11	0.8
		18-19	730	157	22.3	33	557	85.6	40	7.2	326	58.5	16	2.9	64	11.5	4	0.7	33	5.9
		20-24	1687	347	21.4	62	1206	78.5	345	28.6	604	50.1	87	7.2	168	13.9	22	1.8	78	6.5
		25-29	1329	333	25.7	26	991	78.9	582	58.7	179	18.1	81	8.2	130	13.1	18	1.8	46	4.6
		30-34	649	187	29.5	9	517	83.8	331	64.0	103	19.9	36	7.0	56	10.8	4	0.8	12	2.3
		35+	280	74	27.0	3	230	85.2	132	57.4	62	27.0	19	8.3	16	7.0	1	0.4	7	3.0
	Years since diagnosis	5-9	844	188	24.5	34	457	90.5	42	9.2	50	10.9	7	1.5	20	4.4	3	0.7	7	1.5
		10-14	2223	564	26.1	95	1770	88.1	387	21.9	368	20.8	48	2.7	133	7.5	13	0.7	50	2.8
		15-19	2022	465	23.7	56	1538	80.7	549	35.7	614	39.9	86	5.6	194	12.6	23	1.5	72	4.7
		20+	1526	380	25.4	26	1173	80.1	635	54.1	278	23.7	100	8.5	150	12.8	12	1.0	58	4.9
	Age at diagnosis	<1	133	28	22.4	.	107	88.4	29	27.1	28	26.2	1	0.9	19	17.8	1	0.9	8	7.5
		1-4	3298	798	24.9	115	2488	84.8	532	21.4	619	24.9	83	3.3	241	9.7	15	0.6	95	3.8
		5-9	1691	373	22.8	56	1256	83.5	436	34.7	381	30.3	80	6.4	126	10.0	19	1.5	44	3.5
		10-14	1026	272	27.7	33	743	81.5	405	54.5	209	28.1	49	6.6	79	10.6	10	1.3	32	4.3
		15-20	467	126	28.3	7	344	83.9	211	61.3	73	21.2	28	8.1	32	9.3	6	1.7	8	2.3
	Treatment	Chemotherapy, no radiation	2684	562	21.8	25	2166	85.5	656	30.3	594	27.4	94	4.3	221	10.2	21	1.0	81	3.7
		Radiation, no chemotherapy	4	2	50.0	.	3	.	2	66.7	1	33.3	1	33.3
		Chemotherapy and radiation	3298	877	27.5	164	2329	83.1	797	34.2	609	26.1	117	5.0	225	9.7	26	1.1	92	4.0
		Unknown	629	156	25.5	22	440	81.0	158	35.9	106	24.1	29	6.6	51	11.6	4	0.9	14	3.2
Males	All cases		3562	821	23.8	115	2602	83.0	964	37.0	628	24.1	132	5.1	197	7.6	22	0.8	97	3.7
	Age at baseline	<18	1060	276	27.0	39	771	92.4	96	12.5	24	3.1	1	0.1	33	4.3	2	0.3	6	0.8
		18-19	398	82	21.1	19	301	85.8	25	8.3	184	61.1	11	3.7	29	9.6	2	0.7	16	5.3
		20-24	857	159	19.3	30	604	77.7	210	34.8	294	48.7	44	7.3	55	9.1	14	2.3	35	5.8
		25-29	733	178	25.0	19	520	76.0	340	65.4	63	12.1	47	9.0	55	10.6	4	0.8	31	6.0
		30-34	347	83	24.6	7	269	82.0	198	73.6	40	14.9	17	6.3	20	7.4	.	.	6	2.2
		35+	167	43	26.4	1	137	84.6	95	69.3	23	16.8	12	8.8	5	3.6	.	.	3	2.2
	Years since diagnosis	5-9	481	103	23.3	18	247	89.8	26	10.5	27	10.9	1	0.4	11	4.5	2	0.8	2	0.8
		10-14	1201	304	26.0	49	949	87.5	223	23.5	192	20.2	26	2.7	56	5.9	7	0.7	29	3.1
		15-19	1054	230	22.4	32	787	79.3	325	41.3	291	37.0	57	7.2	75	9.5	11	1.4	35	4.4
		20+	826	184	22.9	16	619	78.9	390	63.0	118	19.1	48	7.8	55	8.9	2	0.3	31	5.0
	Age at diagnosis	<1	64	10	16.7	.	49	84.5	11	22.4	14	28.6	1	2.0	13	26.5	.	.	4	8.2
		1-4	1758	403	23.5	60	1304	84.2	309	23.7	307	23.5	49	3.8	97	7.4	6	0.5	49	3.8
		5-9	922	207	23.3	31	667	82.7	261	39.1	198	29.7	43	6.4	46	6.9	11	1.6	21	3.1
		10-14	525	121	24.0	18	366	78.5	233	63.7	77	21.0	23	6.3	25	6.8	3	0.8	16	4.4
		15-20	293	80	28.7	6	216	84.0	150	69.4	32	14.8	16	7.4	16	7.4	2	0.9	7	3.2
	Treatment	Chemotherapy, no radiation	1344	250	19.3	14	1071	84.0	375	35.0	276	25.8	46	4.3	85	7.9	8	0.7	45	4.2

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		6615	156	3.2	90	1.8
	Age at baseline	<18	1940	58	4.0	26	1.8
		18-19	730	16	2.9	4	0.7
		20-24	1687	35	2.9	26	2.2
		25-29	1329	22	2.2	17	1.7
		30-34	649	17	3.3	13	2.5
		35+	280	8	3.5	4	1.7
	Years since diagnosis	5-9	844	29	6.3	9	2.0
		10-14	2223	61	3.4	30	1.7
		15-19	2022	34	2.2	25	1.6
		20+	1526	32	2.7	26	2.2
	Age at diagnosis	<1	133	1	0.9	2	1.9
		1-4	3298	86	3.5	40	1.6
		5-9	1691	33	2.6	26	2.1
		10-14	1026	20	2.7	18	2.4
		15-20	467	16	4.7	4	1.2
	Treatment	Chemotherapy, no radiation	2684	58	2.7	36	1.7
		Radiation, no chemotherapy	4	.	.	1	33.3
		Chemotherapy and radiation	3298	87	3.7	48	2.1
		Unknown	629	11	2.5	5	1.1
Males	All cases		3562	95	3.7	46	1.8
	Age at baseline	<18	1060	36	4.7	10	1.3
		18-19	398	12	4.0	1	0.3
		20-24	857	20	3.3	11	1.8
		25-29	733	12	2.3	12	2.3
		30-34	347	9	3.3	9	3.3
		35+	167	6	4.4	3	2.2
	Years since diagnosis	5-9	481	17	6.9	4	1.6
		10-14	1201	38	4.0	15	1.6
		15-19	1054	21	2.7	10	1.3
		20+	826	19	3.1	17	2.7
	Age at diagnosis	<1	64	1	2.0	1	2.0
		1-4	1758	54	4.1	15	1.2
		5-9	922	19	2.8	14	2.1
		10-14	525	9	2.5	12	3.3
		15-20	293	12	5.6	4	1.9
	Treatment	Chemotherapy, no radiation	1344	35	3.3	16	1.5

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	3	2	66.7	.	2	.	1	50.0	.	.	1	50.0
		Chemotherapy and radiation	1834	481	27.1	89	1266	82.6	483	38.2	287	22.7	65	5.1	91	7.2	12	0.9	41	3.2
		Unknown	381	88	23.7	12	263	80.7	105	39.9	65	24.7	20	7.6	21	8.0	2	0.8	11	4.2
Females	All cases		3053	776	26.3	96	2336	85.0	649	27.8	682	29.2	109	4.7	300	12.8	29	1.2	90	3.9
	Age at baseline	<18	880	223	26.5	39	666	92.6	87	13.1	12	1.8	1	0.2	30	4.5	.	.	5	0.8
		18-19	332	75	23.8	14	256	85.3	15	5.9	142	55.5	5	2.0	35	13.7	2	0.8	17	6.6
		20-24	830	188	23.5	32	602	79.3	135	22.4	310	51.5	43	7.1	113	18.8	8	1.3	43	7.1
		25-29	596	155	26.5	7	471	82.3	242	51.4	116	24.6	34	7.2	75	15.9	14	3.0	15	3.2
		30-34	302	104	35.1	2	248	85.8	133	53.6	63	25.4	19	7.7	36	14.5	4	1.6	6	2.4
		35+	113	31	27.9	2	93	86.1	37	39.8	39	41.9	7	7.5	11	11.8	1	1.1	4	4.3
	Years since diagnosis	5-9	363	85	26.2	16	210	91.3	16	7.6	23	11.0	6	2.9	9	4.3	1	0.5	5	2.4
		10-14	1022	260	26.2	46	821	88.8	164	20.0	176	21.4	22	2.7	77	9.4	6	0.7	21	2.6
		15-19	968	235	25.1	24	751	82.3	224	29.8	323	43.0	29	3.9	119	15.8	12	1.6	37	4.9
		20+	700	196	28.3	10	554	81.6	245	44.2	160	28.9	52	9.4	95	17.1	10	1.8	27	4.9
	Age at diagnosis	<1	69	18	27.7	.	58	92.1	18	31.0	14	24.1	.	.	6	10.3	1	1.7	4	6.9
		1-4	1540	395	26.6	55	1184	85.4	223	18.8	312	26.4	34	2.9	144	12.2	9	0.8	46	3.9
		5-9	769	166	22.2	25	589	84.4	175	29.7	183	31.1	37	6.3	80	13.6	8	1.4	23	3.9
		10-14	501	151	31.6	15	377	84.5	172	45.6	132	35.0	26	6.9	54	14.3	7	1.9	16	4.2
		15-20	174	46	27.7	1	128	83.7	61	47.7	41	32.0	12	9.4	16	12.5	4	3.1	1	0.8
	Treatment	Chemotherapy, no radiation	1340	312	24.2	11	1095	87.0	281	25.7	318	29.0	48	4.4	136	12.4	13	1.2	36	3.3
		Radiation, no chemotherapy	1	.	.	.	1	.	1	100.0	1	100.0
		Chemotherapy and radiation	1464	396	27.9	75	1063	83.7	314	29.5	322	30.3	52	4.9	134	12.6	14	1.3	51	4.8
		Unknown	248	68	28.3	10	177	81.6	53	29.9	41	23.2	9	5.1	30	16.9	2	1.1	3	1.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Radiation, no chemotherapy	3	.	.	1	50.0
		Chemotherapy and radiation	1834	52	4.1	28	2.2
		Unknown	381	8	3.0	1	0.4
Females	All cases		3053	61	2.6	44	1.9
	Age at baseline	<18	880	22	3.3	16	2.4
		18-19	332	4	1.6	3	1.2
		20-24	830	15	2.5	15	2.5
		25-29	596	10	2.1	5	1.1
		30-34	302	8	3.2	4	1.6
		35+	113	2	2.2	1	1.1
	Years since diagnosis	5-9	363	12	5.7	5	2.4
		10-14	1022	23	2.8	15	1.8
		15-19	968	13	1.7	15	2.0
		20+	700	13	2.3	9	1.6
	Age at diagnosis	<1	69	.	.	1	1.7
		1-4	1540	32	2.7	25	2.1
		5-9	769	14	2.4	12	2.0
		10-14	501	11	2.9	6	1.6
		15-20	174	4	3.1	.	.
	Treatment	Chemotherapy, no radiation	1340	23	2.1	20	1.8
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	1464	35	3.3	20	1.9
		Unknown	248	3	1.7	4	2.3

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		927	196	21.9	7	737	86.3	293	39.8	204	27.7	33	4.5	129	17.5	8	1.1	30	4.1
	Age at baseline	<18	230	42	19.3	2	191	94.1	62	32.5	17	8.9	2	1.0	29	15.2	2	1.0	6	3.1
		18-19	89	15	17.4	.	75	90.4	8	10.7	44	58.7	3	4.0	18	24.0	.	.	3	4.0
		20-24	199	38	19.9	2	142	78.5	32	22.5	73	51.4	7	4.9	41	28.9	.	.	9	6.3
		25-29	200	49	25.0	1	162	85.3	97	59.9	24	14.8	13	8.0	22	13.6	3	1.9	7	4.3
		30-34	133	30	23.1	2	107	84.9	64	59.8	28	26.2	5	4.7	11	10.3	2	1.9	3	2.8
		35+	76	22	30.6	.	60	84.5	30	50.0	18	30.0	3	5.0	8	13.3	1	1.7	2	3.3
	Years since diagnosis	5-9	85	16	21.6	2	44	89.8	7	15.9	9	20.5	3	6.8	2	4.5	.	.	1	2.3
		10-14	319	71	22.8	3	264	86.8	101	38.3	51	19.3	9	3.4	49	18.6	4	1.5	9	3.4
		15-19	323	69	22.2	1	267	87.0	114	42.7	91	34.1	14	5.2	49	18.4	2	0.7	12	4.5
		20+	200	40	20.3	1	162	83.5	71	43.8	53	32.7	7	4.3	29	17.9	2	1.2	8	4.9
	Age at diagnosis	<1	93	16	17.4	.	89	95.7	28	31.5	29	32.6	3	3.4	18	20.2	.	.	5	5.6
		1-4	314	55	18.4	1	259	88.4	70	27.0	69	26.6	6	2.3	54	20.8	2	0.8	11	4.2
		5-9	171	35	21.0	2	126	81.3	48	38.1	44	34.9	5	4.0	24	19.0	3	2.4	5	4.0
		10-14	198	47	24.4	2	144	80.4	81	56.3	34	23.6	7	4.9	16	11.1	1	0.7	7	4.9
		15-20	151	43	30.3	2	119	88.8	66	55.5	28	23.5	12	10.1	17	14.3	2	1.7	2	1.7
	Treatment	Surgery only	3	1	50.0	.	2	.	1	50.0	1	50.0
		Chemotherapy, no radiation	557	113	21.0	4	445	85.9	172	38.7	129	29.0	13	2.9	85	19.1	6	1.3	18	4.0
		Chemotherapy and radiation	295	68	24.0	1	234	87.0	93	39.7	62	26.5	16	6.8	37	15.8	2	0.9	10	4.3
		Unknown	72	14	20.3	2	56	86.2	27	48.2	12	21.4	4	7.1	7	12.5	.	.	2	3.6
Males	All cases		454	99	22.5	5	342	83.2	141	41.2	87	25.4	18	5.3	64	18.7	5	1.5	12	3.5
	Age at baseline	<18	125	25	21.2	1	99	91.7	33	33.3	12	12.1	1	1.0	17	17.2	2	2.0	3	3.0
		18-19	45	10	22.7	.	38	95.0	2	5.3	23	60.5	2	5.3	13	34.2	.	.	2	5.3
		20-24	95	14	15.1	2	65	77.4	13	20.0	33	50.8	3	4.6	21	32.3	.	.	2	3.1
		25-29	90	23	25.8	.	70	80.5	43	61.4	10	14.3	8	11.4	7	10.0	1	1.4	2	2.9
		30-34	64	16	25.4	2	42	70.0	31	73.8	5	11.9	3	7.1	4	9.5	2	4.8	1	2.4
		35+	35	11	33.3	.	28	87.5	19	67.9	4	14.3	1	3.6	2	7.1	.	.	2	7.1
	Years since diagnosis	5-9	50	9	20.9	1	21	87.5	4	19.0	6	28.6	2	9.5
		10-14	159	39	25.2	3	127	84.1	49	38.6	22	17.3	6	4.7	24	18.9	4	3.1	4	3.1
		15-19	149	33	22.4	.	121	84.6	53	43.8	41	33.9	7	5.8	26	21.5	.	.	3	2.5
		20+	96	18	18.9	1	73	78.5	35	47.9	18	24.7	3	4.1	14	19.2	1	1.4	5	6.8
	Age at diagnosis	<1	40	6	15.0	.	38	95.0	8	21.1	15	39.5	1	2.6	7	18.4	.	.	3	7.9
		1-4	171	32	19.3	1	139	86.9	39	28.1	38	27.3	3	2.2	37	26.6	2	1.4	4	2.9
		5-9	79	15	19.5	.	53	76.8	22	41.5	17	32.1	4	7.5	9	17.0	1	1.9	2	3.8
		10-14	81	20	25.3	2	51	70.8	34	66.7	9	17.6	2	3.9	4	7.8	1	2.0	2	3.9
		15-20	83	26	33.3	2	61	87.1	38	62.3	8	13.1	8	13.1	7	11.5	1	1.6	1	1.6
	Treatment	Surgery only	1	1	.	.	1	.	1	100.0
		Chemotherapy, no radiation	269	53	20.5	3	201	82.4	81	40.3	53	26.4	6	3.0	44	21.9	4	2.0	6	3.0
		Chemotherapy and radiation	145	36	25.2	1	112	85.5	45	40.2	29	25.9	9	8.0	17	15.2	1	0.9	5	4.5

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		927	22	3.0	19	2.6
	Age at baseline	<18	230	7	3.7	4	2.1
		18-19	89	.	.	2	2.7
		20-24	199	9	6.3	4	2.8
		25-29	200	3	1.9	7	4.3
		30-34	133	1	0.9	1	0.9
		35+	76	2	3.3	1	1.7
	Years since diagnosis	5-9	85	2	4.5	1	2.3
		10-14	319	10	3.8	6	2.3
		15-19	323	4	1.5	9	3.4
		20+	200	6	3.7	3	1.9
	Age at diagnosis	<1	93	4	4.5	3	3.4
		1-4	314	8	3.1	5	1.9
		5-9	171	2	1.6	4	3.2
		10-14	198	7	4.9	6	4.2
		15-20	151	1	0.8	1	0.8
	Treatment	Surgery only	3
		Chemotherapy, no radiation	557	16	3.6	13	2.9
		Chemotherapy and radiation	295	6	2.6	5	2.1
		Unknown	72	.	.	1	1.8
Males	All cases		454	11	3.2	9	2.6
	Age at baseline	<18	125	6	6.1	2	2.0
		18-19	45	.	.	1	2.6
		20-24	95	3	4.6	1	1.5
		25-29	90	1	1.4	4	5.7
		30-34	64
		35+	35	1	3.6	1	3.6
	Years since diagnosis	5-9	50	1	4.8	.	.
		10-14	159	7	5.5	4	3.1
		15-19	149	1	0.8	3	2.5
		20+	96	2	2.7	2	2.7
	Age at diagnosis	<1	40	2	5.3	.	.
		1-4	171	6	4.3	4	2.9
		5-9	79	.	.	1	1.9
		10-14	81	3	5.9	3	5.9
		15-20	83	.	.	1	1.6
	Treatment	Surgery only	1
		Chemotherapy, no radiation	269	7	3.5	6	3.0
		Chemotherapy and radiation	145	4	3.6	3	2.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Unknown	39	9	24.3	1	28	80.0	14	50.0	5	17.9	3	10.7	3	10.7	.	.	1	3.6
Females	All cases		473	97	21.4	2	395	89.2	152	38.5	117	29.6	15	3.8	65	16.5	3	0.8	18	4.6
	Age at baseline	<18	105	17	17.0	1	92	96.8	29	31.5	5	5.4	1	1.1	12	13.0	.	.	3	3.3
		18-19	44	5	11.9	.	37	86.0	6	16.2	21	56.8	1	2.7	5	13.5	.	.	1	2.7
		20-24	104	24	24.5	.	77	79.4	19	24.7	40	51.9	4	5.2	20	26.0	.	.	7	9.1
		25-29	110	26	24.3	1	92	89.3	54	58.7	14	15.2	5	5.4	15	16.3	2	2.2	5	5.4
		30-34	69	14	20.9	.	65	98.5	33	50.8	23	35.4	2	3.1	7	10.8	.	.	2	3.1
		35+	41	11	28.2	.	32	82.1	11	34.4	14	43.8	2	6.3	6	18.8	1	3.1	.	.
	Years since diagnosis	5-9	35	7	22.6	1	23	92.0	3	13.0	3	13.0	1	4.3	2	8.7	.	.	1	4.3
		10-14	160	32	20.5	.	137	89.5	52	38.0	29	21.2	3	2.2	25	18.2	.	.	5	3.6
		15-19	174	36	22.0	1	146	89.0	61	41.8	50	34.2	7	4.8	23	15.8	2	1.4	9	6.2
		20+	104	22	21.6	.	89	88.1	36	40.4	35	39.3	4	4.5	15	16.9	1	1.1	3	3.4
	Age at diagnosis	<1	53	10	19.2	.	51	96.2	20	39.2	14	27.5	2	3.9	11	21.6	.	.	2	3.9
		1-4	143	23	17.3	.	120	90.2	31	25.8	31	25.8	3	2.5	17	14.2	.	.	7	5.8
		5-9	92	20	22.2	2	73	84.9	26	35.6	27	37.0	1	1.4	15	20.5	2	2.7	3	4.1
		10-14	117	27	23.7	.	93	86.9	47	50.5	25	26.9	5	5.4	12	12.9	.	.	5	5.4
		15-20	68	17	26.6	.	58	90.6	28	48.3	20	34.5	4	6.9	10	17.2	1	1.7	1	1.7
	Treatment	Surgery only	2	.	.	.	1	.	.	.	1	100.0
		Chemotherapy, no radiation	288	60	21.4	1	244	89.1	91	37.3	76	31.1	7	2.9	41	16.8	2	0.8	12	4.9
		Chemotherapy and radiation	150	32	22.9	.	122	88.4	48	39.3	33	27.0	7	5.7	20	16.4	1	0.8	5	4.1
		Unknown	33	5	15.6	1	28	93.3	13	46.4	7	25.0	1	3.6	4	14.3	.	.	1	3.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Unknown	39
Females	All cases		473	11	2.8	10	2.5
	Age at baseline	<18	105	1	1.1	2	2.2
		18-19	44	.	.	1	2.7
		20-24	104	6	7.8	3	3.9
		25-29	110	2	2.2	3	3.3
		30-34	69	1	1.5	1	1.5
		35+	41	1	3.1	.	.
	Years since diagnosis	5-9	35	1	4.3	1	4.3
		10-14	160	3	2.2	2	1.5
		15-19	174	3	2.1	6	4.1
		20+	104	4	4.5	1	1.1
	Age at diagnosis	<1	53	2	3.9	3	5.9
		1-4	143	2	1.7	1	0.8
		5-9	92	2	2.7	3	4.1
		10-14	117	4	4.3	3	3.2
		15-20	68	1	1.7	.	.
	Treatment	Surgery only	2
		Chemotherapy, no radiation	288	9	3.7	7	2.9
		Chemotherapy and radiation	150	2	1.6	2	1.6
		Unknown	33	.	.	1	3.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		4490	901	21.5	144	3353	87.2	1009	30.1	1006	30.0	191	5.7	854	25.5	41	1.2	153	4.6
	Age at baseline	<18	953	194	22.6	31	689	95.0	206	29.9	44	6.4	7	1.0	105	15.2	3	0.4	11	1.6
		18-19	377	48	13.9	11	283	90.1	14	4.9	175	61.8	10	3.5	69	24.4	5	1.8	20	7.1
		20-24	1179	222	20.2	36	852	83.7	140	16.4	469	55.0	32	3.8	242	28.4	8	0.9	52	6.1
		25-29	1084	225	21.8	37	815	84.5	342	42.0	169	20.7	76	9.3	245	30.1	12	1.5	38	4.7
		30-34	623	143	24.0	22	487	85.7	208	42.7	109	22.4	44	9.0	130	26.7	11	2.3	24	4.9
		35+	274	69	26.3	7	227	88.7	99	43.6	40	17.6	22	9.7	63	27.8	2	0.9	8	3.5
	Years since diagnosis	5-9	463	72	20.2	19	199	91.7	35	17.6	34	17.1	5	2.5	23	11.6	1	0.5	3	1.5
		10-14	1540	315	21.8	44	1209	89.4	343	28.4	345	28.5	62	5.1	263	21.8	11	0.9	51	4.2
		15-19	1415	275	20.4	43	1093	85.0	346	31.7	401	36.7	57	5.2	281	25.7	17	1.6	58	5.3
		20+	1072	239	23.1	38	852	86.0	285	33.5	226	26.5	67	7.9	287	33.7	12	1.4	41	4.8
	Age at diagnosis	<1	218	31	14.9	6	178	93.2	35	19.7	42	23.6	4	2.2	59	33.1	3	1.7	11	6.2
		1-4	1322	276	22.2	46	1024	90.0	237	23.1	323	31.5	20	2.0	249	24.3	6	0.6	39	3.8
		5-9	1405	260	19.9	45	1024	84.9	264	25.8	357	34.9	66	6.4	259	25.3	16	1.6	56	5.5
		10-14	1067	226	22.7	38	767	83.7	313	40.8	207	27.0	62	8.1	202	26.3	8	1.0	36	4.7
		15-20	478	108	24.9	9	360	91.1	160	44.4	77	21.4	39	10.8	85	23.6	8	2.2	11	3.1
	Treatment	Surgery only	1272	234	19.1	49	973	84.1	373	38.3	295	30.3	63	6.5	164	16.9	14	1.4	41	4.2
		Chemotherapy, no radiation	355	59	17.6	.	299	90.6	108	36.1	102	34.1	9	3.0	90	30.1	6	2.0	20	6.7
		Radiation, no chemotherapy	1171	260	23.5	55	874	89.0	244	27.9	244	27.9	52	5.9	201	23.0	10	1.1	33	3.8
		Chemotherapy and radiation	1249	268	24.3	23	885	88.0	201	22.7	273	30.8	47	5.3	311	35.1	8	0.9	46	5.2
		Unknown	443	80	19.2	17	322	86.8	83	25.8	92	28.6	20	6.2	88	27.3	3	0.9	13	4.0
Males	All cases		2452	469	20.5	86	1794	86.5	598	33.3	486	27.1	112	6.2	447	24.9	16	0.9	90	5.0
	Age at baseline	<18	529	105	22.2	23	373	94.4	110	29.5	21	5.6	5	1.3	63	16.9	1	0.3	8	2.1
		18-19	191	26	14.7	7	144	91.7	8	5.6	84	58.3	4	2.8	40	27.8	3	2.1	7	4.9
		20-24	633	106	18.1	17	444	82.8	83	18.7	246	55.4	13	2.9	122	27.5	2	0.5	30	6.8
		25-29	618	118	20.0	20	462	84.2	219	47.4	72	15.6	52	11.3	126	27.3	5	1.1	27	5.8
		30-34	332	75	23.9	14	253	84.6	124	49.0	47	18.6	25	9.9	65	25.7	3	1.2	15	5.9
		35+	149	39	27.3	5	118	85.5	54	45.8	16	13.6	13	11.0	31	26.3	2	1.7	3	2.5
	Years since diagnosis	5-9	263	39	19.5	10	107	92.2	17	15.9	19	17.8	4	3.7	14	13.1	1	0.9	2	1.9
		10-14	832	171	21.9	29	637	88.8	191	30.0	165	25.9	30	4.7	147	23.1	3	0.5	27	4.2
		15-19	772	123	16.8	27	589	85.0	205	34.8	208	35.3	34	5.8	142	24.1	7	1.2	39	6.6
		20+	585	136	23.9	20	461	84.1	185	40.1	94	20.4	44	9.5	144	31.2	5	1.1	22	4.8
	Age at diagnosis	<1	128	18	14.6	5	108	95.6	19	17.6	20	18.5	2	1.9	39	36.1	1	0.9	7	6.5
		1-4	698	139	21.1	25	530	88.5	137	25.8	158	29.8	12	2.3	120	22.6	3	0.6	19	3.6
		5-9	786	143	19.6	25	573	85.3	174	30.4	187	32.6	39	6.8	148	25.8	6	1.0	36	6.3
		10-14	570	114	21.4	25	394	82.9	185	47.0	84	21.3	39	9.9	93	23.6	4	1.0	22	5.6
		15-20	270	55	22.7	6	189	87.9	83	43.9	37	19.6	20	10.6	47	24.9	2	1.1	6	3.2
	Treatment	Surgery only	649	118	18.8	27	491	83.8	202	41.1	135	27.5	37	7.5	81	16.5	4	0.8	28	5.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		4490	119	3.5	86	2.6
	Age at baseline	<18	953	28	4.1	19	2.8
		18-19	377	14	4.9	13	4.6
		20-24	1179	29	3.4	18	2.1
		25-29	1084	26	3.2	24	2.9
		30-34	623	14	2.9	10	2.1
		35+	274	8	3.5	2	0.9
	Years since diagnosis	5-9	463	10	5.0	8	4.0
		10-14	1540	50	4.1	33	2.7
		15-19	1415	33	3.0	29	2.7
		20+	1072	26	3.1	16	1.9
	Age at diagnosis	<1	218	5	2.8	6	3.4
		1-4	1322	38	3.7	30	2.9
		5-9	1405	38	3.7	24	2.3
		10-14	1067	20	2.6	17	2.2
		15-20	478	18	5.0	9	2.5
	Treatment	Surgery only	1272	31	3.2	24	2.5
		Chemotherapy, no radiation	355	5	1.7	8	2.7
		Radiation, no chemotherapy	1171	37	4.2	24	2.7
		Chemotherapy and radiation	1249	35	4.0	22	2.5
		Unknown	443	11	3.4	8	2.5
Males	All cases		2452	65	3.6	47	2.6
	Age at baseline	<18	529	21	5.6	13	3.5
		18-19	191	9	6.3	5	3.5
		20-24	633	13	2.9	7	1.6
		25-29	618	11	2.4	15	3.2
		30-34	332	7	2.8	6	2.4
		35+	149	4	3.4	1	0.8
	Years since diagnosis	5-9	263	8	7.5	5	4.7
		10-14	832	30	4.7	21	3.3
		15-19	772	16	2.7	12	2.0
		20+	585	11	2.4	9	2.0
	Age at diagnosis	<1	128	4	3.7	3	2.8
		1-4	698	22	4.2	16	3.0
		5-9	786	23	4.0	13	2.3
		10-14	570	8	2.0	9	2.3
		15-20	270	8	4.2	6	3.2
	Treatment	Surgery only	649	15	3.1	12	2.4

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	191	29	15.8	.	159	88.8	60	37.7	42	26.4	6	3.8	54	34.0	1	0.6	11	6.9
		Radiation, no chemotherapy	616	133	23.1	34	440	87.3	149	33.9	115	26.1	31	7.0	85	19.3	5	1.1	17	3.9
		Chemotherapy and radiation	742	145	22.1	17	523	88.3	138	26.4	151	28.9	26	5.0	177	33.8	4	0.8	25	4.8
		Unknown	254	44	18.0	8	181	85.0	49	27.1	43	23.8	12	6.6	50	27.6	2	1.1	9	5.0
Females	All cases		2038	432	22.7	58	1559	88.0	411	26.4	520	33.4	79	5.1	407	26.1	25	1.6	63	4.0
	Age at baseline	<18	424	89	23.2	8	316	95.8	96	30.4	23	7.3	2	0.6	42	13.3	2	0.6	3	0.9
		18-19	186	22	13.1	4	139	88.5	6	4.3	91	65.5	6	4.3	29	20.9	2	1.4	13	9.4
		20-24	546	116	22.7	19	408	84.6	57	14.0	223	54.7	19	4.7	120	29.4	6	1.5	22	5.4
		25-29	466	107	24.3	17	353	84.9	123	34.8	97	27.5	24	6.8	119	33.7	7	2.0	11	3.1
		30-34	291	68	24.2	8	234	87.0	84	35.9	62	26.5	19	8.1	65	27.8	8	3.4	9	3.8
		35+	125	30	25.2	2	109	92.4	45	41.3	24	22.0	9	8.3	32	29.4	.	.	5	4.6
	Years since diagnosis	5-9	200	33	21.2	9	92	91.1	18	19.6	15	16.3	1	1.1	9	9.8	.	.	1	1.1
		10-14	708	144	21.7	15	572	90.1	152	26.6	180	31.5	32	5.6	116	20.3	8	1.4	24	4.2
		15-19	643	152	24.6	16	504	85.0	141	28.0	193	38.3	23	4.6	139	27.6	10	2.0	19	3.8
		20+	487	103	22.2	18	391	88.3	100	25.6	132	33.8	23	5.9	143	36.6	7	1.8	19	4.9
	Age at diagnosis	<1	90	13	15.3	1	70	89.7	16	22.9	22	31.4	2	2.9	20	28.6	2	2.9	4	5.7
		1-4	624	137	23.5	21	494	91.7	100	20.2	165	33.4	8	1.6	129	26.1	3	0.6	20	4.0
		5-9	619	117	20.2	20	451	84.5	90	20.0	170	37.7	27	6.0	111	24.6	10	2.2	20	4.4
		10-14	497	112	24.1	13	373	84.6	128	34.3	123	33.0	23	6.2	109	29.2	4	1.1	14	3.8
		15-20	208	53	27.6	3	171	95.0	77	45.0	40	23.4	19	11.1	38	22.2	6	3.5	5	2.9
	Treatment	Surgery only	623	116	19.4	22	482	84.4	171	35.5	160	33.2	26	5.4	83	17.2	10	2.1	13	2.7
		Chemotherapy, no radiation	164	30	19.6	.	140	92.7	48	34.3	60	42.9	3	2.1	36	25.7	5	3.6	9	6.4
		Radiation, no chemotherapy	555	127	24.0	21	434	90.8	95	21.9	129	29.7	21	4.8	116	26.7	5	1.2	16	3.7
		Chemotherapy and radiation	507	123	27.4	6	362	87.4	63	17.4	122	33.7	21	5.8	134	37.0	4	1.1	21	5.8
		Unknown	189	36	20.8	9	141	89.2	34	24.1	49	34.8	8	5.7	38	27.0	1	0.7	4	2.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	191	4	2.5	3	1.9
		Radiation, no chemotherapy	616	22	5.0	13	3.0
		Chemotherapy and radiation	742	17	3.3	12	2.3
		Unknown	254	7	3.9	7	3.9
Females	All cases		2038	54	3.5	39	2.5
	Age at baseline	<18	424	7	2.2	6	1.9
		18-19	186	5	3.6	8	5.8
		20-24	546	16	3.9	11	2.7
		25-29	466	15	4.2	9	2.5
		30-34	291	7	3.0	4	1.7
		35+	125	4	3.7	1	0.9
	Years since diagnosis	5-9	200	2	2.2	3	3.3
		10-14	708	20	3.5	12	2.1
		15-19	643	17	3.4	17	3.4
		20+	487	15	3.8	7	1.8
	Age at diagnosis	<1	90	1	1.4	3	4.3
		1-4	624	16	3.2	14	2.8
		5-9	619	15	3.3	11	2.4
		10-14	497	12	3.2	8	2.1
		15-20	208	10	5.8	3	1.8
	Treatment	Surgery only	623	16	3.3	12	2.5
		Chemotherapy, no radiation	164	1	0.7	5	3.6
		Radiation, no chemotherapy	555	15	3.5	11	2.5
		Chemotherapy and radiation	507	18	5.0	10	2.8
		Unknown	189	4	2.8	1	0.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
		All cases	N	%		Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	2688	534	21.1		92	2025	87.0	626	30.9	612	30.2	107	5.3	506	25.0	24	1.2	85	4.2
	Age at baseline	<18	528	107	21.9	22	392	95.4	108	27.6	20	5.1	2	0.5	53	13.5	.	.	7	1.8
		18-19	215	24	11.9	7	169	91.8	9	5.3	101	59.8	5	3.0	44	26.0	3	1.8	13	7.7
		20-24	713	134	20.0	25	507	82.3	88	17.4	281	55.4	18	3.6	140	27.6	6	1.2	30	5.9
		25-29	664	133	21.1	22	501	84.8	220	43.9	111	22.2	42	8.4	150	29.9	8	1.6	20	4.0
		30-34	386	91	24.5	10	303	85.1	132	43.6	68	22.4	25	8.3	78	25.7	6	2.0	10	3.3
		35+	182	45	25.9	6	153	90.5	69	45.1	31	20.3	15	9.8	41	26.8	1	0.7	5	3.3
	Years since diagnosis	5-9	237	40	21.3	13	104	89.7	17	16.3	16	15.4	1	1.0	10	9.6	.	.	1	1.0
		10-14	906	182	21.2	29	715	89.9	204	28.5	199	27.8	35	4.9	148	20.7	7	1.0	29	4.1
		15-19	831	159	19.8	23	640	84.5	203	31.7	251	39.2	28	4.4	156	24.4	10	1.6	34	5.3
		20+	714	153	22.2	27	566	85.9	202	35.7	146	25.8	43	7.6	192	33.9	7	1.2	21	3.7
	Age at diagnosis	<1	150	20	14.1	4	118	92.2	26	22.0	25	21.2	2	1.7	44	37.3	1	0.8	6	5.1
		1-4	801	155	20.3	39	620	89.6	138	22.3	194	31.3	11	1.8	146	23.5	2	0.3	25	4.0
		5-9	793	143	19.1	22	586	84.8	160	27.3	207	35.3	39	6.7	142	24.2	12	2.0	28	4.8
		10-14	641	148	24.3	23	471	83.5	197	41.8	131	27.8	30	6.4	126	26.8	6	1.3	20	4.2
		15-20	303	68	25.0	4	230	91.3	105	45.7	55	23.9	25	10.9	48	20.9	3	1.3	6	2.6
	Treatment	Surgery only	1047	193	19.0	48	796	83.7	306	38.4	250	31.4	52	6.5	130	16.3	12	1.5	31	3.9
		Chemotherapy, no radiation	255	40	16.7	.	209	88.9	77	36.8	69	33.0	5	2.4	67	32.1	4	1.9	16	7.7
		Radiation, no chemotherapy	730	161	23.5	26	553	90.4	146	26.4	163	29.5	25	4.5	139	25.1	4	0.7	17	3.1
		Chemotherapy and radiation	371	89	27.1	4	264	90.4	41	15.5	73	27.7	15	5.7	105	39.8	2	0.8	13	4.9
		Unknown	285	51	19.1	14	203	85.7	56	27.6	57	28.1	10	4.9	65	32.0	2	1.0	8	3.9
Males	All cases	1405	269	20.3		51	1039	86.2	355	34.2	283	27.2	59	5.7	249	24.0	8	0.8	49	4.7
	Age at baseline	<18	279	57	22.2	14	204	94.9	50	24.5	7	3.4	.	.	33	16.2	.	.	6	2.9
		18-19	109	12	11.5	4	89	94.7	6	6.7	54	60.7	2	2.2	23	25.8	1	1.1	4	4.5
		20-24	354	55	16.6	13	242	81.2	46	19.0	134	55.4	7	2.9	66	27.3	1	0.4	18	7.4
		25-29	371	69	19.3	11	278	84.2	138	49.6	48	17.3	28	10.1	77	27.7	4	1.4	12	4.3
		30-34	195	49	26.5	5	150	83.3	78	52.0	27	18.0	12	8.0	34	22.7	1	0.7	6	4.0
		35+	97	27	29.3	4	76	86.4	37	48.7	13	17.1	10	13.2	16	21.1	1	1.3	3	3.9
	Years since diagnosis	5-9	125	21	21.0	5	53	88.3	6	11.3	8	15.1	1	1.9	6	11.3
		10-14	479	97	21.4	19	367	89.1	107	29.2	92	25.1	15	4.1	82	22.3	2	0.5	15	4.1
		15-19	422	62	15.3	13	319	84.4	115	36.1	121	37.9	16	5.0	70	21.9	3	0.9	21	6.6
		20+	379	89	24.1	14	300	84.5	127	42.3	62	20.7	27	9.0	91	30.3	3	1.0	13	4.3
	Age at diagnosis	<1	86	14	17.3	3	69	94.5	10	14.5	11	15.9	.	.	30	43.5	.	.	4	5.8
		1-4	403	73	18.8	20	307	87.7	77	25.1	91	29.6	5	1.6	64	20.8	1	0.3	13	4.2
		5-9	421	74	18.6	12	317	86.8	103	32.5	106	33.4	24	7.6	75	23.7	4	1.3	17	5.4
		10-14	328	70	22.5	13	228	80.9	109	47.8	49	21.5	17	7.5	57	25.0	3	1.3	12	5.3
		15-20	167	38	25.5	3	118	87.4	56	47.5	26	22.0	13	11.0	23	19.5	.	.	3	2.5
	Treatment	Surgery only	524	96	18.9	26	391	83.2	162	41.4	110	28.1	30	7.7	64	16.4	3	0.8	22	5.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		2688	65	3.2	50	2.5
	Age at baseline	<18	528	13	3.3	9	2.3
		18-19	215	8	4.7	9	5.3
		20-24	713	14	2.8	11	2.2
		25-29	664	16	3.2	14	2.8
		30-34	386	7	2.3	6	2.0
		35+	182	7	4.6	1	0.7
	Years since diagnosis	5-9	237	3	2.9	4	3.8
		10-14	906	28	3.9	20	2.8
		15-19	831	17	2.7	14	2.2
		20+	714	17	3.0	12	2.1
	Age at diagnosis	<1	150	3	2.5	2	1.7
		1-4	801	19	3.1	16	2.6
		5-9	793	19	3.2	17	2.9
		10-14	641	11	2.3	11	2.3
		15-20	303	13	5.7	4	1.7
	Treatment	Surgery only	1047	28	3.5	19	2.4
		Chemotherapy, no radiation	255	3	1.4	5	2.4
		Radiation, no chemotherapy	730	19	3.4	16	2.9
		Chemotherapy and radiation	371	9	3.4	7	2.7
		Unknown	285	6	3.0	3	1.5
Males	All cases		1405	34	3.3	24	2.3
	Age at baseline	<18	279	9	4.4	5	2.5
		18-19	109	5	5.6	5	5.6
		20-24	354	6	2.5	2	0.8
		25-29	371	7	2.5	9	3.2
		30-34	195	4	2.7	3	2.0
		35+	97	3	3.9	.	.
	Years since diagnosis	5-9	125	2	3.8	2	3.8
		10-14	479	14	3.8	11	3.0
		15-19	422	11	3.4	4	1.3
		20+	379	7	2.3	7	2.3
	Age at diagnosis	<1	86	3	4.3	1	1.4
		1-4	403	9	2.9	6	2.0
		5-9	421	14	4.4	11	3.5
		10-14	328	3	1.3	5	2.2
		15-20	167	5	4.2	1	0.8
	Treatment	Surgery only	524	13	3.3	8	2.0

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	142	20	14.8	.	116	87.9	45	38.8	31	26.7	2	1.7	41	35.3	.	.	9	7.8
		Radiation, no chemotherapy	370	77	22.4	16	270	88.5	93	34.4	78	28.9	16	5.9	51	18.9	2	0.7	5	1.9
		Chemotherapy and radiation	211	49	26.5	3	153	92.7	26	17.0	38	24.8	8	5.2	54	35.3	1	0.7	7	4.6
		Unknown	158	27	17.5	6	109	82.0	29	26.6	26	23.9	3	2.8	39	35.8	2	1.8	6	5.5
Females	All cases		1283	265	21.9	41	986	87.9	271	27.5	329	33.4	48	4.9	257	26.1	16	1.6	36	3.7
	Age at baseline	<18	249	50	21.6	8	188	95.9	58	30.9	13	6.9	2	1.1	20	10.6	.	.	1	0.5
		18-19	106	12	12.4	3	80	88.9	3	3.8	47	58.8	3	3.8	21	26.3	2	2.5	9	11.3
		20-24	359	79	23.3	12	265	83.3	42	15.8	147	55.5	11	4.2	74	27.9	5	1.9	12	4.5
		25-29	293	64	23.4	11	223	85.4	82	36.8	63	28.3	14	6.3	73	32.7	4	1.8	8	3.6
		30-34	191	42	22.6	5	153	86.9	54	35.3	41	26.8	13	8.5	44	28.8	5	3.3	4	2.6
		35+	85	18	22.0	2	77	95.1	32	41.6	18	23.4	5	6.5	25	32.5	.	.	2	2.6
	Years since diagnosis	5-9	112	19	21.6	8	51	91.1	11	21.6	8	15.7	.	.	4	7.8	.	.	1	2.0
		10-14	427	85	21.0	10	348	90.9	97	27.9	107	30.7	20	5.7	66	19.0	5	1.4	14	4.0
		15-19	409	97	24.3	10	321	84.7	88	27.4	130	40.5	12	3.7	86	26.8	7	2.2	13	4.0
		20+	335	64	20.1	13	266	87.5	75	28.2	84	31.6	16	6.0	101	38.0	4	1.5	8	3.0
	Age at diagnosis	<1	64	6	9.8	1	49	89.1	16	32.7	14	28.6	2	4.1	14	28.6	1	2.0	2	4.1
		1-4	398	82	21.9	19	313	91.5	61	19.5	103	32.9	6	1.9	82	26.2	1	0.3	12	3.8
		5-9	372	69	19.6	10	269	82.5	57	21.2	101	37.5	15	5.6	67	24.9	8	3.0	11	4.1
		10-14	313	78	26.2	10	243	86.2	88	36.2	82	33.7	13	5.3	69	28.4	3	1.2	8	3.3
		15-20	136	30	24.4	1	112	95.7	49	43.8	29	25.9	12	10.7	25	22.3	3	2.7	3	2.7
	Treatment	Surgery only	523	97	19.1	22	405	84.2	144	35.6	140	34.6	22	5.4	66	16.3	9	2.2	9	2.2
		Chemotherapy, no radiation	113	20	19.0	.	93	90.3	32	34.4	38	40.9	3	3.2	26	28.0	4	4.3	7	7.5
		Radiation, no chemotherapy	360	84	24.7	10	283	92.2	53	18.7	85	30.0	9	3.2	88	31.1	2	0.7	12	4.2
		Chemotherapy and radiation	160	40	28.0	1	111	87.4	15	13.5	35	31.5	7	6.3	51	45.9	1	0.9	6	5.4
		Unknown	127	24	21.2	8	94	90.4	27	28.7	31	33.0	7	7.4	26	27.7	.	.	2	2.1

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	142	3	2.6	2	1.7
		Radiation, no chemotherapy	370	11	4.1	8	3.0
		Chemotherapy and radiation	211	4	2.6	4	2.6
		Unknown	158	3	2.8	2	1.8
Females	All cases		1283	31	3.1	26	2.6
	Age at baseline	<18	249	4	2.1	4	2.1
		18-19	106	3	3.8	4	5.0
		20-24	359	8	3.0	9	3.4
		25-29	293	9	4.0	5	2.2
		30-34	191	3	2.0	3	2.0
		35+	85	4	5.2	1	1.3
	Years since diagnosis	5-9	112	1	2.0	2	3.9
		10-14	427	14	4.0	9	2.6
		15-19	409	6	1.9	10	3.1
		20+	335	10	3.8	5	1.9
	Age at diagnosis	<1	64	.	.	1	2.0
		1-4	398	10	3.2	10	3.2
		5-9	372	5	1.9	6	2.2
		10-14	313	8	3.3	6	2.5
		15-20	136	8	7.1	3	2.7
	Treatment	Surgery only	523	15	3.7	11	2.7
		Chemotherapy, no radiation	113	.	.	3	3.2
		Radiation, no chemotherapy	360	8	2.8	8	2.8
		Chemotherapy and radiation	160	5	4.5	3	2.7
		Unknown	127	3	3.2	1	1.1

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		1040	213	22.4	33	748	86.3	194	25.9	228	30.5	48	6.4	212	28.3	11	1.5	44	5.9
	Age at baseline	<18	246	49	23.3	6	159	93.5	49	30.8	12	7.5	.	.	27	17.0	2	1.3	2	1.3
		18-19	83	11	15.3	3	60	92.3	4	6.7	37	61.7	4	6.7	16	26.7	2	3.3	2	3.3
		20-24	291	58	21.6	6	218	85.8	28	12.8	120	55.0	9	4.1	69	31.7	1	0.5	17	7.8
		25-29	252	58	24.0	10	184	81.4	63	34.2	38	20.7	22	12.0	57	31.0	3	1.6	13	7.1
		30-34	131	27	22.1	7	98	83.8	40	40.8	20	20.4	10	10.2	33	33.7	3	3.1	8	8.2
		35+	37	10	27.8	1	29	82.9	10	34.5	1	3.4	3	10.3	10	34.5	.	.	2	6.9
	Years since diagnosis	5-9	124	18	20.5	1	48	96.0	10	20.8	8	16.7	2	4.2	5	10.4	.	.	1	2.1
		10-14	355	75	22.7	9	272	88.3	66	24.3	87	32.0	16	5.9	63	23.2	2	0.7	12	4.4
		15-19	344	62	19.4	14	258	83.8	79	30.6	84	32.6	14	5.4	79	30.6	5	1.9	18	7.0
		20+	217	58	27.2	9	170	84.6	39	22.9	49	28.8	16	9.4	65	38.2	4	2.4	13	7.6
	Age at diagnosis	<1	28	2	7.4	1	26	.	4	15.4	8	30.8	.	.	6	23.1	1	3.8	2	7.7
		1-4	298	72	25.9	6	229	89.1	49	21.4	76	33.2	5	2.2	64	27.9	4	1.7	7	3.1
		5-9	422	87	22.7	18	292	84.4	64	21.9	97	33.2	16	5.5	89	30.5	4	1.4	23	7.9
		10-14	230	38	18.4	7	157	83.1	62	39.5	41	26.1	20	12.7	41	26.1	.	.	10	6.4
		15-20	62	14	25.0	1	44	89.8	15	34.1	6	13.6	7	15.9	12	27.3	2	4.5	2	4.5
	Treatment	Surgery only	8	.	.	.	6	75.0	2	33.3	3	50.0	1	16.7	1	16.7
		Chemotherapy, no radiation	53	8	16.0	.	47	94.0	16	34.0	16	34.0	2	4.3	10	21.3	1	2.1	2	4.3
		Radiation, no chemotherapy	208	46	22.9	20	142	84.0	39	27.5	32	22.5	14	9.9	22	15.5	3	2.1	12	8.5
		Chemotherapy and radiation	692	142	23.0	12	493	86.0	126	25.6	161	32.7	24	4.9	167	33.9	6	1.2	27	5.5
		Unknown	79	17	23.0	1	60	89.6	11	18.3	16	26.7	7	11.7	12	20.0	1	1.7	3	5.0
Males	All cases		632	121	21.0	22	444	85.5	131	29.5	123	27.7	28	6.3	131	29.5	4	0.9	30	6.8
	Age at baseline	<18	147	26	20.3	6	92	91.1	30	32.6	6	6.5	.	.	17	18.5	.	.	2	2.2
		18-19	47	7	17.9	3	30	90.9	2	6.7	14	46.7	2	6.7	12	40.0	2	6.7	1	3.3
		20-24	185	37	21.9	1	137	85.1	21	15.3	77	56.2	5	3.6	42	30.7	.	.	11	8.0
		25-29	157	31	20.8	6	113	81.9	46	40.7	16	14.2	14	12.4	32	28.3	1	0.9	11	9.7
		30-34	73	14	20.6	5	54	84.4	26	48.1	10	18.5	6	11.1	20	37.0	1	1.9	5	9.3
		35+	23	6	26.1	1	18	81.8	6	33.3	.	.	1	5.6	8	44.4
	Years since diagnosis	5-9	76	9	16.4	1	28	96.6	6	21.4	5	17.9	1	3.6	3	10.7	.	.	1	3.6
		10-14	208	40	21.1	6	153	88.4	42	27.5	45	29.4	7	4.6	40	26.1	.	.	7	4.6
		15-19	217	36	17.7	10	163	83.6	55	33.7	51	31.3	9	5.5	48	29.4	3	1.8	15	9.2
		20+	131	36	28.1	5	100	82.0	28	28.0	22	22.0	11	11.0	40	40.0	1	1.0	7	7.0
	Age at diagnosis	<1	16	1	6.3	1	15	.	4	26.7	3	20.0	.	.	3	20.0	.	.	2	13.3
		1-4	180	42	24.9	5	135	87.1	31	23.0	42	31.1	4	3.0	38	28.1	2	1.5	4	3.0
		5-9	267	53	22.1	10	183	83.6	46	25.1	56	30.6	9	4.9	61	33.3	2	1.1	17	9.3
		10-14	132	19	16.1	5	88	85.4	43	48.9	19	21.6	12	13.6	21	23.9	.	.	6	6.8
		15-20	37	6	18.2	1	23	85.2	7	30.4	3	13.0	3	13.0	8	34.8	.	.	1	4.3
	Treatment	Surgery only	5	.	.	.	4	80.0	1	25.0	2	50.0	1	25.0
		Chemotherapy, no radiation	27	3	11.1	.	25	92.6	11	44.0	6	24.0	2	8.0	6	24.0	.	.	2	8.0

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		1040	34	4.5	19	2.5
	Age at baseline	<18	246	10	6.3	4	2.5
		18-19	83	5	8.3	2	3.3
		20-24	291	10	4.6	5	2.3
		25-29	252	5	2.7	5	2.7
		30-34	131	3	3.1	2	2.0
		35+	37	1	3.4	1	3.4
	Years since diagnosis	5-9	124	4	8.3	2	4.2
		10-14	355	12	4.4	6	2.2
		15-19	344	13	5.0	8	3.1
		20+	217	5	2.9	3	1.8
	Age at diagnosis	<1	28	2	7.7	1	3.8
		1-4	298	12	5.2	7	3.1
		5-9	422	14	4.8	6	2.1
		10-14	230	4	2.5	3	1.9
		15-20	62	2	4.5	2	4.5
	Treatment	Surgery only	8
		Chemotherapy, no radiation	53	2	4.3	1	2.1
		Radiation, no chemotherapy	208	9	6.3	4	2.8
		Chemotherapy and radiation	692	21	4.3	13	2.6
		Unknown	79	2	3.3	1	1.7
Males	All cases		632	17	3.8	11	2.5
	Age at baseline	<18	147	7	7.6	3	3.3
		18-19	47	3	10.0	.	.
		20-24	185	4	2.9	4	2.9
		25-29	157	1	0.9	2	1.8
		30-34	73	1	1.9	1	1.9
		35+	23	1	5.6	1	5.6
	Years since diagnosis	5-9	76	3	10.7	1	3.6
		10-14	208	7	4.6	4	2.6
		15-19	217	5	3.1	5	3.1
		20+	131	2	2.0	1	1.0
	Age at diagnosis	<1	16	1	6.7	.	.
		1-4	180	7	5.2	6	4.4
		5-9	267	7	3.8	1	0.5
		10-14	132	1	1.1	2	2.3
		15-20	37	1	4.3	2	8.7
	Treatment	Surgery only	5
		Chemotherapy, no radiation	27	1	4.0	.	.

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	115	25	22.5	13	73	81.1	23	31.5	14	19.2	5	6.8	12	16.4	1	1.4	10	13.7
		Chemotherapy and radiation	437	83	21.3	8	308	85.8	89	28.9	96	31.2	13	4.2	106	34.4	3	1.0	17	5.5
		Unknown	48	10	23.3	1	34	89.5	7	20.6	5	14.7	7	20.6	7	20.6	.	.	1	2.9
Females	All cases		408	92	24.6	11	304	87.4	63	20.7	105	34.5	20	6.6	81	26.6	7	2.3	14	4.6
	Age at baseline	<18	99	23	28.0	.	67	97.1	19	28.4	6	9.0	.	.	10	14.9	2	3.0	.	.
		18-19	36	4	12.1	.	30	93.8	2	6.7	23	76.7	2	6.7	4	13.3	.	.	1	3.3
		20-24	106	21	21.2	5	81	87.1	7	8.6	43	53.1	4	4.9	27	33.3	1	1.2	6	7.4
		25-29	95	27	29.0	4	71	80.7	17	23.9	22	31.0	8	11.3	25	35.2	2	2.8	2	2.8
		30-34	58	13	24.1	2	44	83.0	14	31.8	10	22.7	4	9.1	13	29.5	2	4.5	3	6.8
		35+	14	4	30.8	.	11	84.6	4	36.4	1	9.1	2	18.2	2	18.2	.	.	2	18.2
	Years since diagnosis	5-9	48	9	27.3	.	20	95.2	4	20.0	3	15.0	1	5.0	2	10.0
		10-14	147	35	25.0	3	119	88.1	24	20.2	42	35.3	9	7.6	23	19.3	2	1.7	5	4.2
		15-19	127	26	22.4	4	95	84.1	24	25.3	33	34.7	5	5.3	31	32.6	2	2.1	3	3.2
		20+	86	22	25.9	4	70	88.6	11	15.7	27	38.6	5	7.1	25	35.7	3	4.3	6	8.6
	Age at diagnosis	<1	12	1	9.1	.	11	.	.	.	5	45.5	.	.	3	27.3	1	9.1	.	.
		1-4	118	30	27.5	1	94	92.2	18	19.1	34	36.2	1	1.1	26	27.7	2	2.1	3	3.2
		5-9	155	34	23.8	8	109	85.8	18	16.5	41	37.6	7	6.4	28	25.7	2	1.8	6	5.5
		10-14	98	19	21.6	2	69	80.2	19	27.5	22	31.9	8	11.6	20	29.0	.	.	4	5.8
		15-20	25	8	34.8	.	21	95.5	8	38.1	3	14.3	4	19.0	4	19.0	2	9.5	1	4.8
	Treatment	Surgery only	3	.	.	.	2	66.7	1	50.0	1	50.0	.	.	1	50.0
		Chemotherapy, no radiation	26	5	21.7	.	22	95.7	5	22.7	10	45.5	.	.	4	18.2	1	4.5	.	.
		Radiation, no chemotherapy	93	21	23.3	7	69	87.3	16	23.2	18	26.1	9	13.0	10	14.5	2	2.9	2	2.9
		Chemotherapy and radiation	255	59	26.0	4	185	86.4	37	20.0	65	35.1	11	5.9	61	33.0	3	1.6	10	5.4
		Unknown	31	7	22.6	.	26	89.7	4	15.4	11	42.3	.	.	5	19.2	1	3.8	2	7.7

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Radiation, no chemotherapy	115	4	5.5	2	2.7
		Chemotherapy and radiation	437	11	3.6	8	2.6
		Unknown	48	1	2.9	1	2.9
Females	All cases		408	17	5.6	8	2.6
	Age at baseline	<18	99	3	4.5	1	1.5
		18-19	36	2	6.7	2	6.7
		20-24	106	6	7.4	1	1.2
		25-29	95	4	5.6	3	4.2
		30-34	58	2	4.5	1	2.3
		35+	14
	Years since diagnosis	5-9	48	1	5.0	1	5.0
		10-14	147	5	4.2	2	1.7
		15-19	127	8	8.4	3	3.2
		20+	86	3	4.3	2	2.9
	Age at diagnosis	<1	12	1	9.1	1	9.1
		1-4	118	5	5.3	1	1.1
		5-9	155	7	6.4	5	4.6
		10-14	98	3	4.3	1	1.4
		15-20	25	1	4.8	.	.
	Treatment	Surgery only	3
		Chemotherapy, no radiation	26	1	4.5	1	4.5
		Radiation, no chemotherapy	93	5	7.2	2	2.9
		Chemotherapy and radiation	255	10	5.4	5	2.7
		Unknown	31	1	3.8	.	.

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		3107	893	29.6	54	2385	85.6	1404	58.9	633	26.5	179	7.5	168	7.0	26	1.1	75	3.1
	Age at baseline	<18	61	15	25.9	1	44	91.7	5	11.4	.	.	1	2.3	2	4.5
		18-19	62	15	25.4	2	41	77.4	1	2.4	29	70.7	.	.	4	9.8	.	.	1	2.4
		20-24	376	63	18.0	18	215	73.9	90	41.9	102	47.4	12	5.6	11	5.1	2	0.9	12	5.6
		25-29	798	227	29.3	16	568	82.3	375	66.0	111	19.5	49	8.6	43	7.6	9	1.6	23	4.0
		30-34	949	286	30.8	11	777	88.1	479	61.6	193	24.8	59	7.6	58	7.5	12	1.5	21	2.7
		35+	861	287	33.8	6	740	90.1	454	61.4	198	26.8	58	7.8	50	6.8	3	0.4	18	2.4
	Years since diagnosis	5-9	242	51	22.6	4	112	83.0	48	42.9	33	29.5	4	3.6	6	5.4	.	.	3	2.7
		10-14	947	280	30.8	19	720	84.9	399	55.4	207	28.8	63	8.8	44	6.1	10	1.4	30	4.2
		15-19	1010	293	29.5	17	805	85.5	483	60.0	211	26.2	55	6.8	68	8.4	10	1.2	23	2.9
		20+	908	269	30.1	14	748	87.0	474	63.4	182	24.3	57	7.6	50	6.7	6	0.8	19	2.5
	Age at diagnosis	1-4	84	18	22.2	5	52	69.3	17	32.7	17	32.7	2	3.8	4	7.7	1	1.9	3	5.8
		5-9	421	89	21.7	14	295	77.0	142	48.1	91	30.8	14	4.7	20	6.8	3	1.0	9	3.1
		10-14	1118	291	26.8	24	859	85.2	523	60.9	216	25.1	65	7.6	67	7.8	12	1.4	29	3.4
		15-20	1484	495	34.2	11	1179	89.4	722	61.2	309	26.2	98	8.3	77	6.5	10	0.8	34	2.9
	Treatment	Surgery only	2	.	.	.	2	.	.	.	2	100.0
		Chemotherapy, no radiation	363	80	22.9	8	276	81.7	172	62.3	63	22.8	19	6.9	17	6.2	4	1.4	6	2.2
		Radiation, no chemotherapy	651	221	34.3	15	523	87.5	326	62.3	144	27.5	47	9.0	16	3.1	7	1.3	15	2.9
		Chemotherapy and radiation	1759	501	29.3	24	1356	86.6	768	56.6	375	27.7	97	7.2	109	8.0	13	1.0	47	3.5
		Unknown	332	91	28.6	7	228	80.9	138	60.5	49	21.5	16	7.0	26	11.4	2	0.9	7	3.1
Males	All cases		1631	443	28.2	28	1168	81.5	772	66.1	203	17.4	103	8.8	66	5.7	13	1.1	42	3.6
	Age at baseline	<18	46	14	31.8	1	31	88.6	3	9.7	.	.	1	3.2	2	6.5
		18-19	49	11	23.9	1	32	72.7	1	3.1	21	65.6	.	.	2	6.3	.	.	1	3.1
		20-24	239	39	17.6	11	128	68.8	54	42.2	57	44.5	7	5.5	7	5.5	.	.	9	7.0
		25-29	445	112	26.2	11	301	80.1	225	74.8	29	9.6	31	10.3	16	5.3	8	2.7	15	5.0
		30-34	480	133	28.4	3	367	83.4	267	72.8	49	13.4	29	7.9	24	6.5	5	1.4	9	2.5
		35+	372	134	36.8	1	309	87.8	222	71.8	47	15.2	35	11.3	15	4.9	.	.	8	2.6
	Years since diagnosis	5-9	138	29	22.7	2	61	84.7	28	45.9	13	21.3	1	1.6	3	4.9	.	.	1	1.6
		10-14	492	135	29.1	12	352	82.1	203	57.7	82	23.3	33	9.4	14	4.0	4	1.1	21	6.0
		15-19	539	132	25.1	11	393	79.9	277	70.5	58	14.8	34	8.7	30	7.6	5	1.3	8	2.0
		20+	462	147	32.4	3	362	82.3	264	72.9	50	13.8	35	9.7	19	5.2	4	1.1	12	3.3
	Age at diagnosis	1-4	63	15	25.0	2	36	63.2	11	30.6	9	25.0	1	2.8	4	11.1	1	2.8	3	8.3
		5-9	305	69	23.4	9	199	72.4	96	48.2	56	28.1	12	6.0	13	6.5	3	1.5	7	3.5
		10-14	579	140	25.0	10	431	82.4	307	71.2	68	15.8	34	7.9	22	5.1	6	1.4	15	3.5
		15-20	684	219	33.3	7	502	86.9	358	71.3	70	13.9	56	11.2	27	5.4	3	0.6	17	3.4
	Treatment	Surgery only	1	.	.	.	1	.	.	.	1	100.0
		Chemotherapy, no radiation	186	41	23.2	4	133	78.2	94	70.7	21	15.8	9	6.8	6	4.5	3	2.3	2	1.5

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		3107	106	4.4	61	2.6
	Age at baseline	<18	61	5	11.4	1	2.3
		18-19	62	1	2.4	.	.
		20-24	376	13	6.0	2	0.9
		25-29	798	33	5.8	13	2.3
		30-34	949	29	3.7	21	2.7
		35+	861	25	3.4	24	3.2
	Years since diagnosis	5-9	242	11	9.8	1	0.9
		10-14	947	36	5.0	17	2.4
		15-19	1010	34	4.2	22	2.7
		20+	908	25	3.3	21	2.8
	Age at diagnosis	1-4	84	3	5.8	.	.
		5-9	421	11	3.7	3	1.0
		10-14	1118	43	5.0	20	2.3
		15-20	1484	49	4.2	38	3.2
	Treatment	Surgery only	2
		Chemotherapy, no radiation	363	6	2.2	6	2.2
		Radiation, no chemotherapy	651	21	4.0	20	3.8
		Chemotherapy and radiation	1759	69	5.1	30	2.2
		Unknown	332	10	4.4	5	2.2
Males	All cases		1631	55	4.7	32	2.7
	Age at baseline	<18	46	4	12.9	1	3.2
		18-19	49	1	3.1	.	.
		20-24	239	5	3.9	1	0.8
		25-29	445	18	6.0	6	2.0
		30-34	480	18	4.9	9	2.5
		35+	372	9	2.9	15	4.9
	Years since diagnosis	5-9	138	7	11.5	.	.
		10-14	492	18	5.1	9	2.6
		15-19	539	19	4.8	11	2.8
		20+	462	11	3.0	12	3.3
	Age at diagnosis	1-4	63	2	5.6	.	.
		5-9	305	9	4.5	2	1.0
		10-14	579	18	4.2	9	2.1
		15-20	684	26	5.2	21	4.2
	Treatment	Surgery only	1
		Chemotherapy, no radiation	186	6	4.5	2	1.5

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	336	103	30.9	6	255	82.5	177	69.4	39	15.3	31	12.2	5	2.0	4	1.6	10	3.9
		Chemotherapy and radiation	911	241	27.4	13	656	83.1	422	64.3	122	18.6	52	7.9	42	6.4	5	0.8	26	4.0
		Unknown	197	58	31.7	5	123	75.0	79	64.2	20	16.3	11	8.9	13	10.6	1	0.8	4	3.3
Females	All cases		1476	450	31.1	26	1217	90.0	632	51.9	430	35.3	76	6.2	102	8.4	13	1.1	33	2.7
	Age at baseline	<18	15	1	7.1	.	13	.	2	15.4
		18-19	13	4	30.8	1	9	.	.	.	8	88.9	.	.	2	22.2
		20-24	137	24	18.6	7	87	82.9	36	41.4	45	51.7	5	5.7	4	4.6	2	2.3	3	3.4
		25-29	353	115	33.0	5	267	85.0	150	56.2	82	30.7	18	6.7	27	10.1	1	0.4	8	3.0
		30-34	469	153	33.2	8	410	92.8	212	51.7	144	35.1	30	7.3	34	8.3	7	1.7	12	2.9
		35+	489	153	31.6	5	431	91.9	232	53.8	151	35.0	23	5.3	35	8.1	3	0.7	10	2.3
	Years since diagnosis	5-9	104	22	22.4	2	51	81.0	20	39.2	20	39.2	3	5.9	3	5.9	.	.	2	3.9
		10-14	455	145	32.6	7	368	87.8	196	53.3	125	34.0	30	8.2	30	8.2	6	1.6	9	2.4
		15-19	471	161	34.5	6	412	91.6	206	50.0	153	37.1	21	5.1	38	9.2	5	1.2	15	3.6
		20+	446	122	27.8	11	386	91.9	210	54.4	132	34.2	22	5.7	31	8.0	2	0.5	7	1.8
	Age at diagnosis	1-4	21	3	14.3	3	16	88.9	6	37.5	8	50.0	1	6.3
		5-9	116	20	17.4	5	96	88.9	46	47.9	35	36.5	2	2.1	7	7.3	.	.	2	2.1
		10-14	539	151	28.8	14	428	88.2	216	50.5	148	34.6	31	7.2	45	10.5	6	1.4	14	3.3
		15-20	800	276	35.0	4	677	91.4	364	53.8	239	35.3	42	6.2	50	7.4	7	1.0	17	2.5
	Treatment	Surgery only	1	.	.	.	1	.	.	.	1	100.0
		Chemotherapy, no radiation	177	39	22.5	4	143	85.1	78	54.5	42	29.4	10	7.0	11	7.7	1	0.7	4	2.8
		Radiation, no chemotherapy	315	118	37.9	9	268	92.7	149	55.6	105	39.2	16	6.0	11	4.1	3	1.1	5	1.9
		Chemotherapy and radiation	848	260	31.4	11	700	90.2	346	49.4	253	36.1	45	6.4	67	9.6	8	1.1	21	3.0
		Unknown	135	33	24.4	2	105	89.0	59	56.2	29	27.6	5	4.8	13	12.4	1	1.0	3	2.9

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Radiation, no chemotherapy	336	12	4.7	14	5.5
		Chemotherapy and radiation	911	34	5.2	15	2.3
		Unknown	197	3	2.4	1	0.8
Females	All cases		1476	51	4.2	29	2.4
	Age at baseline	<18	15	1	7.7	.	.
		18-19	13
		20-24	137	8	9.2	1	1.1
		25-29	353	15	5.6	7	2.6
		30-34	469	11	2.7	12	2.9
		35+	489	16	3.7	9	2.1
	Years since diagnosis	5-9	104	4	7.8	1	2.0
		10-14	455	18	4.9	8	2.2
		15-19	471	15	3.6	11	2.7
		20+	446	14	3.6	9	2.3
	Age at diagnosis	1-4	21	1	6.3	.	.
		5-9	116	2	2.1	1	1.0
		10-14	539	25	5.8	11	2.6
		15-20	800	23	3.4	17	2.5
	Treatment	Surgery only	1
		Chemotherapy, no radiation	177	.	.	4	2.8
		Radiation, no chemotherapy	315	9	3.4	6	2.2
		Chemotherapy and radiation	848	35	5.0	15	2.1
		Unknown	135	7	6.7	4	3.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
		All cases	N	%	Canadian	Yes	%		N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	2114	484	23.7	40	1602	81.8		788	49.2	428	26.7	106	6.6	132	8.2	23	1.4	57	3.6
	Age at baseline	<18	212	46	23.0	5	167	92.3	34	20.4	12	7.2	1	0.6	7	4.2
		18-19	132	22	18.3	2	97	83.6	10	10.3	61	62.9	1	1.0	6	6.2	2	2.1	7	7.2
		20-24	469	86	19.1	12	323	76.4	102	31.6	162	50.2	17	5.3	29	9.0	4	1.2	22	6.8
		25-29	569	143	26.0	10	420	78.7	255	60.7	76	18.1	38	9.0	46	11.0	8	1.9	12	2.9
		30-34	483	117	24.5	11	379	82.4	250	66.0	64	16.9	33	8.7	27	7.1	6	1.6	11	2.9
		35+	249	70	28.3	.	216	88.2	137	63.4	53	24.5	16	7.4	17	7.9	3	1.4	5	2.3
	Years since diagnosis	5-9	144	29	23.6	3	85	89.5	15	17.6	20	23.5	1	1.2	4	4.7	.	.	4	4.7
		10-14	672	158	24.4	16	510	82.3	213	41.8	139	27.3	28	5.5	42	8.2	7	1.4	21	4.1
		15-19	730	172	24.1	12	560	80.7	287	51.3	181	32.3	32	5.7	42	7.5	10	1.8	21	3.8
		20+	568	125	22.2	9	447	81.3	273	61.1	88	19.7	45	10.1	44	9.8	6	1.3	11	2.5
	Age at diagnosis	<1	15	5	33.3	.	14	.	3	21.4	1	7.1
		1-4	344	65	19.5	6	261	80.8	69	26.4	89	34.1	16	6.1	20	7.7	3	1.1	11	4.2
		5-9	647	124	20.0	16	482	80.7	200	41.5	151	31.3	23	4.8	42	8.7	7	1.5	17	3.5
		10-14	674	149	22.7	15	500	80.5	305	61.0	106	21.2	39	7.8	44	8.8	7	1.4	17	3.4
		15-20	434	141	33.4	3	345	85.4	211	61.2	81	23.5	28	8.1	26	7.5	6	1.7	12	3.5
	Treatment	Surgery only	16	6	40.0	1	13	.	5	38.5	2	15.4	1	7.7	2	15.4
		Chemotherapy, no radiation	1075	204	19.7	20	821	81.2	389	47.4	237	28.9	54	6.6	77	9.4	14	1.7	26	3.2
		Radiation, no chemotherapy	38	13	34.2	.	31	91.2	24	77.4	5	16.1	2	6.5	.	.	1	3.2	1	3.2
		Chemotherapy and radiation	766	213	28.7	15	567	81.5	291	51.3	143	25.2	41	7.2	34	6.0	4	0.7	20	3.5
		Unknown	219	48	22.4	4	170	82.9	79	46.5	41	24.1	8	4.7	19	11.2	4	2.4	10	5.9
Males	All cases	1436	320	23.1	30	1065	80.3		579	54.4	236	22.2	73	6.9	75	7.0	10	0.9	37	3.5
	Age at baseline	<18	146	32	23.4	3	114	92.7	21	18.4	9	7.9	1	0.9	6	5.3
		18-19	97	16	18.4	2	71	81.6	9	12.7	44	62.0	1	1.4	4	5.6	2	2.8	5	7.0
		20-24	304	54	18.5	9	195	71.7	65	33.3	100	51.3	13	6.7	11	5.6	2	1.0	15	7.7
		25-29	405	95	24.2	8	304	80.0	205	67.4	39	12.8	27	8.9	29	9.5	4	1.3	7	2.3
		30-34	319	74	23.4	8	243	80.5	183	75.3	19	7.8	21	8.6	17	7.0	2	0.8	5	2.1
		35+	165	49	30.1	.	138	84.7	96	69.6	25	18.1	10	7.2	8	5.8	.	.	5	3.6
	Years since diagnosis	5-9	109	25	26.3	3	68	89.5	13	19.1	15	22.1	.	.	3	4.4	.	.	4	5.9
		10-14	457	99	22.7	12	337	81.0	156	46.3	83	24.6	20	5.9	25	7.4	2	0.6	13	3.9
		15-19	480	109	23.2	8	359	78.4	210	58.5	89	24.8	23	6.4	25	7.0	7	1.9	13	3.6
		20+	390	87	22.5	7	301	79.8	200	66.4	49	16.3	30	10.0	22	7.3	1	0.3	7	2.3
	Age at diagnosis	<1	5	2	40.0	.	4	.	1	25.0
		1-4	232	49	21.7	4	171	78.8	42	24.6	62	36.3	12	7.0	9	5.3	2	1.2	7	4.1
		5-9	451	79	18.4	12	332	79.8	153	46.1	94	28.3	18	5.4	22	6.6	4	1.2	11	3.3
		10-14	463	96	21.3	13	337	79.1	232	68.8	47	13.9	25	7.4	25	7.4	3	0.9	12	3.6
		15-20	285	94	33.9	1	221	83.7	151	68.3	33	14.9	18	8.1	19	8.6	1	0.5	7	3.2
	Treatment	Surgery only	13	5	41.7	.	11	.	5	45.5	2	18.2	1	9.1	2	18.2

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		2114	42	2.6	47	2.9
	Age at baseline	<18	212	4	2.4	.	.
		18-19	132	2	2.1	2	2.1
		20-24	469	11	3.4	8	2.5
		25-29	569	9	2.1	14	3.3
		30-34	483	12	3.2	12	3.2
		35+	249	4	1.9	11	5.1
	Years since diagnosis	5-9	144	2	2.4	1	1.2
		10-14	672	17	3.3	11	2.2
		15-19	730	16	2.9	16	2.9
		20+	568	7	1.6	19	4.3
	Age at diagnosis	<1	15
		1-4	344	7	2.7	7	2.7
		5-9	647	11	2.3	11	2.3
		10-14	674	15	3.0	11	2.2
		15-20	434	9	2.6	18	5.2
	Treatment	Surgery only	16
		Chemotherapy, no radiation	1075	16	1.9	25	3.0
		Radiation, no chemotherapy	38
		Chemotherapy and radiation	766	18	3.2	14	2.5
		Unknown	219	8	4.7	8	4.7
Males	All cases		1436	26	2.4	33	3.1
	Age at baseline	<18	146	3	2.6	.	.
		18-19	97	2	2.8	1	1.4
		20-24	304	5	2.6	4	2.1
		25-29	405	7	2.3	11	3.6
		30-34	319	6	2.5	9	3.7
		35+	165	3	2.2	8	5.8
	Years since diagnosis	5-9	109	2	2.9	1	1.5
		10-14	457	10	3.0	6	1.8
		15-19	480	8	2.2	12	3.3
		20+	390	6	2.0	14	4.7
	Age at diagnosis	<1	5
		1-4	232	5	2.9	3	1.8
		5-9	451	6	1.8	9	2.7
		10-14	463	10	3.0	6	1.8
		15-20	285	5	2.3	15	6.8
	Treatment	Surgery only	13

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	727	137	19.5	13	537	78.6	276	51.4	131	24.4	38	7.1	49	9.1	7	1.3	19	3.5
		Radiation, no chemotherapy	28	10	35.7	.	22	88.0	17	77.3	4	18.2	1	4.5
		Chemotherapy and radiation	511	134	27.1	14	373	81.1	218	58.4	78	20.9	25	6.7	12	3.2	1	0.3	10	2.7
		Unknown	157	34	22.2	3	122	82.4	63	51.6	21	17.2	8	6.6	12	9.8	2	1.6	8	6.6
Females	All cases		678	164	24.9	10	537	85.0	209	38.9	192	35.8	33	6.1	57	10.6	13	2.4	20	3.7
	Age at baseline	<18	66	14	22.2	2	53	91.4	13	24.5	3	5.7	.	.	1	1.9
		18-19	35	6	18.2	.	26	89.7	1	3.8	17	65.4	.	.	2	7.7	.	.	2	7.7
		20-24	165	32	20.1	3	128	84.8	37	28.9	62	48.4	4	3.1	18	14.1	2	1.6	7	5.5
		25-29	164	48	30.6	2	116	75.3	50	43.1	37	31.9	11	9.5	17	14.7	4	3.4	5	4.3
		30-34	164	43	26.5	3	136	86.1	67	49.3	45	33.1	12	8.8	10	7.4	4	2.9	6	4.4
		35+	84	21	25.0	.	78	95.1	41	52.6	28	35.9	6	7.7	9	11.5	3	3.8	.	.
	Years since diagnosis	5-9	35	4	14.3	.	17	89.5	2	11.8	5	29.4	1	5.9	1	5.9
		10-14	215	59	28.0	4	173	84.8	57	32.9	56	32.4	8	4.6	17	9.8	5	2.9	8	4.6
		15-19	250	63	25.9	4	201	85.2	77	38.3	92	45.8	9	4.5	17	8.5	3	1.5	8	4.0
		20+	178	38	21.6	2	146	84.4	73	50.0	39	26.7	15	10.3	22	15.1	5	3.4	4	2.7
	Age at diagnosis	<1	10	3	30.0	.	10	.	2	20.0	1	10.0
		1-4	112	16	15.0	2	90	84.9	27	30.0	27	30.0	4	4.4	11	12.2	1	1.1	4	4.4
		5-9	196	45	23.7	4	150	82.9	47	31.3	57	38.0	5	3.3	20	13.3	3	2.0	6	4.0
		10-14	211	53	25.7	2	163	83.6	73	44.8	59	36.2	14	8.6	19	11.7	4	2.5	5	3.1
		15-20	149	47	32.4	2	124	88.6	60	48.4	48	38.7	10	8.1	7	5.6	5	4.0	5	4.0
	Treatment	Surgery only	3	1	33.3	1	2
		Chemotherapy, no radiation	348	67	19.9	7	284	86.6	113	39.8	106	37.3	16	5.6	28	9.9	7	2.5	7	2.5
		Radiation, no chemotherapy	10	3	30.0	.	9	.	7	77.8	1	11.1	1	11.1	.	.	1	11.1	1	11.1
		Chemotherapy and radiation	255	79	31.9	1	194	82.2	73	37.6	65	33.5	16	8.2	22	11.3	3	1.5	10	5.2
		Unknown	62	14	23.0	1	48	84.2	16	33.3	20	41.7	.	.	7	14.6	2	4.2	2	4.2

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	727	11	2.0	18	3.4
		Radiation, no chemotherapy	28
		Chemotherapy and radiation	511	10	2.7	8	2.1
		Unknown	157	5	4.1	7	5.7
Females	All cases		678	16	3.0	14	2.6
	Age at baseline	<18	66	1	1.9	.	.
		18-19	35	.	.	1	3.8
		20-24	165	6	4.7	4	3.1
		25-29	164	2	1.7	3	2.6
		30-34	164	6	4.4	3	2.2
		35+	84	1	1.3	3	3.8
	Years since diagnosis	5-9	35
		10-14	215	7	4.0	5	2.9
		15-19	250	8	4.0	4	2.0
		20+	178	1	0.7	5	3.4
	Age at diagnosis	<1	10
		1-4	112	2	2.2	4	4.4
		5-9	196	5	3.3	2	1.3
		10-14	211	5	3.1	5	3.1
		15-20	149	4	3.2	3	2.4
	Treatment	Surgery only	3
		Chemotherapy, no radiation	348	5	1.8	7	2.5
		Radiation, no chemotherapy	10
		Chemotherapy and radiation	255	8	4.1	6	3.1
		Unknown	62	3	6.3	1	2.1

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
		All cases	N	%		Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	2274	398	18.0		73	1787	85.4	491	27.5	517	28.9	84	4.7	180	10.1	11	0.6	64	3.6
	Age at baseline	<18	833	161	20.0	26	710	93.7	135	19.0	43	6.1	6	0.8	56	7.9	2	0.3	9	1.3
		18-19	306	39	13.2	10	242	86.1	13	5.4	152	62.8	3	1.2	27	11.2	1	0.4	14	5.8
		20-24	669	100	15.2	18	496	79.4	137	27.6	262	52.8	40	8.1	54	10.9	5	1.0	33	6.7
		25-29	374	85	23.5	19	259	76.6	152	58.7	45	17.4	32	12.4	38	14.7	3	1.2	5	1.9
		30-34	74	9	12.2	.	64	87.7	41	64.1	13	20.3	2	3.1	5	7.8	.	.	3	4.7
		35+	18	4	22.2	.	16	88.9	13	81.3	2	12.5	1	6.3
	Years since diagnosis	5-9	176	45	28.7	6	128	94.8	9	7.0	4	3.1	1	0.8	2	1.6
		10-14	740	134	18.4	28	628	91.3	126	20.1	93	14.8	10	1.6	61	9.7	3	0.5	14	2.2
		15-19	760	107	14.5	15	585	82.2	121	20.7	313	53.5	31	5.3	54	9.2	3	0.5	31	5.3
		20+	598	112	19.0	24	446	79.9	235	52.7	107	24.0	42	9.4	63	14.1	5	1.1	19	4.3
	Age at diagnosis	<1	330	60	18.8	7	275	89.0	58	21.1	70	25.5	11	4.0	32	11.6	2	0.7	9	3.3
		1-4	1395	241	17.7	47	1103	85.4	274	24.8	316	28.6	46	4.2	107	9.7	8	0.7	40	3.6
		5-9	468	79	17.3	17	353	83.5	126	35.7	119	33.7	22	6.2	35	9.9	.	.	14	4.0
		10-14	58	9	15.8	2	41	80.4	22	53.7	11	26.8	4	9.8	4	9.8	1	2.4	1	2.4
		15-20	23	9	45.0	.	15	78.9	11	73.3	1	6.7	1	6.7	2	13.3
	Treatment	Surgery only	34	4	11.8	.	27	81.8	10	37.0	5	18.5	1	3.7	3	11.1	1	3.7	.	.
		Chemotherapy, no radiation	869	139	16.4	12	724	87.1	177	24.4	211	29.1	30	4.1	73	10.1	5	0.7	30	4.1
		Radiation, no chemotherapy	4	1	25.0	.	2	50.0	.	.	1	50.0	1	50.0
		Chemotherapy and radiation	1153	211	18.8	53	875	84.7	272	31.1	261	29.8	43	4.9	85	9.7	5	0.6	29	3.3
		Unknown	214	43	21.0	8	159	82.8	32	20.1	39	24.5	9	5.7	19	11.9	.	.	5	3.1
Males	All cases	1020	165	16.7		35	790	84.7	254	32.2	184	23.3	37	4.7	56	7.1	2	0.3	28	3.5
	Age at baseline	<18	404	80	20.6	10	351	94.9	68	19.4	17	4.8	4	1.1	24	6.8	1	0.3	5	1.4
		18-19	127	15	12.4	5	94	81.7	5	5.3	54	57.4	1	1.1	8	8.5	.	.	8	8.5
		20-24	285	36	12.8	9	207	78.1	74	35.7	96	46.4	16	7.7	18	8.7	1	0.5	15	7.2
		25-29	166	30	18.9	11	107	73.8	81	75.7	13	12.1	16	15.0	5	4.7
		30-34	30	2	6.7	.	24	80.0	19	79.2	4	16.7	.	.	1	4.2
		35+	8	2	25.0	.	7	87.5	7	100.0
	Years since diagnosis	5-9	79	20	29.4	3	56	96.6	4	7.1	1	1.8	.	.	1	1.8
		10-14	334	63	19.2	11	288	92.6	60	20.8	27	9.4	5	1.7	21	7.3	1	0.3	7	2.4
		15-19	336	43	13.1	8	253	80.6	58	22.9	125	49.4	10	4.0	21	8.3	.	.	17	6.7
		20+	271	39	14.7	13	193	77.2	132	68.4	31	16.1	22	11.4	13	6.7	1	0.5	4	2.1
	Age at diagnosis	<1	168	27	16.9	3	135	86.5	32	23.7	24	17.8	7	5.2	13	9.6	1	0.7	5	3.7
		1-4	629	97	15.8	24	498	85.4	143	28.7	119	23.9	18	3.6	31	6.2	1	0.2	18	3.6
		5-9	193	35	18.9	7	140	82.4	66	47.1	39	27.9	11	7.9	11	7.9	.	.	5	3.6
		10-14	21	4	19.0	1	11	64.7	8	72.7	2	18.2	1	9.1
		15-20	9	2	28.6	.	6	85.7	5	83.3	1	16.7
	Treatment	Surgery only	18	3	16.7	.	13	76.5	5	38.5	2	15.4	1	7.7	1	7.7	1	7.7	.	.
		Chemotherapy, no radiation	395	55	14.3	7	324	86.2	89	27.5	78	24.1	12	3.7	28	8.6	1	0.3	15	4.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		2274	55	3.1	33	1.8
	Age at baseline	<18	833	33	4.6	10	1.4
		18-19	306	5	2.1	2	0.8
		20-24	669	7	1.4	13	2.6
		25-29	374	9	3.5	6	2.3
		30-34	74	.	.	2	3.1
		35+	18	1	6.3	.	.
	Years since diagnosis	5-9	176	7	5.5	5	3.9
		10-14	740	28	4.5	7	1.1
		15-19	760	10	1.7	11	1.9
		20+	598	10	2.2	10	2.2
	Age at diagnosis	<1	330	9	3.3	3	1.1
		1-4	1395	34	3.1	21	1.9
		5-9	468	9	2.5	8	2.3
		10-14	58	2	4.9	.	.
		15-20	23	1	6.7	1	6.7
	Treatment	Surgery only	34	2	7.4	1	3.7
		Chemotherapy, no radiation	869	24	3.3	15	2.1
		Radiation, no chemotherapy	4
		Chemotherapy and radiation	1153	22	2.5	15	1.7
		Unknown	214	7	4.4	2	1.3
Males	All cases		1020	25	3.2	15	1.9
	Age at baseline	<18	404	20	5.7	6	1.7
		18-19	127	2	2.1	.	.
		20-24	285	2	1.0	5	2.4
		25-29	166	1	0.9	3	2.8
		30-34	30	.	.	1	4.2
		35+	8
	Years since diagnosis	5-9	79	3	5.4	2	3.6
		10-14	334	15	5.2	4	1.4
		15-19	336	5	2.0	4	1.6
		20+	271	2	1.0	5	2.6
	Age at diagnosis	<1	168	4	3.0	.	.
		1-4	629	18	3.6	8	1.6
		5-9	193	3	2.1	6	4.3
		10-14	21
		15-20	9	.	.	1	16.7
	Treatment	Surgery only	18
		Chemotherapy, no radiation	395	8	2.5	7	2.2

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	499	86	17.7	23	381	85.0	143	37.5	89	23.4	20	5.2	24	6.3	.	.	10	2.6
		Unknown	108	21	20.8	5	72	78.3	17	23.6	15	20.8	4	5.6	3	4.2	.	.	3	4.2
Females	All cases		1254	233	19.0	38	997	85.9	237	23.8	333	33.4	47	4.7	124	12.4	9	0.9	36	3.6
	Age at baseline	<18	429	81	19.4	16	359	92.5	67	18.7	26	7.2	2	0.6	32	8.9	1	0.3	4	1.1
		18-19	179	24	13.8	5	148	89.2	8	5.4	98	66.2	2	1.4	19	12.8	1	0.7	6	4.1
		20-24	384	64	17.0	9	289	80.3	63	21.8	166	57.4	24	8.3	36	12.5	4	1.4	18	6.2
		25-29	208	55	27.1	8	152	78.8	71	46.7	32	21.1	16	10.5	33	21.7	3	2.0	5	3.3
		30-34	44	7	15.9	.	40	93.0	22	55.0	9	22.5	2	5.0	4	10.0	.	.	3	7.5
		35+	10	2	20.0	.	9	90.0	6	66.7	2	22.2	1	11.1
	Years since diagnosis	5-9	97	25	28.1	3	72	93.5	5	6.9	3	4.2	1	1.4	1	1.4
		10-14	406	71	17.7	17	340	90.2	66	19.4	66	19.4	5	1.5	40	11.8	2	0.6	7	2.1
		15-19	424	64	15.6	7	332	83.4	63	19.0	188	56.6	21	6.3	33	9.9	3	0.9	14	4.2
		20+	327	73	22.5	11	253	82.1	103	40.7	76	30.0	20	7.9	50	19.8	4	1.6	15	5.9
	Age at diagnosis	<1	162	33	20.6	4	140	91.5	26	18.6	46	32.9	4	2.9	19	13.6	1	0.7	4	2.9
		1-4	766	144	19.4	23	605	85.5	131	21.7	197	32.6	28	4.6	76	12.6	7	1.2	22	3.6
		5-9	275	44	16.2	10	213	84.2	60	28.2	80	37.6	11	5.2	24	11.3	.	.	9	4.2
		10-14	37	5	13.9	1	30	88.2	14	46.7	9	30.0	3	10.0	4	13.3	1	3.3	1	3.3
		15-20	14	7	53.8	.	9	75.0	6	66.7	1	11.1	1	11.1	1	11.1
	Treatment	Surgery only	16	1	6.3	.	14	87.5	5	35.7	3	21.4	.	.	2	14.3
		Chemotherapy, no radiation	474	84	18.1	5	400	87.9	88	22.0	133	33.3	18	4.5	45	11.3	4	1.0	15	3.8
		Radiation, no chemotherapy	4	1	25.0	.	2	50.0	.	.	1	50.0	1	50.0
		Chemotherapy and radiation	654	125	19.7	30	494	84.4	129	26.1	172	34.8	23	4.7	61	12.3	5	1.0	19	3.8
		Unknown	106	22	21.2	3	87	87.0	15	17.2	24	27.6	5	5.7	16	18.4	.	.	2	2.3

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³		
				All cases	N	%	N	%
		Chemotherapy and radiation	499	13	3.4	8	2.1	
		Unknown	108	4	5.6	.	.	
Females	All cases		1254	30	3.0	18	1.8	
	Age at baseline	<18	429	13	3.6	4	1.1	
		18-19	179	3	2.0	2	1.4	
		20-24	384	5	1.7	8	2.8	
		25-29	208	8	5.3	3	2.0	
		30-34	44	.	.	1	2.5	
		35+	10	1	11.1	.	.	
	Years since diagnosis	5-9	97	4	5.6	3	4.2	
		10-14	406	13	3.8	3	0.9	
		15-19	424	5	1.5	7	2.1	
		20+	327	8	3.2	5	2.0	
	Age at diagnosis	<1	162	5	3.6	3	2.1	
		1-4	766	16	2.6	13	2.1	
		5-9	275	6	2.8	2	0.9	
		10-14	37	2	6.7	.	.	
		15-20	14	1	11.1	.	.	
	Treatment	Surgery only	16	2	14.3	1	7.1	
		Chemotherapy, no radiation	474	16	4.0	8	2.0	
		Radiation, no chemotherapy	4	
		Chemotherapy and radiation	654	9	1.8	7	1.4	
		Unknown	106	3	3.4	2	2.3	

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
		All cases	N	%		Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases	1947	334	18.1		58	1557	88.5	452	29.0	451	29.0	36	2.3	171	11.0	16	1.0	58	3.7
	Age at baseline	<18	956	175	19.6	35	788	94.7	245	31.1	59	7.5	3	0.4	64	8.1	5	0.6	12	1.5
		18-19	237	32	14.0	4	201	90.1	7	3.5	129	64.2	4	2.0	23	11.4	3	1.5	12	6.0
		20-24	540	81	15.6	16	398	79.8	108	27.1	226	56.8	17	4.3	58	14.6	7	1.8	21	5.3
		25-29	170	30	18.6	3	135	83.3	68	50.4	31	23.0	10	7.4	22	16.3	1	0.7	11	8.1
		30-34	36	13	36.1	.	28	77.8	20	71.4	5	17.9	2	7.1	2	7.1	.	.	1	3.6
		35+	8	3	37.5	.	7	87.5	4	57.1	1	14.3	.	.	2	28.6	.	.	1	14.3
	Years since diagnosis	5-9	160	20	18.0	8	75	94.9	6	8.0	3	4.0
		10-14	609	117	19.8	22	535	95.4	164	30.7	54	10.1	3	0.6	47	8.8	4	0.7	11	2.1
		15-19	640	100	16.1	14	539	88.4	122	22.6	220	40.8	12	2.2	62	11.5	9	1.7	23	4.3
		20+	538	97	18.6	14	408	80.0	160	39.2	177	43.4	21	5.1	59	14.5	3	0.7	24	5.9
	Age at diagnosis	<1	989	174	18.1	27	841	89.9	223	26.5	231	27.5	14	1.7	84	10.0	5	0.6	30	3.6
		1-4	760	130	18.1	29	591	87.6	172	29.1	178	30.1	16	2.7	75	12.7	10	1.7	21	3.6
		5-9	149	20	16.1	2	93	83.0	38	40.9	35	37.6	4	4.3	6	6.5	.	.	5	5.4
		10-14	30	6	24.0	.	19	79.2	12	63.2	3	15.8	2	10.5	4	21.1	1	5.3	1	5.3
		15-20	19	4	26.7	.	13	.	7	53.8	4	30.8	.	.	2	15.4	.	.	1	7.7
	Treatment	Surgery only	545	65	12.2	6	469	88.8	140	29.9	147	31.3	9	1.9	45	9.6	4	0.9	18	3.8
		Chemotherapy, no radiation	559	108	20.0	7	472	88.9	138	29.2	137	29.0	9	1.9	62	13.1	4	0.8	18	3.8
		Radiation, no chemotherapy	138	36	27.3	18	97	84.3	17	17.5	16	16.5	3	3.1	9	9.3
		Chemotherapy and radiation	531	98	20.7	23	386	89.6	124	32.1	118	30.6	14	3.6	52	13.5	5	1.3	18	4.7
		Unknown	174	27	16.2	4	133	85.8	33	24.8	33	24.8	1	0.8	3	2.3	3	2.3	4	3.0
Males	All cases	949	165	18.4		26	740	87.0	231	31.2	206	27.8	21	2.8	75	10.1	6	0.8	30	4.1
	Age at baseline	<18	478	85	19.1	16	392	94.2	130	33.2	31	7.9	2	0.5	38	9.7	3	0.8	8	2.0
		18-19	104	22	21.6	1	89	89.9	3	3.4	56	62.9	2	2.2	7	7.9	1	1.1	5	5.6
		20-24	272	36	14.1	6	185	75.2	59	31.9	107	57.8	8	4.3	20	10.8	1	0.5	8	4.3
		25-29	78	15	20.3	3	60	82.2	28	46.7	12	20.0	8	13.3	9	15.0	1	1.7	7	11.7
		30-34	14	4	28.6	.	12	85.7	10	83.3	.	.	1	8.3	1	8.3
		35+	3	3	.	.	2	66.7	1	50.0	1	50.0	.	.	1	50.0
	Years since diagnosis	5-9	75	7	14.3	5	31	93.9	3	9.7	1	3.2
		10-14	303	56	19.1	10	265	94.6	85	32.1	25	9.4	1	0.4	25	9.4	1	0.4	6	2.3
		15-19	308	58	19.2	4	254	86.4	65	25.6	97	38.2	9	3.5	25	9.8	5	2.0	12	4.7
		20+	263	44	17.5	7	190	77.9	78	41.1	84	44.2	11	5.8	24	12.6	.	.	12	6.3
	Age at diagnosis	<1	514	85	17.0	12	425	87.6	116	27.3	117	27.5	7	1.6	43	10.1	3	0.7	16	3.8
		1-4	342	67	20.7	13	261	87.0	88	33.7	74	28.4	9	3.4	31	11.9	2	0.8	9	3.4
		5-9	74	7	12.3	1	43	82.7	20	46.5	14	32.6	4	9.3	4	9.3
		10-14	13	4	40.0	.	7	70.0	5	71.4	.	.	1	14.3	.	.	1	14.3	.	.
		15-20	6	2	40.0	.	4	.	2	50.0	1	25.0	.	.	1	25.0	.	.	1	25.0
	Treatment	Surgery only	261	30	11.7	3	219	86.2	66	30.1	67	30.6	4	1.8	17	7.8	2	0.9	9	4.1

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		1947	52	3.3	26	1.7
	Age at baseline	<18	956	31	3.9	14	1.8
		18-19	237	2	1.0	2	1.0
		20-24	540	8	2.0	7	1.8
		25-29	170	8	5.9	2	1.5
		30-34	36	2	7.1	.	.
		35+	8	1	14.3	1	14.3
	Years since diagnosis	5-9	160	6	8.0	2	2.7
		10-14	609	23	4.3	11	2.1
		15-19	640	9	1.7	6	1.1
		20+	538	14	3.4	7	1.7
	Age at diagnosis	<1	989	27	3.2	13	1.5
		1-4	760	18	3.0	11	1.9
		5-9	149	2	2.2	1	1.1
		10-14	30	3	15.8	.	.
		15-20	19	2	15.4	1	7.7
	Treatment	Surgery only	545	5	1.1	6	1.3
		Chemotherapy, no radiation	559	22	4.7	8	1.7
		Radiation, no chemotherapy	138	4	4.1	4	4.1
		Chemotherapy and radiation	531	18	4.7	7	1.8
		Unknown	174	3	2.3	1	0.8
Males	All cases		949	23	3.1	16	2.2
	Age at baseline	<18	478	16	4.1	11	2.8
		18-19	104	.	.	1	1.1
		20-24	272	3	1.6	3	1.6
		25-29	78	3	5.0	1	1.7
		30-34	14	1	8.3	.	.
		35+	3
	Years since diagnosis	5-9	75	1	3.2	2	6.5
		10-14	303	12	4.5	8	3.0
		15-19	308	5	2.0	4	1.6
		20+	263	5	2.6	2	1.1
	Age at diagnosis	<1	514	12	2.8	7	1.6
		1-4	342	9	3.4	8	3.1
		5-9	74	1	2.3	1	2.3
		10-14	13	1	14.3	.	.
		15-20	6
	Treatment	Surgery only	261	2	0.9	4	1.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	277	57	21.2	2	233	88.6	75	32.2	71	30.5	4	1.7	33	14.2	1	0.4	9	3.9
		Radiation, no chemotherapy	62	15	25.4	8	41	78.8	8	19.5	6	14.6	2	4.9	2	4.9
		Chemotherapy and radiation	259	45	19.8	10	181	88.3	65	35.9	49	27.1	11	6.1	23	12.7	1	0.6	10	5.5
		Unknown	90	18	21.4	3	66	85.7	17	25.8	13	19.7	2	3.0	2	3.0
Females	All cases		998	169	17.8	32	817	89.9	221	27.1	245	30.0	15	1.8	96	11.8	10	1.2	28	3.4
	Age at baseline	<18	478	90	20.1	19	396	95.2	115	29.0	28	7.1	1	0.3	26	6.6	2	0.5	4	1.0
		18-19	133	10	7.9	3	112	90.3	4	3.6	73	65.2	2	1.8	16	14.3	2	1.8	7	6.3
		20-24	268	45	17.2	10	213	84.2	49	23.0	119	55.9	9	4.2	38	17.8	6	2.8	13	6.1
		25-29	92	15	17.2	.	75	84.3	40	53.3	19	25.3	2	2.7	13	17.3	.	.	4	5.3
		30-34	22	9	40.9	.	16	72.7	10	62.5	5	31.3	1	6.3	2	12.5
		35+	5	.	.	.	5	.	3	60.0	1	20.0	.	.	1	20.0
	Years since diagnosis	5-9	85	13	21.0	3	44	95.7	3	6.8	2	4.5
		10-14	306	61	20.5	12	270	96.1	79	29.3	29	10.7	2	0.7	22	8.1	3	1.1	5	1.9
		15-19	332	42	13.1	10	285	90.2	57	20.0	123	43.2	3	1.1	37	13.0	4	1.4	11	3.9
		20+	275	53	19.6	7	218	82.0	82	37.6	93	42.7	10	4.6	35	16.1	3	1.4	12	5.5
	Age at diagnosis	<1	475	89	19.2	15	416	92.2	107	25.7	114	27.4	7	1.7	41	9.9	2	0.5	14	3.4
		1-4	418	63	15.9	16	330	88.0	84	25.5	104	31.5	7	2.1	44	13.3	8	2.4	12	3.6
		5-9	75	13	19.4	1	50	83.3	18	36.0	21	42.0	.	.	6	12.0	.	.	1	2.0
		10-14	17	2	13.3	.	12	85.7	7	58.3	3	25.0	1	8.3	4	33.3	.	.	1	8.3
		15-20	13	2	20.0	.	9	.	5	55.6	3	33.3	.	.	1	11.1
	Treatment	Surgery only	284	35	12.6	3	250	91.2	74	29.6	80	32.0	5	2.0	28	11.2	2	0.8	9	3.6
		Chemotherapy, no radiation	282	51	18.9	5	239	89.2	63	26.4	66	27.6	5	2.1	29	12.1	3	1.3	9	3.8
		Radiation, no chemotherapy	76	21	28.8	10	56	88.9	9	16.1	10	17.9	1	1.8	7	12.5
		Chemotherapy and radiation	272	53	21.5	13	205	90.7	59	28.8	69	33.7	3	1.5	29	14.1	4	2.0	8	3.9
		Unknown	84	9	10.8	1	67	85.9	16	23.9	20	29.9	1	1.5	3	4.5	1	1.5	2	3.0

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	277	9	3.9	5	2.1
		Radiation, no chemotherapy	62	2	4.9	3	7.3
		Chemotherapy and radiation	259	8	4.4	3	1.7
		Unknown	90	2	3.0	1	1.5
Females	All cases		998	29	3.5	10	1.2
	Age at baseline	<18	478	15	3.8	3	0.8
		18-19	133	2	1.8	1	0.9
		20-24	268	5	2.3	4	1.9
		25-29	92	5	6.7	1	1.3
		30-34	22	1	6.3	.	.
		35+	5	1	20.0	1	20.0
	Years since diagnosis	5-9	85	5	11.4	.	.
		10-14	306	11	4.1	3	1.1
		15-19	332	4	1.4	2	0.7
		20+	275	9	4.1	5	2.3
	Age at diagnosis	<1	475	15	3.6	6	1.4
		1-4	418	9	2.7	3	0.9
		5-9	75	1	2.0	.	.
		10-14	17	2	16.7	.	.
		15-20	13	2	22.2	1	11.1
	Treatment	Surgery only	284	3	1.2	2	0.8
		Chemotherapy, no radiation	282	13	5.4	3	1.3
		Radiation, no chemotherapy	76	2	3.6	1	1.8
		Chemotherapy and radiation	272	10	4.9	4	2.0
		Unknown	84	1	1.5	.	.

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :												
				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other		
				All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		1756	398	23.5	55	1307	84.8	591	45.2	347	26.5	70	5.4	124	9.5	13	1.0	48	3.7	
	Age at baseline	<18	341	79	24.3	13	262	92.9	53	20.2	14	5.3	2	0.8	11	4.2	.	.	1	0.4	
		18-19	125	20	16.7	7	91	88.3	6	6.6	56	61.5	2	2.2	15	16.5	2	2.2	7	7.7	
		20-24	425	78	19.5	14	271	75.9	95	35.1	129	47.6	17	6.3	31	11.4	2	0.7	20	7.4	
		25-29	392	107	27.7	16	294	82.6	180	61.2	62	21.1	24	8.2	34	11.6	4	1.4	10	3.4	
		30-34	297	65	22.5	3	240	87.3	162	67.5	49	20.4	12	5.0	22	9.2	5	2.1	7	2.9	
		35+	176	49	28.5	2	149	88.2	95	63.8	37	24.8	13	8.7	11	7.4	.	.	3	2.0	
	Years since diagnosis	5-9	182	42	24.9	8	98	92.5	19	19.4	15	15.3	3	3.1	6	6.1	1	1.0	3	3.1	
		10-14	521	108	21.6	24	402	88.5	142	35.3	97	24.1	17	4.2	34	8.5	4	1.0	13	3.2	
		15-19	540	113	21.6	14	415	83.7	196	47.2	138	33.3	22	5.3	38	9.2	5	1.2	17	4.1	
		20+	513	135	26.9	9	392	80.7	234	59.7	97	24.7	28	7.1	46	11.7	3	0.8	15	3.8	
	Age at diagnosis	<1	124	29	23.8	6	97	86.6	24	24.7	23	23.7	1	1.0	8	8.2	.	.	1	1.0	
		1-4	560	126	23.4	20	410	83.2	136	33.2	101	24.6	15	3.7	44	10.7	3	0.7	13	3.2	
		5-9	397	81	21.4	11	291	82.0	109	37.5	106	36.4	19	6.5	30	10.3	3	1.0	17	5.8	
		10-14	346	85	25.5	12	256	85.9	159	62.1	60	23.4	13	5.1	26	10.2	4	1.6	9	3.5	
		15-20	329	77	24.1	6	253	89.1	163	64.4	57	22.5	22	8.7	16	6.3	3	1.2	8	3.2	
	Treatment	Surgery only	171	33	19.8	6	140	88.6	72	51.4	37	26.4	10	7.1	5	3.6	4	2.9	5	3.6	
		Chemotherapy, no radiation	359	68	19.3	21	264	82.8	121	45.8	67	25.4	13	4.9	21	8.0	1	0.4	4	1.5	
		Radiation, no chemotherapy	63	15	23.8	1	52	91.2	29	55.8	15	28.8	5	9.6	3	5.8	.	.	1	1.9	
		Chemotherapy and radiation	971	235	25.4	24	718	85.3	314	43.7	192	26.7	38	5.3	80	11.1	7	1.0	31	4.3	
		Unknown	192	47	25.1	3	133	80.1	55	41.4	36	27.1	4	3.0	15	11.3	1	0.8	7	5.3	
Males	All cases		949	187	20.5	29	682	82.8	344	50.4	144	21.1	45	6.6	64	9.4	3	0.4	21	3.1	
	Age at baseline	<18	192	43	23.8	7	140	91.5	32	22.9	8	5.7	1	0.7	8	5.7	.	.	1	0.7	
		18-19	66	8	12.7	4	49	92.5	5	10.2	29	59.2	.	.	10	20.4	1	2.0	2	4.1	
		20-24	242	42	18.5	7	148	72.5	56	37.8	70	47.3	9	6.1	13	8.8	.	.	9	6.1	
		25-29	207	44	21.7	8	152	80.9	108	71.1	14	9.2	16	10.5	20	13.2	2	1.3	3	2.0	
		30-34	158	28	18.3	2	120	83.3	89	74.2	15	12.5	9	7.5	9	7.5	.	.	5	4.2	
		35+	84	22	26.5	1	73	89.0	54	74.0	8	11.0	10	13.7	4	5.5	.	.	1	1.4	
	Years since diagnosis	5-9	100	20	22.2	6	49	94.2	10	20.4	5	10.2	1	2.0	1	2.0	.	.	1	2.0	
		10-14	288	55	19.9	10	221	87.7	92	41.6	51	23.1	7	3.2	20	9.0	.	.	8	3.6	
		15-19	281	43	15.9	7	203	79.6	106	52.2	53	26.1	14	6.9	20	9.9	2	1.0	5	2.5	
		20+	280	69	25.3	6	209	78.9	136	65.1	35	16.7	23	11.0	23	11.0	1	0.5	7	3.3	
	Age at diagnosis	<1	52	10	19.2	3	39	83.0	13	33.3	9	23.1	1	2.6	2	5.1	.	.	1	2.6	
		1-4	330	68	21.5	11	236	82.5	85	36.0	49	20.8	11	4.7	29	12.3	2	0.8	4	1.7	
		5-9	224	42	19.8	6	151	77.4	62	41.1	55	36.4	10	6.6	13	8.6	.	.	7	4.6	
		10-14	186	40	22.6	7	135	84.4	91	67.4	21	15.6	9	6.7	14	10.4	1	0.7	6	4.4	
		15-20	157	27	17.6	2	121	89.0	93	76.9	10	8.3	14	11.6	6	5.0	.	.	3	2.5	
	Treatment	Surgery only	74	12	16.4	4	55	80.9	36	65.5	8	14.5	7	12.7	1	1.8	

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		1756	60	4.6	26	2.0
	Age at baseline	<18	341	16	6.1	8	3.1
		18-19	125	2	2.2	1	1.1
		20-24	425	13	4.8	5	1.8
		25-29	392	16	5.4	9	3.1
		30-34	297	5	2.1	2	0.8
		35+	176	8	5.4	1	0.7
	Years since diagnosis	5-9	182	12	12.2	3	3.1
		10-14	521	18	4.5	9	2.2
		15-19	540	12	2.9	6	1.4
		20+	513	18	4.6	8	2.0
	Age at diagnosis	<1	124	5	5.2	4	4.1
		1-4	560	23	5.6	9	2.2
		5-9	397	8	2.7	4	1.4
		10-14	346	9	3.5	3	1.2
		15-20	329	15	5.9	6	2.4
	Treatment	Surgery only	171	8	5.7	4	2.9
		Chemotherapy, no radiation	359	13	4.9	7	2.7
		Radiation, no chemotherapy	63	3	5.8	.	.
		Chemotherapy and radiation	971	30	4.2	13	1.8
		Unknown	192	6	4.5	2	1.5
Males	All cases		949	27	4.0	12	1.8
	Age at baseline	<18	192	11	7.9	4	2.9
		18-19	66	1	2.0	.	.
		20-24	242	4	2.7	2	1.4
		25-29	207	5	3.3	4	2.6
		30-34	158	2	1.7	2	1.7
		35+	84	4	5.5	.	.
	Years since diagnosis	5-9	100	5	10.2	2	4.1
		10-14	288	14	6.3	4	1.8
		15-19	281	2	1.0	2	1.0
		20+	280	6	2.9	4	1.9
	Age at diagnosis	<1	52	1	2.6	1	2.6
		1-4	330	12	5.1	5	2.1
		5-9	224	3	2.0	2	1.3
		10-14	186	4	3.0	2	1.5
		15-20	157	7	5.8	2	1.7
	Treatment	Surgery only	74	2	3.6	2	3.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	211	34	16.6	10	156	82.1	81	51.9	28	17.9	9	5.8	10	6.4	1	0.6	2	1.3
		Radiation, no chemotherapy	32	7	21.9	.	27	93.1	14	51.9	7	25.9	5	18.5	1	3.7
		Chemotherapy and radiation	521	111	22.6	12	374	84.0	179	47.9	85	22.7	22	5.9	47	12.6	1	0.3	13	3.5
		Unknown	111	23	21.3	3	70	76.1	34	48.6	16	22.9	2	2.9	7	10.0	1	1.4	4	5.7
Females	All cases		807	211	26.9	26	625	87.0	247	39.5	203	32.5	25	4.0	60	9.6	10	1.6	27	4.3
	Age at baseline	<18	149	36	25.0	6	122	94.6	21	17.2	6	4.9	1	0.8	3	2.5
		18-19	59	12	21.1	3	42	84.0	1	2.4	27	64.3	2	4.8	5	11.9	1	2.4	5	11.9
		20-24	183	36	20.7	7	123	80.4	39	31.7	59	48.0	8	6.5	18	14.6	2	1.6	11	8.9
		25-29	185	63	34.4	8	142	84.5	72	50.7	48	33.8	8	5.6	14	9.9	2	1.4	7	4.9
		30-34	139	37	27.2	1	120	91.6	73	60.8	34	28.3	3	2.5	13	10.8	5	4.2	2	1.7
		35+	92	27	30.3	1	76	87.4	41	53.9	29	38.2	3	3.9	7	9.2	.	.	2	2.6
	Years since diagnosis	5-9	82	22	27.8	2	49	90.7	9	18.4	10	20.4	2	4.1	5	10.2	1	2.0	2	4.1
		10-14	233	53	23.9	14	181	89.6	50	27.6	46	25.4	10	5.5	14	7.7	4	2.2	5	2.8
		15-19	259	70	27.6	7	212	88.0	90	42.5	85	40.1	8	3.8	18	8.5	3	1.4	12	5.7
		20+	233	66	28.9	3	183	82.8	98	53.6	62	33.9	5	2.7	23	12.6	2	1.1	8	4.4
	Age at diagnosis	<1	72	19	27.1	3	58	89.2	11	19.0	14	24.1	.	.	6	10.3
		1-4	230	58	26.0	9	174	84.1	51	29.3	52	29.9	4	2.3	15	8.6	1	0.6	9	5.2
		5-9	173	39	23.4	5	140	87.5	47	33.6	51	36.4	9	6.4	17	12.1	3	2.1	10	7.1
		10-14	160	45	28.8	5	121	87.7	68	56.2	39	32.2	4	3.3	12	9.9	3	2.5	3	2.5
		15-20	172	50	29.9	4	132	89.2	70	53.0	47	35.6	8	6.1	10	7.6	3	2.3	5	3.8
	Treatment	Surgery only	97	21	22.3	2	85	94.4	36	42.4	29	34.1	3	3.5	5	5.9	4	4.7	4	4.7
		Chemotherapy, no radiation	148	34	23.1	11	108	83.7	40	37.0	39	36.1	4	3.7	11	10.2	.	.	2	1.9
		Radiation, no chemotherapy	31	8	25.8	1	25	89.3	15	60.0	8	32.0	.	.	3	12.0
		Chemotherapy and radiation	450	124	28.7	12	344	86.6	135	39.2	107	31.1	16	4.7	33	9.6	6	1.7	18	5.2
		Unknown	81	24	30.4	.	63	85.1	21	33.3	20	31.7	2	3.2	8	12.7	.	.	3	4.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

			Plan exclusions (Q.3a/U.3a) ³			Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	211	5	3.2	3	1.9
		Radiation, no chemotherapy	32	1	3.7	.	.
		Chemotherapy and radiation	521	16	4.3	6	1.6
		Unknown	111	3	4.3	1	1.4
Females	All cases		807	33	5.3	14	2.2
	Age at baseline	<18	149	5	4.1	4	3.3
		18-19	59	1	2.4	1	2.4
		20-24	183	9	7.3	3	2.4
		25-29	185	11	7.7	5	3.5
		30-34	139	3	2.5	.	.
		35+	92	4	5.3	1	1.3
	Years since diagnosis	5-9	82	7	14.3	1	2.0
		10-14	233	4	2.2	5	2.8
		15-19	259	10	4.7	4	1.9
		20+	233	12	6.6	4	2.2
	Age at diagnosis	<1	72	4	6.9	3	5.2
		1-4	230	11	6.3	4	2.3
		5-9	173	5	3.6	2	1.4
		10-14	160	5	4.1	1	0.8
		15-20	172	8	6.1	4	3.0
	Treatment	Surgery only	97	6	7.1	2	2.4
		Chemotherapy, no radiation	148	8	7.4	4	3.7
		Radiation, no chemotherapy	31	2	8.0	.	.
		Chemotherapy and radiation	450	14	4.1	7	2.0
		Unknown	81	3	4.8	1	1.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :												
				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other		
				All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		2098	507	25.8		55	1572	87.2	777	49.4	441	28.1	97	6.2	252	16.0	15	1.0	63	4.0
	Age at baseline	<18	96	14	18.2	3	51	98.1	17	33.3	3	5.9	.	.	5	9.8	1	2.0	1	2.0	
		18-19	72	9	15.3	3	42	91.3	.	.	33	78.6	1	2.4	3	7.1	1	2.4	4	9.5	
		20-24	388	78	22.4	14	236	82.2	65	27.5	117	49.6	10	4.2	44	18.6	4	1.7	15	6.4	
		25-29	568	134	25.0	15	428	85.8	220	51.4	85	19.9	42	9.8	85	19.9	4	0.9	18	4.2	
		30-34	566	163	29.6	13	467	88.4	276	59.1	110	23.6	23	4.9	66	14.1	4	0.9	17	3.6	
		35+	408	109	27.6	7	348	89.2	199	57.2	93	26.7	21	6.0	49	14.1	1	0.3	8	2.3	
	Years since diagnosis	5-9	241	41	22.9	9	83	85.6	20	24.1	29	34.9	4	4.8	11	13.3	2	2.4	5	6.0	
		10-14	681	166	25.5	18	511	85.6	242	47.4	155	30.3	35	6.8	85	16.6	3	0.6	18	3.5	
		15-19	676	170	26.2	19	561	88.8	283	50.4	153	27.3	38	6.8	84	15.0	6	1.1	32	5.7	
		20+	500	130	26.7	9	417	87.6	232	55.6	104	24.9	20	4.8	72	17.3	4	1.0	8	1.9	
	Age at diagnosis	<1	9	.	.	.	8	.	4	50.0	2	25.0	
		1-4	88	13	16.5	4	70	94.6	19	27.1	27	38.6	1	1.4	17	24.3	.	.	3	4.3	
		5-9	371	80	22.7	12	276	86.0	100	36.2	109	39.5	11	4.0	31	11.2	7	2.5	16	5.8	
		10-14	840	199	25.3	23	616	85.1	314	51.0	155	25.2	37	6.0	116	18.8	6	1.0	24	3.9	
		15-20	790	215	29.1	16	602	89.2	340	56.5	150	24.9	48	8.0	86	14.3	2	0.3	20	3.3	
	Treatment	Surgery only	119	25	21.2	6	101	91.8	57	56.4	34	33.7	3	3.0	8	7.9	3	3.0	.	.	
		Chemotherapy, no radiation	1189	290	26.0	33	912	86.3	432	47.4	255	28.0	63	6.9	161	17.7	9	1.0	44	4.8	
		Radiation, no chemotherapy	17	6	40.0	3	11	91.7	8	72.7	2	18.2	.	.	1	9.1	
		Chemotherapy and radiation	580	136	25.2	12	416	88.9	210	50.5	123	29.6	23	5.5	59	14.2	2	0.5	14	3.4	
		Unknown	193	50	27.9	1	132	85.2	70	53.0	27	20.5	8	6.1	23	17.4	1	0.8	5	3.8	
Males	All cases		1084	252	25.0		31	766	84.2	418	54.6	162	21.1	65	8.5	110	14.4	2	0.3	34	4.4
	Age at baseline	<18	48	6	16.7	.	24	.	7	29.2	2	8.3	.	.	1	4.2	1	4.2	.	.	
		18-19	36	3	9.7	1	18	90.0	.	.	13	72.2	1	5.6	1	5.6	1	5.6	1	5.6	
		20-24	193	36	20.9	10	115	83.9	27	23.5	66	57.4	4	3.5	23	20.0	.	.	10	8.7	
		25-29	299	69	24.9	11	203	80.9	111	54.7	26	12.8	31	15.3	35	17.2	.	.	7	3.4	
		30-34	283	83	30.1	5	224	84.8	158	70.5	27	12.1	14	6.3	25	11.2	.	.	10	4.5	
		35+	225	55	25.6	4	182	85.0	115	63.2	28	15.4	15	8.2	25	13.7	.	.	6	3.3	
	Years since diagnosis	5-9	132	17	17.9	6	43	87.8	11	25.6	13	30.2	3	7.0	8	18.6	1	2.3	2	4.7	
		10-14	349	87	26.2	10	247	83.7	129	52.2	64	25.9	26	10.5	31	12.6	1	0.4	11	4.5	
		15-19	347	87	26.0	8	279	85.6	152	54.5	59	21.1	24	8.6	40	14.3	.	.	16	5.7	
		20+	256	61	24.8	7	197	82.1	126	64.0	26	13.2	12	6.1	31	15.7	.	.	5	2.5	
	Age at diagnosis	<1	4	.	.	.	4	.	3	75.0	
		1-4	47	7	16.7	2	37	92.5	9	24.3	16	43.2	1	2.7	8	21.6	.	.	2	5.4	
		5-9	190	40	22.1	7	130	81.3	48	36.9	44	33.8	7	5.4	17	13.1	2	1.5	10	7.7	
		10-14	401	96	25.6	14	278	82.5	154	55.4	60	21.6	24	8.6	42	15.1	.	.	9	3.2	
		15-20	442	109	26.9	8	317	85.9	204	64.4	42	13.2	33	10.4	43	13.6	.	.	13	4.1	
	Treatment	Surgery only	48	12	25.5	3	40	90.9	27	67.5	8	20.0	3	7.5	3	7.5	1	2.5	.	.	

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		2098	84	5.3	36	2.3
	Age at baseline	<18	96	1	2.0	.	.
		18-19	72	4	9.5	.	.
		20-24	388	13	5.5	3	1.3
		25-29	568	24	5.6	17	4.0
		30-34	566	18	3.9	9	1.9
		35+	408	24	6.9	7	2.0
	Years since diagnosis	5-9	241	4	4.8	1	1.2
		10-14	681	32	6.3	19	3.7
		15-19	676	31	5.5	8	1.4
		20+	500	17	4.1	8	1.9
	Age at diagnosis	<1	9
		1-4	88	4	5.7	1	1.4
		5-9	371	12	4.3	1	0.4
		10-14	840	27	4.4	16	2.6
		15-20	790	41	6.8	18	3.0
	Treatment	Surgery only	119	4	4.0	2	2.0
		Chemotherapy, no radiation	1189	50	5.5	24	2.6
		Radiation, no chemotherapy	17
		Chemotherapy and radiation	580	17	4.1	7	1.7
		Unknown	193	13	9.8	3	2.3
Males	All cases		1084	43	5.6	17	2.2
	Age at baseline	<18	48	1	4.2	.	.
		18-19	36	2	11.1	.	.
		20-24	193	4	3.5	.	.
		25-29	299	12	5.9	7	3.4
		30-34	283	9	4.0	4	1.8
		35+	225	15	8.2	6	3.3
	Years since diagnosis	5-9	132	2	4.7	.	.
		10-14	349	16	6.5	9	3.6
		15-19	347	15	5.4	3	1.1
		20+	256	10	5.1	5	2.5
	Age at diagnosis	<1	4
		1-4	47	1	2.7	.	.
		5-9	190	6	4.6	1	0.8
		10-14	401	12	4.3	4	1.4
		15-20	442	24	7.6	12	3.8
	Treatment	Surgery only	48	3	7.5	1	2.5

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	611	134	23.7	19	444	83.3	233	52.5	94	21.2	42	9.5	68	15.3	1	0.2	24	5.4
		Radiation, no chemotherapy	9	2	25.0	2	6	.	4	66.7	1	16.7	.	.	1	16.7
		Chemotherapy and radiation	296	74	27.0	6	200	86.6	106	53.0	49	24.5	14	7.0	27	13.5	.	.	7	3.5
		Unknown	120	30	26.8	1	76	79.2	48	63.2	10	13.2	6	7.9	11	14.5	.	.	3	3.9
Females	All cases		1014	255	26.6	24	806	90.4	359	44.5	279	34.6	32	4.0	142	17.6	13	1.6	29	3.6
	Age at baseline	<18	48	8	19.5	3	27	96.4	10	37.0	1	3.7	.	.	4	14.8	.	.	1	3.7
		18-19	36	6	21.4	2	24	92.3	.	.	20	83.3	.	.	2	8.3	.	.	3	12.5
		20-24	195	42	23.9	4	121	80.7	38	31.4	51	42.1	6	5.0	21	17.4	4	3.3	5	4.1
		25-29	269	65	25.0	4	225	90.7	109	48.4	59	26.2	11	4.9	50	22.2	4	1.8	11	4.9
		30-34	283	80	29.2	8	243	92.0	118	48.6	83	34.2	9	3.7	41	16.9	4	1.6	7	2.9
		35+	183	54	30.0	3	166	94.3	84	50.6	65	39.2	6	3.6	24	14.5	1	0.6	2	1.2
	Years since diagnosis	5-9	109	24	28.6	3	40	83.3	9	22.5	16	40.0	1	2.5	3	7.5	1	2.5	3	7.5
		10-14	332	79	24.8	8	264	87.4	113	42.8	91	34.5	9	3.4	54	20.5	2	0.8	7	2.7
		15-19	329	83	26.3	11	282	92.2	131	46.5	94	33.3	14	5.0	44	15.6	6	2.1	16	5.7
		20+	244	69	28.8	2	220	93.2	106	48.2	78	35.5	8	3.6	41	18.6	4	1.8	3	1.4
	Age at diagnosis	<1	5	.	.	.	4	.	1	25.0	2	50.0
		1-4	41	6	16.2	2	33	97.1	10	30.3	11	33.3	.	.	9	27.3	.	.	1	3.0
		5-9	181	40	23.3	5	146	90.7	52	35.6	65	44.5	4	2.7	14	9.6	5	3.4	6	4.1
		10-14	439	103	25.1	9	338	87.3	160	47.3	95	28.1	13	3.8	74	21.9	6	1.8	15	4.4
		15-20	348	106	31.6	8	285	93.1	136	47.7	108	37.9	15	5.3	43	15.1	2	0.7	7	2.5
	Treatment	Surgery only	71	13	18.3	3	61	92.4	30	49.2	26	42.6	.	.	5	8.2	2	3.3	.	.
		Chemotherapy, no radiation	578	156	28.5	14	468	89.3	199	42.5	161	34.4	21	4.5	93	19.9	8	1.7	20	4.3
		Radiation, no chemotherapy	8	4	57.1	1	5	83.3	4	80.0	1	20.0
		Chemotherapy and radiation	284	62	23.3	6	216	91.1	104	48.1	74	34.3	9	4.2	32	14.8	2	0.9	7	3.2
		Unknown	73	20	29.9	.	56	94.9	22	39.3	17	30.4	2	3.6	12	21.4	1	1.8	2	3.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy, no radiation	611	21	4.7	10	2.3
		Radiation, no chemotherapy	9
		Chemotherapy and radiation	296	7	3.5	4	2.0
		Unknown	120	12	15.8	2	2.6
Females	All cases		1014	41	5.1	19	2.4
	Age at baseline	<18	48
		18-19	36	2	8.3	.	.
		20-24	195	9	7.4	3	2.5
		25-29	269	12	5.3	10	4.4
		30-34	283	9	3.7	5	2.1
		35+	183	9	5.4	1	0.6
	Years since diagnosis	5-9	109	2	5.0	1	2.5
		10-14	332	16	6.1	10	3.8
		15-19	329	16	5.7	5	1.8
		20+	244	7	3.2	3	1.4
	Age at diagnosis	<1	5
		1-4	41	3	9.1	1	3.0
		5-9	181	6	4.1	.	.
		10-14	439	15	4.4	12	3.6
		15-20	348	17	6.0	6	2.1
	Treatment	Surgery only	71	1	1.6	1	1.6
		Chemotherapy, no radiation	578	29	6.2	14	3.0
		Radiation, no chemotherapy	8
		Chemotherapy and radiation	284	10	4.6	3	1.4
		Unknown	73	1	1.8	1	1.8

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		738	159	23.0	15	540	88.5	270	50.0	163	30.2	32	5.9	63	11.7	3	0.6	24	4.4
	Age at baseline	<18	61	9	17.0	.	36	.	15	41.7	3	8.3	.	.	3	8.3	.	.	1	2.8
		18-19	36	5	17.9	1	17	89.5	.	.	12	70.6	.	.	1	5.9	.	.	1	5.9
		20-24	170	28	18.1	4	112	88.2	32	28.6	62	55.4	5	4.5	17	15.2	1	0.9	9	8.0
		25-29	204	48	25.0	4	153	86.0	80	52.3	34	22.2	14	9.2	20	13.1	2	1.3	7	4.6
		30-34	164	42	26.1	3	133	88.1	94	70.7	24	18.0	8	6.0	10	7.5	.	.	4	3.0
		35+	103	27	26.2	3	89	89.9	49	55.1	28	31.5	5	5.6	12	13.5	.	.	2	2.2
	Years since diagnosis	5-9	103	18	22.2	2	30	93.8	7	23.3	9	30.0	2	6.7	3	10.0	.	.	2	6.7
		10-14	247	55	23.6	2	190	88.8	86	45.3	70	36.8	11	5.8	21	11.1	1	0.5	8	4.2
		15-19	223	47	21.8	6	185	88.1	97	52.4	54	29.2	12	6.5	16	8.6	1	0.5	13	7.0
		20+	165	39	24.1	5	135	87.7	80	59.3	30	22.2	7	5.2	23	17.0	1	0.7	1	0.7
	Age at diagnosis	<1	5	.	.	.	4	.	1	25.0	1	25.0
		1-4	54	6	12.5	2	43	97.7	14	32.6	13	30.2	.	.	11	25.6	.	.	3	7.0
		5-9	185	38	21.3	3	142	88.8	59	41.5	56	39.4	5	3.5	11	7.7	3	2.1	6	4.2
		10-14	277	59	23.0	9	191	85.7	105	55.0	54	28.3	13	6.8	20	10.5	.	.	8	4.2
		15-20	217	56	27.2	1	160	89.4	91	56.9	40	25.0	14	8.8	20	12.5	.	.	7	4.4
	Treatment	Surgery only	1	.	.	.	1	.	1	100.0
		Chemotherapy, no radiation	210	38	19.0	5	173	89.6	82	47.4	52	30.1	12	6.9	22	12.7	2	1.2	11	6.4
		Radiation, no chemotherapy	2	.	.	.	1	.	1	100.0
		Chemotherapy and radiation	461	105	24.5	10	326	88.3	168	51.5	99	30.4	16	4.9	37	11.3	1	0.3	11	3.4
		Unknown	64	16	26.2	.	39	84.8	18	46.2	12	30.8	4	10.3	4	10.3	.	.	2	5.1
Males	All cases		385	89	24.6	10	268	85.9	132	49.3	74	27.6	19	7.1	32	11.9	.	.	15	5.6
	Age at baseline	<18	27	5	20.8	.	17	.	6	35.3	2	11.8	.	.	1	5.9
		18-19	20	1	6.3	.	7	87.5	.	.	5	71.4
		20-24	87	15	18.5	4	59	90.8	13	22.0	36	61.0	3	5.1	9	15.3	.	.	9	15.3
		25-29	105	29	29.9	2	73	83.0	35	47.9	13	17.8	11	15.1	11	15.1	.	.	2	2.7
		30-34	90	24	27.3	2	67	83.8	53	79.1	6	9.0	3	4.5	5	7.5	.	.	3	4.5
		35+	56	15	26.8	2	45	83.3	25	55.6	12	26.7	2	4.4	6	13.3	.	.	1	2.2
	Years since diagnosis	5-9	55	8	17.4	2	19	95.0	6	31.6	6	31.6	1	5.3	3	15.8	.	.	2	10.5
		10-14	121	33	29.5	2	85	87.6	37	43.5	32	37.6	8	9.4	7	8.2	.	.	4	4.7
		15-19	122	26	22.0	1	99	85.3	49	49.5	26	26.3	7	7.1	10	10.1	.	.	8	8.1
		20+	87	22	25.6	5	65	82.3	40	61.5	10	15.4	3	4.6	12	18.5	.	.	1	1.5
	Age at diagnosis	<1	2	.	.	.	2	.	1	50.0
		1-4	29	5	19.2	1	24	.	7	29.2	8	33.3	.	.	6	25.0	.	.	2	8.3
		5-9	92	19	21.1	2	66	84.6	24	36.4	24	36.4	4	6.1	6	9.1	.	.	5	7.6
		10-14	146	37	27.2	7	98	84.5	50	51.0	28	28.6	9	9.2	11	11.2	.	.	4	4.1
		15-20	116	28	25.9	.	78	84.8	50	64.1	14	17.9	6	7.7	9	11.5	.	.	4	5.1
	Treatment	Chemotherapy, no radiation	111	19	18.1	4	88	87.1	39	44.3	26	29.5	7	8.0	13	14.8	.	.	7	8.0

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		738	17	3.1	11	2.0
	Age at baseline	<18	61
		18-19	36	2	11.8	.	.
		20-24	170	3	2.7	2	1.8
		25-29	204	4	2.6	8	5.2
		30-34	164	4	3.0	1	0.8
		35+	103	4	4.5	.	.
	Years since diagnosis	5-9	103	1	3.3	.	.
		10-14	247	7	3.7	9	4.7
		15-19	223	7	3.8	2	1.1
		20+	165	2	1.5	.	.
	Age at diagnosis	<1	5
		1-4	54	1	2.3	.	.
		5-9	185	4	2.8	.	.
		10-14	277	4	2.1	7	3.7
		15-20	217	8	5.0	4	2.5
	Treatment	Surgery only	1
		Chemotherapy, no radiation	210	6	3.5	5	2.9
		Radiation, no chemotherapy	2
		Chemotherapy and radiation	461	9	2.8	5	1.5
		Unknown	64	2	5.1	1	2.6
Males	All cases		385	8	3.0	4	1.5
	Age at baseline	<18	27
		18-19	20	1	14.3	.	.
		20-24	87	1	1.7	.	.
		25-29	105	2	2.7	4	5.5
		30-34	90	2	3.0	.	.
		35+	56	2	4.4	.	.
	Years since diagnosis	5-9	55
		10-14	121	4	4.7	3	3.5
		15-19	122	2	2.0	1	1.0
		20+	87	2	3.1	.	.
	Age at diagnosis	<1	2
		1-4	29	1	4.2	.	.
		5-9	92	1	1.5	.	.
		10-14	146	2	2.0	3	3.1
		15-20	116	4	5.1	1	1.3
	Treatment	Chemotherapy, no radiation	111	2	2.3	2	2.3

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :														
						Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
						All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	1	.	.	.	1	.	1	100.0	
		Chemotherapy and radiation	236	60	27.3	.	157	85.8	81	51.6	41	26.1	10	6.4	17	10.8	7	4.5	
		Unknown	37	10	27.8	.	22	81.5	11	50.0	7	31.8	2	9.1	2	9.1	1	4.5	
Females	All cases		353	70	21.2	.	272	91.3	138	50.7	89	32.7	13	4.8	31	11.4	3	1.1	.	.	9	3.3	
	Age at baseline	<18	34	4	13.8	.	19	.	9	47.4	1	5.3	.	.	2	10.5	1	5.3	
		18-19	16	4	33.3	1	10	90.9	.	.	7	70.0	.	.	1	10.0	1	10.0	
		20-24	83	13	17.6	.	53	85.5	19	35.8	26	49.1	2	3.8	8	15.1	1	1.9	
		25-29	99	19	20.0	2	80	88.9	45	56.3	21	26.3	3	3.8	9	11.3	2	2.5	5	6.3	5	6.3	
		30-34	74	18	24.7	1	66	93.0	41	62.1	18	27.3	5	7.6	5	7.6	1	1.5	
		35+	47	12	25.5	1	44	97.8	24	54.5	16	36.4	3	6.8	6	13.6	1	2.3	
	Years since diagnosis	5-9	48	10	28.6	.	11	91.7	1	9.1	3	27.3	1	9.1	
		10-14	126	22	18.2	.	105	89.7	49	46.7	38	36.2	3	2.9	14	13.3	1	1.0	4	3.8	4	3.8	
		15-19	101	21	21.4	5	86	91.5	48	55.8	28	32.6	5	5.8	6	7.0	1	1.2	5	5.8	5	5.8	
		20+	78	17	22.4	.	70	93.3	40	57.1	20	28.6	4	5.7	11	15.7	1	1.4	
	Age at diagnosis	<1	3	.	.	.	2	1	50.0	
		1-4	25	1	4.5	1	19	95.0	7	36.8	5	26.3	.	.	5	26.3	1	5.3	
		5-9	93	19	21.6	1	76	92.7	35	46.1	32	42.1	1	1.3	5	6.6	3	3.9	1	1.3	1	1.3	
		10-14	131	22	18.3	2	93	86.9	55	59.1	26	28.0	4	4.3	9	9.7	4	4.3	
		15-20	101	28	28.6	1	82	94.3	41	50.0	26	31.7	8	9.8	11	13.4	3	3.7	
	Treatment	Surgery only	1	.	.	.	1	.	1	100.0	
		Chemotherapy, no radiation	99	19	20.0	1	85	92.4	43	50.6	26	30.6	5	5.9	9	10.6	2	2.4	4	4.7	4	4.7	
		Radiation, no chemotherapy	1	
		Chemotherapy and radiation	225	45	21.5	4	169	90.9	87	51.5	58	34.3	6	3.6	20	11.8	1	0.6	4	2.4	4	2.4	
		Unknown	27	6	24.0	.	17	89.5	7	41.2	5	29.4	2	11.8	2	11.8	1	5.9	

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	236	4	2.5	2	1.3
		Unknown	37	2	9.1	.	.
Females	All cases		353	9	3.3	7	2.6
	Age at baseline	<18	34
		18-19	16	1	10.0	.	.
		20-24	83	2	3.8	2	3.8
		25-29	99	2	2.5	4	5.0
		30-34	74	2	3.0	1	1.5
		35+	47	2	4.5	.	.
	Years since diagnosis	5-9	48	1	9.1	.	.
		10-14	126	3	2.9	6	5.7
		15-19	101	5	5.8	1	1.2
		20+	78
	Age at diagnosis	<1	3
		1-4	25
		5-9	93	3	3.9	.	.
		10-14	131	2	2.2	4	4.3
		15-20	101	4	4.9	3	3.7
	Treatment	Surgery only	1
		Chemotherapy, no radiation	99	4	4.7	3	3.5
		Radiation, no chemotherapy	1
		Chemotherapy and radiation	225	5	3.0	3	1.8
		Unknown	27	.	.	1	5.9

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other		
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	All cases		1257	326	27.7	34	947	86.0	464	49.0	247	26.1	64	6.8	180	19.0	9	1.0	38	4.0
	Age at baseline	<18	29	3	15.8	3	11	1	9.1	1	9.1	.	.
		18-19	30	4	16.0	1	20	90.9	.	.	16	80.0	1	5.0	2	10.0	.	.	3	15.0
		20-24	198	44	25.3	8	110	76.9	31	28.2	46	41.8	5	4.5	25	22.7	2	1.8	6	5.5
		25-29	344	85	26.2	8	260	85.0	128	49.2	48	18.5	28	10.8	64	24.6	2	0.8	11	4.2
		30-34	373	116	32.0	10	307	88.0	167	54.4	80	26.1	14	4.6	53	17.3	3	1.0	12	3.9
		35+	283	74	27.3	4	239	88.5	138	57.7	57	23.8	16	6.7	35	14.6	1	0.4	6	2.5
	Years since diagnosis	5-9	131	21	23.1	6	49	81.7	13	26.5	18	36.7	2	4.1	7	14.3	2	4.1	3	6.1
		10-14	397	107	27.9	13	293	83.5	138	47.1	77	26.3	24	8.2	62	21.2	.	.	10	3.4
		15-19	422	114	28.1	12	348	88.3	175	50.3	85	24.4	25	7.2	66	19.0	5	1.4	19	5.5
		20+	307	84	28.3	3	257	86.8	138	53.7	67	26.1	13	5.1	45	17.5	2	0.8	6	2.3
	Age at diagnosis	1-4	25	6	26.1	1	20	87.0	5	25.0	9	45.0	1	5.0	5	25.0
		5-9	168	37	23.4	7	121	82.9	37	30.6	45	37.2	6	5.0	20	16.5	2	1.7	10	8.3
		10-14	533	134	26.7	11	402	84.6	196	48.8	96	23.9	24	6.0	92	22.9	5	1.2	15	3.7
		15-20	531	149	30.2	15	404	88.4	226	55.9	97	24.0	33	8.2	63	15.6	2	0.5	13	3.2
	Treatment	Surgery only	86	18	20.9	4	72	90.0	42	58.3	22	30.6	3	4.2	5	6.9	1	1.4	.	.
		Chemotherapy, no radiation	955	248	27.8	27	721	85.3	340	47.2	197	27.3	51	7.1	138	19.1	7	1.0	33	4.6
		Radiation, no chemotherapy	10	4	44.4	1	8	.	6	75.0	1	12.5	.	.	1	12.5
		Chemotherapy and radiation	83	23	30.3	1	57	89.1	26	45.6	12	21.1	6	10.5	19	33.3	.	.	2	3.5
		Unknown	123	33	29.5	1	89	85.6	50	56.2	15	16.9	4	4.5	17	19.1	1	1.1	3	3.4
Males	All cases		647	159	26.6	16	456	82.2	262	57.5	73	16.0	45	9.9	76	16.7	1	0.2	19	4.2
	Age at baseline	<18	20	1	9.1	.	6	1	16.7	.	.
		18-19	12	2	18.2	.	8	88.9	.	.	5	62.5	1	12.5	1	12.5	.	.	1	12.5
		20-24	95	20	24.7	4	48	75.0	13	27.1	24	50.0	1	2.1	13	27.1	.	.	1	2.1
		25-29	183	40	23.7	7	122	78.7	69	56.6	12	9.8	20	16.4	24	19.7	.	.	5	4.1
		30-34	178	58	33.1	3	143	84.1	96	67.1	18	12.6	10	7.0	19	13.3	.	.	7	4.9
		35+	159	38	25.3	2	129	85.4	84	65.1	14	10.9	13	10.1	19	14.7	.	.	5	3.9
	Years since diagnosis	5-9	74	9	19.6	3	23	82.1	5	21.7	7	30.4	2	8.7	4	17.4	1	4.3	.	.
		10-14	209	54	26.7	6	146	80.2	83	56.8	26	17.8	18	12.3	23	15.8	.	.	7	4.8
		15-19	210	58	28.6	6	167	84.8	97	58.1	27	16.2	16	9.6	30	18.0	.	.	8	4.8
		20+	154	38	26.0	1	120	81.1	77	64.2	13	10.8	9	7.5	19	15.8	.	.	4	3.3
	Age at diagnosis	1-4	14	2	16.7	.	10	76.9	2	20.0	5	50.0	1	10.0	2	20.0
		5-9	84	20	25.6	3	53	74.6	20	37.7	13	24.5	3	5.7	11	20.8	1	1.9	5	9.4
		10-14	245	59	25.7	5	173	81.2	99	57.2	31	17.9	15	8.7	30	17.3	.	.	5	2.9
		15-20	304	78	28.2	8	220	85.3	141	64.1	24	10.9	26	11.8	33	15.0	.	.	9	4.1
	Treatment	Surgery only	30	10	33.3	1	25	86.2	18	72.0	3	12.0	3	12.0	2	8.0
		Chemotherapy, no radiation	488	115	25.5	14	348	82.1	190	54.6	64	18.4	35	10.1	55	15.8	1	0.3	17	4.9
		Radiation, no chemotherapy	6	2	40.0	.	5	.	3	60.0	1	20.0	.	.	1	20.0

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
Both sexes	All cases		1257	65	6.9	24	2.5
	Age at baseline	<18	29	1	9.1	.	.
		18-19	30	2	10.0	.	.
		20-24	198	9	8.2	1	0.9
		25-29	344	20	7.7	9	3.5
		30-34	373	14	4.6	8	2.6
		35+	283	19	7.9	6	2.5
	Years since diagnosis	5-9	131	3	6.1	1	2.0
		10-14	397	25	8.5	10	3.4
		15-19	422	23	6.6	6	1.7
		20+	307	14	5.4	7	2.7
	Age at diagnosis	1-4	25	3	15.0	1	5.0
		5-9	168	7	5.8	1	0.8
		10-14	533	23	5.7	9	2.2
		15-20	531	32	7.9	13	3.2
	Treatment	Surgery only	86	3	4.2	1	1.4
		Chemotherapy, no radiation	955	44	6.1	19	2.6
		Radiation, no chemotherapy	10
		Chemotherapy and radiation	83	7	12.3	2	3.5
		Unknown	123	11	12.4	2	2.2
Males	All cases		647	35	7.7	13	2.9
	Age at baseline	<18	20	1	16.7	.	.
		18-19	12	1	12.5	.	.
		20-24	95	3	6.3	.	.
		25-29	183	10	8.2	3	2.5
		30-34	178	7	4.9	4	2.8
		35+	159	13	10.1	6	4.7
	Years since diagnosis	5-9	74	2	8.7	.	.
		10-14	209	12	8.2	6	4.1
		15-19	210	13	7.8	2	1.2
		20+	154	8	6.7	5	4.2
	Age at diagnosis	1-4	14
		5-9	84	5	9.4	1	1.9
		10-14	245	10	5.8	1	0.6
		15-20	304	20	9.1	11	5.0
	Treatment	Surgery only	30	3	12.0	1	4.0
		Chemotherapy, no radiation	488	19	5.5	8	2.3
		Radiation, no chemotherapy	6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

									How health insurance provided (Q.3/U.3) ² :											
			Difficulty obtaining (Q.1/U.1)			Current insurance (Q.2/U.2) ¹			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	44	12	30.8	.	27	84.4	16	59.3	2	7.4	3	11.1	10	37.0
		Unknown	79	20	27.8	1	51	78.5	35	68.6	3	5.9	4	7.8	8	15.7	.	.	2	3.9
Females	All cases		610	167	28.8	18	491	89.9	202	41.1	174	35.4	19	3.9	104	21.2	8	1.6	19	3.9
	Age at baseline	<18	9	2	25.0	3	5	1	20.0
		18-19	18	2	14.3	1	12	92.3	.	.	11	91.7	.	.	1	8.3	.	.	2	16.7
		20-24	103	24	25.8	4	62	78.5	18	29.0	22	35.5	4	6.5	12	19.4	2	3.2	5	8.1
		25-29	161	45	28.8	1	138	91.4	59	42.8	36	26.1	8	5.8	40	29.0	2	1.4	6	4.3
		30-34	195	58	31.0	7	164	91.6	71	43.3	62	37.8	4	2.4	34	20.7	3	1.8	5	3.0
		35+	124	36	29.8	2	110	92.4	54	49.1	43	39.1	3	2.7	16	14.5	1	0.9	1	0.9
	Years since diagnosis	5-9	57	12	26.7	3	26	81.3	8	30.8	11	42.3	.	.	3	11.5	1	3.8	3	11.5
		10-14	188	53	29.3	7	147	87.0	55	37.4	51	34.7	6	4.1	39	26.5	.	.	3	2.0
		15-19	212	56	27.7	6	181	91.9	78	43.1	58	32.0	9	5.0	36	19.9	5	2.8	11	6.1
		20+	153	46	30.5	2	137	92.6	61	44.5	54	39.4	4	2.9	26	19.0	2	1.5	2	1.5
	Age at diagnosis	1-4	11	4	36.4	1	10	.	3	30.0	4	40.0	.	.	3	30.0
		5-9	84	17	21.3	4	68	90.7	17	25.0	32	47.1	3	4.4	9	13.2	1	1.5	5	7.4
		10-14	288	75	27.7	6	229	87.4	97	42.4	65	28.4	9	3.9	62	27.1	5	2.2	10	4.4
		15-20	227	71	32.7	7	184	92.5	85	46.2	73	39.7	7	3.8	30	16.3	2	1.1	4	2.2
	Treatment	Surgery only	56	8	14.3	3	47	92.2	24	51.1	19	40.4	.	.	3	6.4	1	2.1	.	.
		Chemotherapy, no radiation	467	133	30.1	13	373	88.6	150	40.2	133	35.7	16	4.3	83	22.3	6	1.6	16	4.3
		Radiation, no chemotherapy	4	2	50.0	1	3	.	3	100.0
		Chemotherapy and radiation	39	11	29.7	1	30	93.8	10	33.3	10	33.3	3	10.0	9	30.0	.	.	2	6.7
		Unknown	44	13	32.5	.	38	97.4	15	39.5	12	31.6	.	.	9	23.7	1	2.6	1	2.6

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) ³		Extra premium (Q.3b/U.3b) ³	
			All cases	N	%	N	%
		Chemotherapy and radiation	44	3	11.1	2	7.4
		Unknown	79	10	19.6	2	3.9
Females	All cases		610	30	6.1	11	2.2
	Age at baseline	<18	9
		18-19	18	1	8.3	.	.
		20-24	103	6	9.7	1	1.6
		25-29	161	10	7.2	6	4.3
		30-34	195	7	4.3	4	2.4
		35+	124	6	5.5	.	.
	Years since diagnosis	5-9	57	1	3.8	1	3.8
		10-14	188	13	8.8	4	2.7
		15-19	212	10	5.5	4	2.2
		20+	153	6	4.4	2	1.5
	Age at diagnosis	1-4	11	3	30.0	1	10.0
		5-9	84	2	2.9	.	.
		10-14	288	13	5.7	8	3.5
		15-20	227	12	6.5	2	1.1
	Treatment	Surgery only	56
		Chemotherapy, no radiation	467	25	6.7	11	2.9
		Radiation, no chemotherapy	4
		Chemotherapy and radiation	39	4	13.3	.	.
		Unknown	44	1	2.6	.	.

CCSS data from Jan2020 data freeze

¹ % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

² % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

³ % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=7 participants with no baseline information are not included