Education: All cancers

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**25725**	**3401**	**13.5**	**3777**	**15.0**	**4391**	**17.4**	**1017**	**4.0**	**6164**	**24.5**	**4647**	**18.5**	**1543**	**6.1**	**225**	**0.9**
	Age at baseline	<18	5688	3146	56.8	2156	38.9	117	2.1	5	0.1	12	0.2	.	.	1	0.0	99	1.8
		18-19	2152	48	2.3	569	27.1	792	37.8	44	2.1	614	29.3	10	0.5	2	0.1	18	0.9
		20-24	6024	74	1.3	377	6.4	1389	23.5	273	4.6	2555	43.2	1067	18.1	123	2.1	53	0.9
		25-29	5571	54	1.0	312	5.7	1062	19.5	350	6.4	1447	26.5	1694	31.0	504	9.2	37	0.7
		30-34	3885	52	1.4	242	6.4	653	17.2	199	5.2	956	25.2	1161	30.5	527	13.9	11	0.3
		35+	2405	27	1.1	121	5.1	378	16.0	146	6.2	580	24.6	715	30.3	386	16.4	7	0.3
	Years since diagnosis	5-9	2592	1197	47.9	388	15.5	264	10.6	54	2.2	402	16.1	137	5.5	25	1.0	33	1.3
		10-14	8345	1923	23.5	1850	22.6	1094	13.4	224	2.7	1585	19.4	1090	13.3	340	4.2	69	0.8
		15-19	8211	190	2.4	1158	14.4	1728	21.5	340	4.2	2406	29.9	1612	20.0	533	6.6	78	1.0
		20+	6577	91	1.4	381	5.9	1305	20.2	399	6.2	1771	27.5	1808	28.1	645	10.0	45	0.7
	Age at diagnosis	<1	1933	705	37.5	407	21.7	243	12.9	39	2.1	320	17.0	105	5.6	12	0.6	48	2.6
		1-4	8297	2172	26.8	1817	22.4	1332	16.4	206	2.5	1603	19.8	740	9.1	118	1.5	117	1.4
		5-9	5790	408	7.2	948	16.7	1174	20.7	233	4.1	1622	28.6	981	17.3	271	4.8	32	0.6
		10-14	5453	76	1.4	376	7.0	975	18.3	291	5.4	1519	28.4	1559	29.2	525	9.8	19	0.4
		15-20	4252	40	1.0	229	5.5	667	16.0	248	5.9	1100	26.4	1262	30.2	617	14.8	9	0.2
	Treatment	Surgery only	2169	303	14.2	302	14.2	346	16.2	82	3.8	522	24.5	421	19.8	131	6.1	24	1.1
		Chemotherapy, no radiation	8166	1235	15.4	1268	15.8	1184	14.8	257	3.2	1977	24.6	1518	18.9	493	6.1	94	1.2
		Radiation, no chemotherapy	2086	198	9.8	216	10.7	407	20.2	110	5.5	498	24.7	418	20.7	161	8.0	10	0.5
		Chemotherapy and radiation	10806	1367	12.9	1568	14.8	1897	17.9	474	4.5	2553	24.2	1969	18.6	657	6.2	84	0.8
		Unknown	2498	298	12.3	423	17.5	557	23.0	94	3.9	614	25.4	321	13.3	101	4.2	13	0.5
Males	**All cases**		**13753**	**1832**	**13.6**	**2131**	**15.8**	**2468**	**18.3**	**587**	**4.4**	**3224**	**23.9**	**2326**	**17.3**	**770**	**5.7**	**129**	**1.0**
	Age at baseline	<18	3065	1697	57.0	1150	38.6	57	1.9	5	0.2	6	0.2	.	.	1	0.0	62	2.1
		18-19	1122	26	2.4	338	30.9	403	36.8	23	2.1	286	26.1	5	0.5	2	0.2	12	1.1
		20-24	3170	32	1.0	225	7.2	794	25.4	155	5.0	1333	42.7	504	16.1	53	1.7	27	0.9
		25-29	3091	33	1.1	192	6.3	638	21.0	199	6.6	805	26.6	878	29.0	267	8.8	20	0.7
		30-34	2072	32	1.6	148	7.3	379	18.7	123	6.1	511	25.2	582	28.7	249	12.3	4	0.2
		35+	1233	12	1.0	78	6.4	197	16.3	82	6.8	283	23.4	357	29.5	198	16.4	4	0.3
	Years since diagnosis	5-9	1455	669	47.6	238	16.9	154	11.0	35	2.5	210	14.9	62	4.4	15	1.1	23	1.6
		10-14	4468	1012	23.1	1018	23.3	634	14.5	130	3.0	837	19.1	539	12.3	165	3.8	37	0.8
		15-19	4314	103	2.4	646	15.2	950	22.4	200	4.7	1230	29.0	798	18.8	271	6.4	50	1.2
		20+	3516	48	1.4	229	6.7	730	21.2	222	6.5	947	27.5	927	26.9	319	9.3	19	0.6
	Age at diagnosis	<1	987	357	37.3	214	22.4	124	13.0	17	1.8	163	17.0	47	4.9	3	0.3	32	3.3
		1-4	4344	1179	27.8	973	22.9	688	16.2	108	2.5	809	19.1	369	8.7	55	1.3	64	1.5
		5-9	3263	233	7.3	563	17.6	721	22.5	149	4.7	871	27.2	499	15.6	149	4.7	19	0.6
		10-14	2887	37	1.3	230	8.1	545	19.3	177	6.3	797	28.2	766	27.1	262	9.3	9	0.3
		15-20	2272	26	1.2	151	6.7	390	17.4	136	6.1	584	26.1	645	28.8	301	13.4	5	0.2
	Treatment	Surgery only	1070	161	15.4	157	15.0	173	16.6	43	4.1	259	24.8	195	18.7	48	4.6	9	0.9
		Chemotherapy, no radiation	4299	630	14.9	691	16.4	648	15.3	159	3.8	1026	24.3	749	17.7	261	6.2	58	1.4
		Radiation, no chemotherapy	1086	106	10.1	118	11.2	223	21.2	60	5.7	268	25.4	190	18.0	84	8.0	5	0.5
		Chemotherapy and radiation	5825	773	13.5	897	15.7	1092	19.1	265	4.6	1307	22.9	1009	17.7	324	5.7	49	0.9
		Unknown	1473	162	11.3	268	18.7	332	23.2	60	4.2	364	25.5	183	12.8	53	3.7	8	0.6

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Females	**All cases**		**11972**	**1569**	**13.4**	**1646**	**14.1**	**1923**	**16.4**	**430**	**3.7**	**2940**	**25.1**	**2321**	**19.8**	**773**	**6.6**	**96**	**0.8**
	Age at baseline	<18	2623	1449	56.6	1006	39.3	60	2.3	.	.	6	0.2	.	.	.	.	37	1.4
		18-19	1030	22	2.2	231	23.1	389	38.8	21	2.1	328	32.7	5	0.5	.	.	6	0.6
		20-24	2854	42	1.5	152	5.5	595	21.3	118	4.2	1222	43.8	563	20.2	70	2.5	26	0.9
		25-29	2480	21	0.9	120	4.9	424	17.5	151	6.2	642	26.4	816	33.6	237	9.8	17	0.7
		30-34	1813	20	1.1	94	5.3	274	15.5	76	4.3	445	25.1	579	32.7	278	15.7	7	0.4
		35+	1172	15	1.3	43	3.7	181	15.8	64	5.6	297	25.8	358	31.2	188	16.4	3	0.3
	Years since diagnosis	5-9	1137	528	48.3	150	13.7	110	10.1	19	1.7	192	17.6	75	6.9	10	0.9	10	0.9
		10-14	3877	911	24.0	832	21.9	460	12.1	94	2.5	748	19.7	551	14.5	175	4.6	32	0.8
		15-19	3897	87	2.3	512	13.5	778	20.5	140	3.7	1176	31.0	814	21.4	262	6.9	28	0.7
		20+	3061	43	1.4	152	5.1	575	19.1	177	5.9	824	27.4	881	29.3	326	10.9	26	0.9
	Age at diagnosis	<1	946	348	37.7	193	20.9	119	12.9	22	2.4	157	17.0	58	6.3	9	1.0	16	1.7
		1-4	3953	993	25.7	844	21.9	644	16.7	98	2.5	794	20.6	371	9.6	63	1.6	53	1.4
		5-9	2527	175	7.1	385	15.6	453	18.4	84	3.4	751	30.5	482	19.6	122	4.9	13	0.5
		10-14	2566	39	1.5	146	5.8	430	17.1	114	4.5	722	28.7	793	31.5	263	10.4	10	0.4
		15-20	1980	14	0.7	78	4.0	277	14.3	112	5.8	516	26.7	617	31.9	316	16.3	4	0.2
	Treatment	Surgery only	1099	142	13.1	145	13.4	173	15.9	39	3.6	263	24.2	226	20.8	83	7.6	15	1.4
		Chemotherapy, no radiation	3867	605	15.9	577	15.2	536	14.1	98	2.6	951	25.0	769	20.2	232	6.1	36	0.9
		Radiation, no chemotherapy	1000	92	9.5	98	10.2	184	19.1	50	5.2	230	23.9	228	23.7	77	8.0	5	0.5
		Chemotherapy and radiation	4981	594	12.2	671	13.8	805	16.6	209	4.3	1246	25.7	960	19.8	333	6.9	35	0.7
		Unknown	1025	136	13.7	155	15.6	225	22.7	34	3.4	250	25.2	138	13.9	48	4.8	5	0.5

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**7908**	**1332**	**17.3**	**1422**	**18.4**	**1287**	**16.7**	**290**	**3.8**	**1754**	**22.7**	**1213**	**15.7**	**356**	**4.6**	**65**	**0.8**
	Age at baseline	<18	2236	1254	57.4	857	39.2	36	1.6	4	0.2	7	0.3	.	.	.	.	26	1.2
		18-19	844	13	1.6	250	30.6	314	38.5	15	1.8	213	26.1	3	0.4	.	.	8	1.0
		20-24	1970	29	1.5	129	6.7	450	23.4	110	5.7	813	42.2	344	17.9	35	1.8	16	0.8
		25-29	1608	19	1.2	95	6.0	276	17.6	97	6.2	434	27.6	500	31.8	142	9.0	8	0.5
		30-34	847	13	1.6	61	7.4	147	17.8	43	5.2	205	24.8	243	29.4	110	13.3	5	0.6
		35+	403	4	1.0	30	7.6	64	16.2	21	5.3	82	20.8	123	31.1	69	17.5	2	0.5
	Years since diagnosis	5-9	981	573	60.4	152	16.0	63	6.6	10	1.1	101	10.7	35	3.7	3	0.3	11	1.2
		10-14	2637	679	26.3	768	29.8	315	12.2	59	2.3	422	16.4	244	9.5	75	2.9	17	0.7
		15-19	2441	52	2.2	387	16.2	538	22.5	108	4.5	750	31.4	425	17.8	100	4.2	26	1.1
		20+	1849	28	1.6	115	6.4	371	20.5	113	6.3	481	26.6	509	28.2	178	9.9	11	0.6
	Age at diagnosis	<1	242	92	39.3	52	22.2	33	14.1	5	2.1	32	13.7	11	4.7	.	.	9	3.8
		1-4	3735	1055	28.9	846	23.2	574	15.7	97	2.7	669	18.3	317	8.7	51	1.4	37	1.0
		5-9	1931	156	8.3	374	19.8	357	18.9	84	4.4	530	28.1	300	15.9	77	4.1	10	0.5
		10-14	1313	22	1.7	100	7.8	224	17.5	71	5.5	355	27.7	369	28.8	133	10.4	6	0.5
		15-20	687	7	1.0	50	7.5	99	14.8	33	4.9	168	25.0	216	32.2	95	14.2	3	0.4
	Treatment	Surgery only	3	.	.	.	.	.	.	.	.	2	66.7	.	.	.	.	1	33.3
		Chemotherapy, no radiation	3383	620	18.7	635	19.1	463	14.0	101	3.0	765	23.1	537	16.2	150	4.5	47	1.4
		Radiation, no chemotherapy	4	1	25.0	.	.	1	25.0	.	.	.	.	2	50.0	.	.	.	.
		Chemotherapy and radiation	3775	604	16.4	647	17.6	663	18.1	156	4.2	811	22.1	596	16.2	181	4.9	14	0.4
		Unknown	743	107	14.8	140	19.4	160	22.2	33	4.6	176	24.4	78	10.8	25	3.5	3	0.4
Males	**All cases**		**4218**	**724**	**17.6**	**803**	**19.5**	**694**	**16.8**	**174**	**4.2**	**886**	**21.5**	**610**	**14.8**	**190**	**4.6**	**42**	**1.0**
	Age at baseline	<18	1222	678	57.0	465	39.1	18	1.5	4	0.3	5	0.4	.	.	.	.	19	1.6
		18-19	454	9	2.0	149	33.9	164	37.3	8	1.8	101	23.0	2	0.5	.	.	7	1.6
		20-24	997	14	1.4	70	7.1	249	25.3	61	6.2	404	41.1	164	16.7	13	1.3	8	0.8
		25-29	870	12	1.4	62	7.3	152	17.9	55	6.5	220	25.9	262	30.9	82	9.7	4	0.5
		30-34	449	7	1.6	36	8.2	83	18.9	30	6.8	111	25.2	113	25.7	57	13.0	3	0.7
		35+	226	4	1.8	21	9.5	28	12.6	16	7.2	45	20.3	69	31.1	38	17.1	1	0.5
	Years since diagnosis	5-9	557	332	61.6	88	16.3	35	6.5	9	1.7	51	9.5	16	3.0	1	0.2	7	1.3
		10-14	1415	344	24.9	436	31.6	174	12.6	32	2.3	212	15.4	129	9.3	42	3.0	12	0.9
		15-19	1252	32	2.6	210	17.1	279	22.7	64	5.2	376	30.5	201	16.3	51	4.1	18	1.5
		20+	994	16	1.6	69	7.1	206	21.2	69	7.1	247	25.4	264	27.2	96	9.9	5	0.5
	Age at diagnosis	<1	113	37	34.3	21	19.4	18	16.7	4	3.7	14	13.0	7	6.5	.	.	7	6.5
		1-4	1998	574	29.4	470	24.1	315	16.2	50	2.6	332	17.0	160	8.2	25	1.3	24	1.2
		5-9	1041	95	9.3	216	21.2	190	18.6	53	5.2	266	26.1	149	14.6	46	4.5	6	0.6
		10-14	650	12	1.9	59	9.3	109	17.2	42	6.6	182	28.7	165	26.0	61	9.6	4	0.6
		15-20	416	6	1.5	37	9.0	62	15.1	25	6.1	92	22.4	129	31.5	58	14.1	1	0.2
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	100.0
		Chemotherapy, no radiation	1694	314	18.9	326	19.6	238	14.3	60	3.6	356	21.4	262	15.8	76	4.6	30	1.8
		Radiation, no chemotherapy	3	1	33.3	.	.	1	33.3	.	.	.	.	1	33.3	.	.	.	.
		Chemotherapy and radiation	2076	343	16.9	387	19.1	366	18.1	89	4.4	433	21.4	299	14.8	97	4.8	10	0.5
		Unknown	444	66	15.2	90	20.8	89	20.6	25	5.8	97	22.4	48	11.1	17	3.9	1	0.2

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Females	**All cases**		**3690**	**608**	**16.9**	**619**	**17.2**	**593**	**16.5**	**116**	**3.2**	**868**	**24.1**	**603**	**16.8**	**166**	**4.6**	**23**	**0.6**
	Age at baseline	<18	1014	576	57.9	392	39.4	18	1.8	.	.	2	0.2	.	.	.	.	7	0.7
		18-19	390	4	1.1	101	26.9	150	39.9	7	1.9	112	29.8	1	0.3	.	.	1	0.3
		20-24	973	15	1.6	59	6.3	201	21.3	49	5.2	409	43.4	180	19.1	22	2.3	8	0.8
		25-29	738	7	1.0	33	4.6	124	17.2	42	5.8	214	29.6	238	33.0	60	8.3	4	0.6
		30-34	398	6	1.6	25	6.5	64	16.5	13	3.4	94	24.3	130	33.6	53	13.7	2	0.5
		35+	177	.	.	9	5.2	36	20.8	5	2.9	37	21.4	54	31.2	31	17.9	1	0.6
	Years since diagnosis	5-9	424	241	58.9	64	15.6	28	6.8	1	0.2	50	12.2	19	4.6	2	0.5	4	1.0
		10-14	1222	335	28.0	332	27.7	141	11.8	27	2.3	210	17.5	115	9.6	33	2.8	5	0.4
		15-19	1189	20	1.7	177	15.3	259	22.4	44	3.8	374	32.4	224	19.4	49	4.2	8	0.7
		20+	855	12	1.4	46	5.5	165	19.8	44	5.3	234	28.1	245	29.4	82	9.8	6	0.7
	Age at diagnosis	<1	129	55	43.7	31	24.6	15	11.9	1	0.8	18	14.3	4	3.2	.	.	2	1.6
		1-4	1737	481	28.4	376	22.2	259	15.3	47	2.8	337	19.9	157	9.3	26	1.5	13	0.8
		5-9	890	61	7.0	158	18.2	167	19.3	31	3.6	264	30.4	151	17.4	31	3.6	4	0.5
		10-14	663	10	1.5	41	6.3	115	17.8	29	4.5	173	26.8	204	31.6	72	11.1	2	0.3
		15-20	271	1	0.4	13	5.0	37	14.2	8	3.1	76	29.1	87	33.3	37	14.2	2	0.8
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.	2	100.0	.	.	.	.	.	.
		Chemotherapy, no radiation	1689	306	18.5	309	18.7	225	13.6	41	2.5	409	24.7	275	16.6	74	4.5	17	1.0
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.	.	.	1	100.0	.	.	.	.
		Chemotherapy and radiation	1699	261	15.8	260	15.8	297	18.0	67	4.1	378	22.9	297	18.0	84	5.1	4	0.2
		Unknown	299	41	14.2	50	17.3	71	24.6	8	2.8	79	27.3	30	10.4	8	2.8	2	0.7

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**6646**	**1146**	**17.7**	**1209**	**18.7**	**1092**	**16.9**	**253**	**3.9**	**1482**	**22.9**	**971**	**15.0**	**275**	**4.2**	**44**	**0.7**
	Age at baseline	<18	1941	1079	57.0	747	39.5	36	1.9	4	0.2	7	0.4	.	.	.	.	20	1.1
		18-19	730	11	1.6	210	29.9	276	39.3	14	2.0	185	26.3	3	0.4	.	.	4	0.6
		20-24	1693	27	1.6	105	6.4	381	23.1	99	6.0	707	42.8	288	17.5	32	1.9	11	0.7
		25-29	1338	15	1.1	80	6.1	235	18.0	87	6.7	365	28.0	415	31.8	105	8.0	3	0.2
		30-34	657	11	1.7	46	7.2	117	18.3	30	4.7	159	24.8	185	28.9	87	13.6	5	0.8
		35+	287	3	1.1	21	7.5	47	16.7	19	6.8	59	21.0	80	28.5	51	18.1	1	0.4
	Years since diagnosis	5-9	844	520	64.0	125	15.4	43	5.3	6	0.7	80	9.8	29	3.6	2	0.2	8	1.0
		10-14	2222	559	25.8	687	31.7	266	12.3	51	2.4	349	16.1	196	9.0	49	2.3	13	0.6
		15-19	2024	41	2.1	305	15.5	465	23.6	94	4.8	642	32.6	333	16.9	75	3.8	17	0.9
		20+	1556	26	1.7	92	6.1	318	21.0	102	6.7	411	27.1	413	27.2	149	9.8	6	0.4
	Age at diagnosis	<1	134	49	38.0	22	17.1	21	16.3	3	2.3	21	16.3	7	5.4	.	.	6	4.7
		1-4	3322	935	28.9	740	22.9	518	16.0	91	2.8	600	18.5	281	8.7	46	1.4	25	0.8
		5-9	1696	139	8.4	335	20.2	312	18.9	78	4.7	463	28.0	257	15.5	63	3.8	8	0.5
		10-14	1027	18	1.8	76	7.6	179	18.0	60	6.0	287	28.8	274	27.5	99	9.9	4	0.4
		15-20	467	5	1.1	36	7.9	62	13.6	21	4.6	111	24.4	152	33.4	67	14.7	1	0.2
	Treatment	Chemotherapy, no radiation	2699	506	19.1	526	19.9	362	13.7	79	3.0	618	23.4	410	15.5	111	4.2	32	1.2
		Radiation, no chemotherapy	4	1	25.0	.	.	1	25.0	.	.	.	.	2	50.0	.	.	.	.
		Chemotherapy and radiation	3306	538	16.8	568	17.7	590	18.4	144	4.5	709	22.1	498	15.5	149	4.6	11	0.3
		Unknown	637	101	16.4	115	18.6	139	22.5	30	4.9	155	25.1	61	9.9	15	2.4	1	0.2
Males	**All cases**		**3576**	**622**	**17.8**	**687**	**19.7**	**588**	**16.9**	**152**	**4.4**	**767**	**22.0**	**494**	**14.2**	**150**	**4.3**	**28**	**0.8**
	Age at baseline	<18	1061	582	56.5	408	39.6	18	1.7	4	0.4	5	0.5	.	.	.	.	14	1.4
		18-19	397	7	1.8	128	33.4	145	37.9	7	1.8	91	23.8	2	0.5	.	.	3	0.8
		20-24	858	13	1.5	58	6.9	209	24.8	53	6.3	359	42.5	135	16.0	12	1.4	5	0.6
		25-29	736	11	1.5	51	7.1	133	18.5	52	7.2	183	25.5	225	31.3	61	8.5	2	0.3
		30-34	354	6	1.7	26	7.5	63	18.3	21	6.1	92	26.7	87	25.2	47	13.6	3	0.9
		35+	170	3	1.8	16	9.6	20	12.0	15	9.0	37	22.2	45	26.9	30	18.0	1	0.6
	Years since diagnosis	5-9	480	304	65.7	74	16.0	23	5.0	5	1.1	38	8.2	14	3.0	.	.	5	1.1
		10-14	1201	279	23.8	391	33.4	149	12.7	29	2.5	176	15.0	108	9.2	30	2.6	9	0.8
		15-19	1052	24	2.3	168	16.3	237	23.0	55	5.3	334	32.4	160	15.5	42	4.1	11	1.1
		20+	843	15	1.8	54	6.6	179	21.7	63	7.7	219	26.6	212	25.8	78	9.5	3	0.4
	Age at diagnosis	<1	65	19	30.6	10	16.1	12	19.4	2	3.2	11	17.7	4	6.5	.	.	4	6.5
		1-4	1769	503	29.2	411	23.9	284	16.5	47	2.7	304	17.6	138	8.0	20	1.2	16	0.9
		5-9	924	84	9.3	193	21.3	166	18.4	51	5.6	239	26.4	128	14.2	38	4.2	5	0.6
		10-14	527	12	2.3	48	9.4	87	17.0	35	6.8	148	28.9	134	26.2	46	9.0	2	0.4
		15-20	291	4	1.4	25	8.7	39	13.6	17	5.9	65	22.6	90	31.4	46	16.0	1	0.3
	Treatment	Chemotherapy, no radiation	1349	258	19.5	266	20.1	184	13.9	42	3.2	298	22.5	197	14.9	57	4.3	20	1.5
		Radiation, no chemotherapy	3	1	33.3	.	.	1	33.3	.	.	.	.	1	33.3	.	.	.	.
		Chemotherapy and radiation	1839	301	16.8	345	19.3	328	18.3	86	4.8	384	21.5	256	14.3	80	4.5	8	0.4
		Unknown	385	62	16.5	76	20.3	75	20.0	24	6.4	85	22.7	40	10.7	13	3.5	.	.
Females	**All cases**		**3070**	**524**	**17.6**	**522**	**17.5**	**504**	**16.9**	**101**	**3.4**	**715**	**24.0**	**477**	**16.0**	**125**	**4.2**	**16**	**0.5**
	Age at baseline	<18	880	497	57.7	339	39.3	18	2.1	.	.	2	0.2	.	.	.	.	6	0.7
		18-19	333	4	1.3	82	25.6	131	40.9	7	2.2	94	29.4	1	0.3	.	.	1	0.3
		20-24	835	14	1.7	47	5.8	172	21.3	46	5.7	348	43.2	153	19.0	20	2.5	6	0.7
		25-29	602	4	0.7	29	4.9	102	17.4	35	6.0	182	31.0	190	32.4	44	7.5	1	0.2
		30-34	303	5	1.7	20	6.8	54	18.3	9	3.1	67	22.7	98	33.2	40	13.6	2	0.7

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		35+	117	.	.	5	4.4	27	23.7	4	3.5	22	19.3	35	30.7	21	18.4	.	.
	Years since diagnosis	5-9	364	216	61.7	51	14.6	20	5.7	1	0.3	42	12.0	15	4.3	2	0.6	3	0.9
		10-14	1021	280	28.0	296	29.6	117	11.7	22	2.2	173	17.3	88	8.8	19	1.9	4	0.4
		15-19	972	17	1.8	137	14.6	228	24.2	39	4.1	308	32.7	173	18.4	33	3.5	6	0.6
		20+	713	11	1.6	38	5.5	139	20.0	39	5.6	192	27.7	201	29.0	71	10.2	3	0.4
	Age at diagnosis	<1	69	30	44.8	12	17.9	9	13.4	1	1.5	10	14.9	3	4.5	.	.	2	3.0
		1-4	1553	432	28.6	329	21.7	234	15.5	44	2.9	296	19.6	143	9.5	26	1.7	9	0.6
		5-9	772	55	7.3	142	18.9	146	19.4	27	3.6	224	29.8	129	17.2	25	3.3	3	0.4
		10-14	500	6	1.2	28	5.8	92	19.0	25	5.2	139	28.7	140	28.9	53	10.9	2	0.4
		15-20	176	1	0.6	11	6.5	23	13.7	4	2.4	46	27.4	62	36.9	21	12.5	.	.
	Treatment	Chemotherapy, no radiation	1350	248	18.8	260	19.7	178	13.5	37	2.8	320	24.2	213	16.1	54	4.1	12	0.9
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.	.	.	1	100.0	.	.	.	.
		Chemotherapy and radiation	1467	237	16.7	223	15.7	262	18.5	58	4.1	325	22.9	242	17.1	69	4.9	3	0.2
		Unknown	252	39	16.1	39	16.1	64	26.4	6	2.5	70	28.9	21	8.7	2	0.8	1	0.4

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**930**	**143**	**15.6**	**156**	**17.0**	**149**	**16.2**	**30**	**3.3**	**197**	**21.4**	**174**	**18.9**	**51**	**5.5**	**19**	**2.1**
	Age at baseline	<18	231	135	59.5	86	37.9	.	.	.	.	.	.	.	.	.	.	6	2.6
		18-19	89	2	2.3	31	35.2	32	36.4	1	1.1	19	21.6	.	.	.	.	3	3.4
		20-24	199	1	0.5	19	9.6	51	25.8	8	4.0	76	38.4	37	18.7	1	0.5	5	2.5
		25-29	201	3	1.5	9	4.5	33	16.5	8	4.0	51	25.5	64	32.0	28	14.0	4	2.0
		30-34	134	1	0.8	9	6.8	20	15.2	11	8.3	35	26.5	42	31.8	14	10.6	.	.
		35+	76	1	1.4	2	2.7	13	17.6	2	2.7	16	21.6	31	41.9	8	10.8	1	1.4
	Years since diagnosis	5-9	85	37	44.0	14	16.7	12	14.3	3	3.6	9	10.7	5	6.0	1	1.2	3	3.6
		10-14	320	97	30.8	70	22.2	36	11.4	5	1.6	53	16.8	35	11.1	16	5.1	3	1.0
		15-19	323	8	2.5	63	19.7	62	19.4	12	3.8	82	25.6	68	21.3	17	5.3	8	2.5
		20+	202	1	0.5	9	4.5	39	19.5	10	5.0	53	26.5	66	33.0	17	8.5	5	2.5
	Age at diagnosis	<1	93	37	41.1	24	26.7	9	10.0	2	2.2	11	12.2	4	4.4	.	.	3	3.3
		1-4	315	90	28.8	83	26.5	48	15.3	5	1.6	48	15.3	24	7.7	4	1.3	11	3.5
		5-9	172	11	6.4	30	17.5	33	19.3	6	3.5	50	29.2	31	18.1	8	4.7	2	1.2
		10-14	199	3	1.5	13	6.6	32	16.2	8	4.1	50	25.4	66	33.5	24	12.2	1	0.5
		15-20	151	2	1.4	6	4.1	27	18.2	9	6.1	38	25.7	49	33.1	15	10.1	2	1.4
	Treatment	Surgery only	3	.	.	.	.	.	.	.	.	2	66.7	.	.	.	.	1	33.3
		Chemotherapy, no radiation	558	98	17.8	93	16.9	82	14.9	19	3.5	116	21.1	101	18.4	27	4.9	14	2.5
		Chemotherapy and radiation	296	42	14.3	49	16.7	52	17.7	8	2.7	63	21.5	61	20.8	16	5.5	2	0.7
		Unknown	73	3	4.1	14	19.2	15	20.5	3	4.1	16	21.9	12	16.4	8	11.0	2	2.7
Males	**All cases**		**456**	**78**	**17.3**	**82**	**18.1**	**77**	**17.0**	**18**	**4.0**	**82**	**18.1**	**79**	**17.5**	**24**	**5.3**	**12**	**2.7**
	Age at baseline	<18	126	73	59.3	45	36.6	.	.	.	.	.	.	.	.	.	.	5	4.1
		18-19	45	2	4.4	16	35.6	17	37.8	1	2.2	6	13.3	.	.	.	.	3	6.7
		20-24	95	.	.	10	10.5	28	29.5	6	6.3	30	31.6	18	18.9	.	.	3	3.2
		25-29	90	1	1.1	6	6.7	14	15.6	3	3.3	26	28.9	25	27.8	14	15.6	1	1.1
		30-34	65	1	1.5	5	7.7	14	21.5	7	10.8	16	24.6	17	26.2	5	7.7	.	.
		35+	35	1	2.9	.	.	4	11.8	1	2.9	4	11.8	19	55.9	5	14.7	.	.
	Years since diagnosis	5-9	50	20	40.0	8	16.0	7	14.0	3	6.0	7	14.0	2	4.0	1	2.0	2	4.0
		10-14	160	50	31.8	40	25.5	20	12.7	2	1.3	25	15.9	14	8.9	4	2.5	2	1.3
		15-19	149	7	4.7	30	20.1	34	22.8	7	4.7	30	20.1	27	18.1	8	5.4	6	4.0
		20+	97	1	1.0	4	4.2	16	16.7	6	6.3	20	20.8	36	37.5	11	11.5	2	2.1
	Age at diagnosis	<1	40	16	42.1	7	18.4	4	10.5	2	5.3	3	7.9	3	7.9	.	.	3	7.9
		1-4	172	53	31.0	47	27.5	26	15.2	3	1.8	19	11.1	12	7.0	4	2.3	7	4.1
		5-9	79	7	8.9	16	20.3	17	21.5	2	2.5	18	22.8	14	17.7	4	5.1	1	1.3
		10-14	82	.	.	6	7.3	12	14.6	5	6.1	26	31.7	22	26.8	10	12.2	1	1.2
		15-20	83	2	2.4	6	7.3	18	22.0	6	7.3	16	19.5	28	34.1	6	7.3	.	.
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	100.0
		Chemotherapy, no radiation	269	48	18.0	50	18.8	42	15.8	16	6.0	42	15.8	46	17.3	13	4.9	9	3.4
		Chemotherapy and radiation	146	29	20.0	25	17.2	24	16.6	1	0.7	30	20.7	28	19.3	7	4.8	1	0.7
		Unknown	40	1	2.5	7	17.5	11	27.5	1	2.5	10	25.0	5	12.5	4	10.0	1	2.5
Females	**All cases**		**474**	**65**	**13.9**	**74**	**15.8**	**72**	**15.4**	**12**	**2.6**	**115**	**24.6**	**95**	**20.3**	**27**	**5.8**	**7**	**1.5**
	Age at baseline	<18	105	62	59.6	41	39.4	.	.	.	.	.	.	.	.	.	.	1	1.0
		18-19	44	.	.	15	34.9	15	34.9	.	.	13	30.2	.	.	.	.	.	.
		20-24	104	1	1.0	9	8.7	23	22.3	2	1.9	46	44.7	19	18.4	1	1.0	2	1.9
		25-29	111	2	1.8	3	2.7	19	17.3	5	4.5	25	22.7	39	35.5	14	12.7	3	2.7
		30-34	69	.	.	4	6.0	6	9.0	4	6.0	19	28.4	25	37.3	9	13.4	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

			All cases	1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
				N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		35+	41	.	.	2	5.0	9	22.5	1	2.5	12	30.0	12	30.0	3	7.5	1	2.5
	Years since diagnosis	5-9	35	17	50.0	6	17.6	5	14.7	.	.	2	5.9	3	8.8	.	.	1	2.9
		10-14	160	47	29.7	30	19.0	16	10.1	3	1.9	28	17.7	21	13.3	12	7.6	1	0.6
		15-19	174	1	0.6	33	19.3	28	16.4	5	2.9	52	30.4	41	24.0	9	5.3	2	1.2
		20+	105	.	.	5	4.8	23	22.1	4	3.8	33	31.7	30	28.8	6	5.8	3	2.9
	Age at diagnosis	<1	53	21	40.4	17	32.7	5	9.6	.	.	8	15.4	1	1.9	.	.	.	.
		1-4	143	37	26.1	36	25.4	22	15.5	2	1.4	29	20.4	12	8.5	.	.	4	2.8
		5-9	93	4	4.3	14	15.2	16	17.4	4	4.3	32	34.8	17	18.5	4	4.3	1	1.1
		10-14	117	3	2.6	7	6.1	20	17.4	3	2.6	24	20.9	44	38.3	14	12.2	.	.
		15-20	68	.	.	.	.	9	13.6	3	4.5	22	33.3	21	31.8	9	13.6	2	3.0
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.	2	100.0	.	.	.	.	.	.
		Chemotherapy, no radiation	289	50	17.6	43	15.1	40	14.1	3	1.1	74	26.1	55	19.4	14	4.9	5	1.8
		Chemotherapy and radiation	150	13	8.8	24	16.2	28	18.9	7	4.7	33	22.3	33	22.3	9	6.1	1	0.7
		Unknown	33	2	6.1	7	21.2	4	12.1	2	6.1	6	18.2	7	21.2	4	12.1	1	3.0

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**4498**	**582**	**13.4**	**625**	**14.3**	**1014**	**23.3**	**185**	**4.2**	**995**	**22.8**	**694**	**15.9**	**186**	**4.3**	**78**	**1.8**
	Age at baseline	<18	953	511	56.6	342	37.9	19	2.1	.	.	.	.	.	.	1	0.1	30	3.3
		18-19	376	17	4.6	91	24.9	140	38.3	8	2.2	103	28.1	2	0.5	1	0.3	4	1.1
		20-24	1182	17	1.5	81	7.0	365	31.7	50	4.3	430	37.4	165	14.3	21	1.8	22	1.9
		25-29	1086	18	1.7	63	5.9	290	27.3	68	6.4	267	25.1	267	25.1	72	6.8	18	1.7
		30-34	625	14	2.3	32	5.3	149	24.5	41	6.8	132	21.7	173	28.5	63	10.4	3	0.5
		35+	276	5	1.9	16	5.9	51	19.0	18	6.7	63	23.4	87	32.3	28	10.4	1	0.4
	Years since diagnosis	5-9	464	202	46.9	70	16.2	54	12.5	14	3.2	58	13.5	17	3.9	4	0.9	12	2.8
		10-14	1540	309	20.6	329	22.0	289	19.3	40	2.7	305	20.4	166	11.1	37	2.5	23	1.5
		15-19	1416	42	3.0	153	11.1	374	27.1	57	4.1	392	28.4	259	18.8	75	5.4	27	2.0
		20+	1078	29	2.8	73	6.9	297	28.3	74	7.0	240	22.8	252	24.0	70	6.7	16	1.5
	Age at diagnosis	<1	219	86	43.0	48	24.0	29	14.5	2	1.0	20	10.0	7	3.5	.	.	8	4.0
		1-4	1323	362	28.3	278	21.8	266	20.8	32	2.5	201	15.7	85	6.7	8	0.6	46	3.6
		5-9	1407	110	8.0	199	14.5	383	27.9	59	4.3	373	27.1	182	13.2	55	4.0	13	0.9
		10-14	1069	17	1.6	75	7.2	234	22.6	57	5.5	281	27.1	282	27.2	80	7.7	9	0.9
		15-20	480	7	1.5	25	5.3	102	21.6	35	7.4	120	25.4	138	29.2	43	9.1	2	0.4
	Treatment	Surgery only	1275	105	8.4	155	12.4	222	17.8	53	4.2	335	26.8	274	22.0	90	7.2	14	1.1
		Chemotherapy, no radiation	355	60	17.3	63	18.2	65	18.8	11	3.2	83	24.0	37	10.7	12	3.5	15	4.3
		Radiation, no chemotherapy	1170	151	13.5	149	13.3	268	23.9	59	5.3	262	23.4	177	15.8	46	4.1	9	0.8
		Chemotherapy and radiation	1256	211	17.3	196	16.0	332	27.2	47	3.8	217	17.8	155	12.7	31	2.5	33	2.7
		Unknown	442	55	13.0	62	14.7	127	30.1	15	3.6	98	23.2	51	12.1	7	1.7	7	1.7
Males	**All cases**		**2455**	**324**	**13.6**	**350**	**14.7**	**568**	**23.9**	**115**	**4.8**	**545**	**22.9**	**343**	**14.4**	**91**	**3.8**	**41**	**1.7**
	Age at baseline	<18	529	288	57.4	187	37.3	8	1.6	.	.	.	.	.	.	1	0.2	18	3.6
		18-19	191	9	4.9	47	25.5	72	39.1	5	2.7	48	26.1	.	.	1	0.5	2	1.1
		20-24	634	7	1.1	49	8.0	200	32.5	30	4.9	231	37.5	80	13.0	9	1.5	10	1.6
		25-29	619	11	1.8	40	6.6	176	28.9	42	6.9	148	24.3	135	22.2	45	7.4	11	1.8
		30-34	333	8	2.5	19	5.9	83	25.9	25	7.8	76	23.8	85	26.6	24	7.5	.	.
		35+	149	1	0.7	8	5.4	29	19.7	13	8.8	42	28.6	43	29.3	11	7.5	.	.
	Years since diagnosis	5-9	264	112	45.9	38	15.6	32	13.1	10	4.1	33	13.5	8	3.3	1	0.4	10	4.1
		10-14	832	176	21.8	177	22.0	167	20.7	22	2.7	157	19.5	77	9.6	20	2.5	10	1.2
		15-19	772	22	2.9	95	12.6	211	27.9	36	4.8	208	27.5	130	17.2	38	5.0	15	2.0
		20+	587	14	2.4	40	7.0	158	27.6	47	8.2	147	25.7	128	22.4	32	5.6	6	1.0
	Age at diagnosis	<1	128	51	43.2	30	25.4	17	14.4	2	1.7	13	11.0	2	1.7	.	.	3	2.5
		1-4	699	200	29.5	151	22.3	123	18.2	19	2.8	107	15.8	48	7.1	4	0.6	25	3.7
		5-9	786	61	8.0	107	14.0	229	29.9	36	4.7	206	26.9	84	11.0	33	4.3	9	1.2
		10-14	571	8	1.5	49	8.9	135	24.5	36	6.5	146	26.5	134	24.4	39	7.1	3	0.5
		15-20	271	4	1.5	13	4.9	64	24.0	22	8.2	73	27.3	75	28.1	15	5.6	1	0.4
	Treatment	Surgery only	650	59	9.4	88	13.9	112	17.7	32	5.1	176	27.9	123	19.5	36	5.7	5	0.8
		Chemotherapy, no radiation	191	28	15.1	35	18.8	39	21.0	8	4.3	42	22.6	18	9.7	9	4.8	7	3.8
		Radiation, no chemotherapy	616	78	13.2	79	13.3	147	24.8	36	6.1	145	24.5	80	13.5	22	3.7	5	0.8
		Chemotherapy and radiation	744	127	17.6	112	15.5	199	27.5	30	4.1	125	17.3	91	12.6	20	2.8	19	2.6
		Unknown	254	32	13.1	36	14.7	71	29.0	9	3.7	57	23.3	31	12.7	4	1.6	5	2.0
Females	**All cases**		**2043**	**258**	**13.0**	**275**	**13.9**	**446**	**22.5**	**70**	**3.5**	**450**	**22.7**	**351**	**17.7**	**95**	**4.8**	**37**	**1.9**
	Age at baseline	<18	424	223	55.6	155	38.7	11	2.7	.	.	.	.	.	.	.	.	12	3.0
		18-19	185	8	4.4	44	24.2	68	37.4	3	1.6	55	30.2	2	1.1	.	.	2	1.1
		20-24	548	10	1.9	32	6.0	165	30.8	20	3.7	199	37.2	85	15.9	12	2.2	12	2.2

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	467	7	1.5	23	5.1	114	25.1	26	5.7	119	26.2	132	29.0	27	5.9	7	1.5
		30-34	292	6	2.1	13	4.5	66	23.0	16	5.6	56	19.5	88	30.7	39	13.6	3	1.0
		35+	127	4	3.3	8	6.6	22	18.0	5	4.1	21	17.2	44	36.1	17	13.9	1	0.8
	Years since diagnosis	5-9	200	90	48.1	32	17.1	22	11.8	4	2.1	25	13.4	9	4.8	3	1.6	2	1.1
		10-14	708	133	19.2	152	22.0	122	17.6	18	2.6	148	21.4	89	12.9	17	2.5	13	1.9
		15-19	644	20	3.2	58	9.3	163	26.1	21	3.4	184	29.5	129	20.7	37	5.9	12	1.9
		20+	491	15	3.1	33	6.9	139	29.0	27	5.6	93	19.4	124	25.9	38	7.9	10	2.1
	Age at diagnosis	<1	91	35	42.7	18	22.0	12	14.6	.	.	7	8.5	5	6.1	.	.	5	6.1
		1-4	624	162	27.0	127	21.1	143	23.8	13	2.2	94	15.6	37	6.2	4	0.7	21	3.5
		5-9	621	49	8.0	92	15.1	154	25.3	23	3.8	167	27.4	98	16.1	22	3.6	4	0.7
		10-14	498	9	1.9	26	5.4	99	20.4	21	4.3	135	27.8	148	30.5	41	8.5	6	1.2
		15-20	209	3	1.5	12	5.9	38	18.5	13	6.3	47	22.9	63	30.7	28	13.7	1	0.5
	Treatment	Surgery only	625	46	7.5	67	10.9	110	17.8	21	3.4	159	25.8	151	24.5	54	8.8	9	1.5
		Chemotherapy, no radiation	164	32	20.0	28	17.5	26	16.3	3	1.9	41	25.6	19	11.9	3	1.9	8	5.0
		Radiation, no chemotherapy	554	73	13.8	70	13.2	121	22.9	23	4.3	117	22.1	97	18.3	24	4.5	4	0.8
		Chemotherapy and radiation	512	84	16.8	84	16.8	133	26.7	17	3.4	92	18.4	64	12.8	11	2.2	14	2.8
		Unknown	188	23	13.0	26	14.7	56	31.6	6	3.4	41	23.2	20	11.3	3	1.7	2	1.1

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2694**	**321**	**12.3**	**338**	**13.0**	**591**	**22.7**	**116**	**4.4**	**619**	**23.7**	**443**	**17.0**	**137**	**5.3**	**43**	**1.6**
	Age at baseline	<18	528	278	56.4	184	37.3	14	2.8	.	.	.	.	.	.	.	.	17	3.4
		18-19	215	8	3.8	44	21.2	83	39.9	5	2.4	63	30.3	1	0.5	.	.	4	1.9
		20-24	715	12	1.7	45	6.5	202	29.0	31	4.4	274	39.3	111	15.9	13	1.9	9	1.3
		25-29	665	11	1.7	34	5.2	171	26.3	39	6.0	166	25.5	165	25.3	54	8.3	11	1.7
		30-34	387	10	2.6	18	4.7	90	23.7	28	7.4	76	20.0	108	28.4	48	12.6	2	0.5
		35+	184	2	1.1	13	7.3	31	17.3	13	7.3	40	22.3	58	32.4	22	12.3	.	.
	Years since diagnosis	5-9	238	102	46.4	25	11.4	37	16.8	6	2.7	28	12.7	13	5.9	2	0.9	7	3.2
		10-14	906	176	20.1	187	21.3	170	19.4	22	2.5	183	20.9	95	10.8	30	3.4	14	1.6
		15-19	831	23	2.8	80	9.9	202	25.0	37	4.6	245	30.3	161	19.9	48	5.9	13	1.6
		20+	719	20	2.8	46	6.6	182	25.9	51	7.3	163	23.2	174	24.8	57	8.1	9	1.3
	Age at diagnosis	<1	151	58	43.3	26	19.4	18	13.4	2	1.5	17	12.7	6	4.5	.	.	7	5.2
		1-4	802	201	26.0	157	20.3	160	20.7	22	2.8	144	18.6	59	7.6	7	0.9	23	3.0
		5-9	794	48	6.2	97	12.5	207	26.7	34	4.4	225	29.1	120	15.5	37	4.8	6	0.8
		10-14	642	12	1.9	43	6.9	138	22.0	35	5.6	161	25.7	174	27.8	59	9.4	5	0.8
		15-20	305	2	0.7	15	5.0	68	22.7	23	7.7	72	24.0	84	28.0	34	11.3	2	0.7
	Treatment	Surgery only	1049	78	7.6	119	11.6	185	18.0	47	4.6	276	26.9	231	22.5	81	7.9	9	0.9
		Chemotherapy, no radiation	255	43	17.3	39	15.7	49	19.8	10	4.0	60	24.2	27	10.9	9	3.6	11	4.4
		Radiation, no chemotherapy	730	93	13.3	89	12.7	176	25.2	36	5.2	161	23.0	108	15.5	30	4.3	6	0.9
		Chemotherapy and radiation	374	70	19.4	51	14.1	101	28.0	13	3.6	55	15.2	44	12.2	13	3.6	14	3.9
		Unknown	286	37	13.5	40	14.6	80	29.2	10	3.6	67	24.5	33	12.0	4	1.5	3	1.1
Males	**All cases**		**1409**	**179**	**13.2**	**174**	**12.8**	**311**	**22.9**	**70**	**5.1**	**341**	**25.1**	**202**	**14.8**	**63**	**4.6**	**21**	**1.5**
	Age at baseline	<18	279	156	60.2	89	34.4	5	1.9	.	.	.	.	.	.	.	.	9	3.5
		18-19	109	4	3.8	22	21.2	41	39.4	4	3.8	31	29.8	.	.	.	.	2	1.9
		20-24	355	4	1.1	27	7.8	104	29.9	16	4.6	141	40.5	48	13.8	4	1.1	4	1.1
		25-29	372	9	2.5	20	5.5	97	26.6	25	6.9	96	26.4	76	20.9	35	9.6	6	1.6
		30-34	196	6	3.2	10	5.3	49	25.8	16	8.4	44	23.2	49	25.8	16	8.4	.	.
		35+	98	.	.	6	6.3	15	15.6	9	9.4	29	30.2	29	30.2	8	8.3	.	.
	Years since diagnosis	5-9	126	54	47.0	10	8.7	20	17.4	4	3.5	17	14.8	5	4.3	.	.	5	4.3
		10-14	479	103	22.3	95	20.6	96	20.8	13	2.8	94	20.3	38	8.2	16	3.5	7	1.5
		15-19	422	12	2.9	43	10.5	103	25.1	21	5.1	130	31.6	73	17.8	23	5.6	6	1.5
		20+	382	10	2.7	26	7.0	92	24.7	32	8.6	100	26.8	86	23.1	24	6.4	3	0.8
	Age at diagnosis	<1	86	32	42.1	16	21.1	11	14.5	2	2.6	10	13.2	2	2.6	.	.	3	3.9
		1-4	404	114	29.2	77	19.7	66	16.9	13	3.3	76	19.4	32	8.2	3	0.8	10	2.6
		5-9	422	26	6.4	47	11.5	119	29.1	20	4.9	122	29.8	50	12.2	20	4.9	5	1.2
		10-14	329	6	1.9	27	8.5	76	23.8	21	6.6	86	27.0	72	22.6	29	9.1	2	0.6
		15-20	168	1	0.6	7	4.2	39	23.5	14	8.4	47	28.3	46	27.7	11	6.6	1	0.6
	Treatment	Surgery only	525	43	8.4	62	12.2	94	18.5	28	5.5	150	29.5	101	19.8	29	5.7	2	0.4
		Chemotherapy, no radiation	142	21	15.2	23	16.7	30	21.7	7	5.1	32	23.2	13	9.4	6	4.3	6	4.3
		Radiation, no chemotherapy	371	47	13.1	41	11.5	96	26.8	21	5.9	87	24.3	47	13.1	16	4.5	3	0.8
		Chemotherapy and radiation	212	45	22.2	26	12.8	48	23.6	8	3.9	33	16.3	25	12.3	10	4.9	8	3.9
		Unknown	159	23	15.0	22	14.4	43	28.1	6	3.9	39	25.5	16	10.5	2	1.3	2	1.3
Females	**All cases**		**1285**	**142**	**11.4**	**164**	**13.2**	**280**	**22.5**	**46**	**3.7**	**278**	**22.3**	**241**	**19.3**	**74**	**5.9**	**22**	**1.8**
	Age at baseline	<18	249	122	52.1	95	40.6	9	3.8	.	.	.	.	.	.	.	.	8	3.4
		18-19	106	4	3.8	22	21.2	42	40.4	1	1.0	32	30.8	1	1.0	.	.	2	1.9
		20-24	360	8	2.3	18	5.2	98	28.1	15	4.3	133	38.1	63	18.1	9	2.6	5	1.4

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

Education: Astrocytomas

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	293	2	0.7	14	4.9	74	25.8	14	4.9	70	24.4	89	31.0	19	6.6	5	1.7
		30-34	191	4	2.1	8	4.2	41	21.6	12	6.3	32	16.8	59	31.1	32	16.8	2	1.1
		35+	86	2	2.4	7	8.4	16	19.3	4	4.8	11	13.3	29	34.9	14	16.9	.	.
	Years since diagnosis	5-9	112	48	45.7	15	14.3	17	16.2	2	1.9	11	10.5	8	7.6	2	1.9	2	1.9
		10-14	427	73	17.6	92	22.2	74	17.8	9	2.2	89	21.4	57	13.7	14	3.4	7	1.7
		15-19	409	11	2.8	37	9.3	99	24.9	16	4.0	115	28.9	88	22.1	25	6.3	7	1.8
		20+	337	10	3.0	20	6.1	90	27.4	19	5.8	63	19.1	88	26.7	33	10.0	6	1.8
	Age at diagnosis	<1	65	26	44.8	10	17.2	7	12.1	.	.	7	12.1	4	6.9	.	.	4	6.9
		1-4	398	87	22.8	80	20.9	94	24.6	9	2.4	68	17.8	27	7.1	4	1.0	13	3.4
		5-9	372	22	6.0	50	13.7	88	24.1	14	3.8	103	28.2	70	19.2	17	4.7	1	0.3
		10-14	313	6	1.9	16	5.2	62	20.1	14	4.5	75	24.4	102	33.1	30	9.7	3	1.0
		15-20	137	1	0.7	8	6.0	29	21.6	9	6.7	25	18.7	38	28.4	23	17.2	1	0.7
	Treatment	Surgery only	524	35	6.8	57	11.0	91	17.6	19	3.7	126	24.4	130	25.1	52	10.1	7	1.4
		Chemotherapy, no radiation	113	22	20.0	16	14.5	19	17.3	3	2.7	28	25.5	14	12.7	3	2.7	5	4.5
		Radiation, no chemotherapy	359	46	13.5	48	14.1	80	23.5	15	4.4	74	21.7	61	17.9	14	4.1	3	0.9
		Chemotherapy and radiation	162	25	15.8	25	15.8	53	33.5	5	3.2	22	13.9	19	12.0	3	1.9	6	3.8
		Unknown	127	14	11.6	18	14.9	37	30.6	4	3.3	28	23.1	17	14.0	2	1.7	1	0.8

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1040**	**147**	**14.6**	**174**	**17.2**	**272**	**26.9**	**45**	**4.5**	**198**	**19.6**	**133**	**13.2**	**23**	**2.3**	**18**	**1.8**
	Age at baseline	<18	246	132	55.7	95	40.1	4	1.7	.	.	.	.	.	.	1	0.4	5	2.1
		18-19	82	4	5.1	26	32.9	27	34.2	1	1.3	20	25.3	.	.	1	1.3	.	.
		20-24	292	3	1.0	24	8.4	113	39.4	15	5.2	89	31.0	31	10.8	4	1.4	8	2.8
		25-29	252	4	1.6	21	8.6	78	31.8	17	6.9	58	23.7	57	23.3	7	2.9	3	1.2
		30-34	131	3	2.4	6	4.8	40	31.7	11	8.7	25	19.8	32	25.4	8	6.3	1	0.8
		35+	37	1	2.8	2	5.6	10	27.8	1	2.8	6	16.7	13	36.1	2	5.6	1	2.8
	Years since diagnosis	5-9	124	59	50.9	31	26.7	8	6.9	4	3.4	11	9.5	1	0.9	1	0.9	1	0.9
		10-14	355	72	20.8	81	23.4	69	19.9	10	2.9	68	19.7	36	10.4	4	1.2	6	1.7
		15-19	344	11	3.3	44	13.1	116	34.6	17	5.1	78	23.3	52	15.5	12	3.6	5	1.5
		20+	217	5	2.3	18	8.5	79	37.1	14	6.6	41	19.2	44	20.7	6	2.8	6	2.8
	Age at diagnosis	<1	28	10	37.0	9	33.3	6	22.2	.	.	1	3.7	.	.	.	.	1	3.7
		1-4	298	87	30.1	70	24.2	67	23.2	6	2.1	30	10.4	16	5.5	1	0.3	12	4.2
		5-9	422	45	10.8	71	17.1	128	30.8	21	5.1	96	23.1	40	9.6	11	2.7	3	0.7
		10-14	230	3	1.4	20	9.2	60	27.5	13	6.0	57	26.1	56	25.7	7	3.2	2	0.9
		15-20	62	2	3.3	4	6.6	11	18.0	5	8.2	14	23.0	21	34.4	4	6.6	.	.
	Treatment	Surgery only	8	.	.	2	25.0	3	37.5	.	.	1	12.5	2	25.0	.	.	.	.
		Chemotherapy, no radiation	53	8	15.4	16	30.8	9	17.3	1	1.9	10	19.2	4	7.7	2	3.8	2	3.8
		Radiation, no chemotherapy	208	33	16.3	33	16.3	44	21.8	13	6.4	46	22.8	28	13.9	5	2.5	.	.
		Chemotherapy and radiation	694	98	14.5	111	16.4	195	28.8	28	4.1	128	18.9	88	13.0	15	2.2	13	1.9
		Unknown	77	8	11.1	12	16.7	21	29.2	3	4.2	13	18.1	11	15.3	1	1.4	3	4.2
Males	**All cases**		**631**	**87**	**14.2**	**104**	**16.9**	**182**	**29.6**	**28**	**4.6**	**110**	**17.9**	**79**	**12.9**	**15**	**2.4**	**9**	**1.5**
	Age at baseline	<18	147	78	54.5	57	39.9	3	2.1	.	.	.	.	.	.	1	0.7	4	2.8
		18-19	47	2	4.4	12	26.7	18	40.0	1	2.2	11	24.4	.	.	1	2.2	.	.
		20-24	185	2	1.1	15	8.3	76	42.0	11	6.1	49	27.1	21	11.6	4	2.2	3	1.7
		25-29	157	2	1.3	16	10.4	56	36.4	8	5.2	32	20.8	34	22.1	4	2.6	2	1.3
		30-34	73	2	2.9	2	2.9	23	33.3	7	10.1	13	18.8	18	26.1	4	5.8	.	.
		35+	22	1	4.5	2	9.1	6	27.3	1	4.5	5	22.7	6	27.3	1	4.5	.	.
	Years since diagnosis	5-9	76	36	50.0	19	26.4	6	8.3	3	4.2	5	6.9	1	1.4	1	1.4	1	1.4
		10-14	208	42	20.9	44	21.9	48	23.9	4	2.0	37	18.4	20	10.0	3	1.5	3	1.5
		15-19	217	5	2.3	31	14.6	80	37.6	12	5.6	43	20.2	33	15.5	7	3.3	2	0.9
		20+	130	4	3.1	10	7.8	48	37.5	9	7.0	25	19.5	25	19.5	4	3.1	3	2.3
	Age at diagnosis	<1	16	7	43.8	4	25.0	4	25.0	.	.	1	6.3	.	.	.	.	.	.
		1-4	180	50	28.6	42	24.0	43	24.6	4	2.3	15	8.6	12	6.9	1	0.6	8	4.6
		5-9	266	26	9.9	43	16.3	89	33.8	14	5.3	59	22.4	23	8.7	8	3.0	1	0.4
		10-14	132	2	1.6	13	10.5	37	29.8	7	5.6	28	22.6	32	25.8	5	4.0	.	.
		15-20	37	2	5.6	2	5.6	9	25.0	3	8.3	7	19.4	12	33.3	1	2.8	.	.
	Treatment	Surgery only	5	.	.	1	20.0	3	60.0	.	.	.	.	1	20.0	.	.	.	.
		Chemotherapy, no radiation	27	3	11.1	6	22.2	7	25.9	1	3.7	4	14.8	4	14.8	2	7.4	.	.
		Radiation, no chemotherapy	116	16	14.3	22	19.6	28	25.0	6	5.4	24	21.4	13	11.6	3	2.7	.	.
		Chemotherapy and radiation	436	63	14.8	68	16.0	133	31.3	19	4.5	75	17.6	51	12.0	9	2.1	7	1.6
		Unknown	47	5	11.1	7	15.6	11	24.4	2	4.4	7	15.6	10	22.2	1	2.2	2	4.4
Females	**All cases**		**409**	**60**	**15.2**	**70**	**17.7**	**90**	**22.7**	**17**	**4.3**	**88**	**22.2**	**54**	**13.6**	**8**	**2.0**	**9**	**2.3**
	Age at baseline	<18	99	54	57.4	38	40.4	1	1.1	.	.	.	.	.	.	.	.	1	1.1
		18-19	35	2	5.9	14	41.2	9	26.5	.	.	9	26.5	.	.	.	.	.	.
		20-24	107	1	0.9	9	8.5	37	34.9	4	3.8	40	37.7	10	9.4	.	.	5	4.7

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	95	2	2.2	5	5.5	22	24.2	9	9.9	26	28.6	23	25.3	3	3.3	1	1.1
		30-34	58	1	1.8	4	7.0	17	29.8	4	7.0	12	21.1	14	24.6	4	7.0	1	1.8
		35+	15	.	.	.	.	4	28.6	.	.	1	7.1	7	50.0	1	7.1	1	7.1
	Years since diagnosis	5-9	48	23	52.3	12	27.3	2	4.5	1	2.3	6	13.6	.	.	.	.	.	.
		10-14	147	30	20.7	37	25.5	21	14.5	6	4.1	31	21.4	16	11.0	1	0.7	3	2.1
		15-19	127	6	4.9	13	10.7	36	29.5	5	4.1	35	28.7	19	15.6	5	4.1	3	2.5
		20+	87	1	1.2	8	9.4	31	36.5	5	5.9	16	18.8	19	22.4	2	2.4	3	3.5
	Age at diagnosis	<1	12	3	27.3	5	45.5	2	18.2	.	.	.	.	.	.	.	.	1	9.1
		1-4	118	37	32.5	28	24.6	24	21.1	2	1.8	15	13.2	4	3.5	.	.	4	3.5
		5-9	156	19	12.5	28	18.4	39	25.7	7	4.6	37	24.3	17	11.2	3	2.0	2	1.3
		10-14	98	1	1.1	7	7.4	23	24.5	6	6.4	29	30.9	24	25.5	2	2.1	2	2.1
		15-20	25	.	.	2	8.0	2	8.0	2	8.0	7	28.0	9	36.0	3	12.0	.	.
	Treatment	Surgery only	3	.	.	1	33.3	.	.	.	.	1	33.3	1	33.3	.	.	.	.
		Chemotherapy, no radiation	26	5	20.0	10	40.0	2	8.0	.	.	6	24.0	.	.	.	.	2	8.0
		Radiation, no chemotherapy	92	17	18.9	11	12.2	16	17.8	7	7.8	22	24.4	15	16.7	2	2.2	.	.
		Chemotherapy and radiation	258	35	13.9	43	17.1	62	24.7	9	3.6	53	21.1	37	14.7	6	2.4	6	2.4
		Unknown	30	3	11.1	5	18.5	10	37.0	1	3.7	6	22.2	1	3.7	.	.	1	3.7

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3111**	**41**	**1.3**	**197**	**6.4**	**526**	**17.2**	**171**	**5.6**	**855**	**28.0**	**879**	**28.8**	**382**	**12.5**	**4**	**0.1**
	Age at baseline	<18	61	18	30.5	36	61.0	5	8.5	.	.	.	.	.	.	.	.	.	.
		18-19	61	.	.	9	15.0	22	36.7	3	5.0	26	43.3	.	.	.	.	.	.
		20-24	375	3	0.8	26	7.0	78	21.0	8	2.2	164	44.2	80	21.6	12	3.2	.	.
		25-29	798	7	0.9	44	5.6	141	18.0	49	6.3	195	24.9	269	34.4	77	9.8	1	0.1
		30-34	951	5	0.5	53	5.7	152	16.3	50	5.4	245	26.3	284	30.5	142	15.2	1	0.1
		35+	865	8	0.9	29	3.4	128	15.1	61	7.2	225	26.5	246	28.9	151	17.8	2	0.2
	Years since diagnosis	5-9	242	12	5.0	26	10.9	56	23.4	10	4.2	93	38.9	34	14.2	8	3.3	.	.
		10-14	946	14	1.5	77	8.3	139	15.0	49	5.3	259	27.9	288	31.0	102	11.0	.	.
		15-19	1008	5	0.5	53	5.4	176	17.9	54	5.5	262	26.6	300	30.5	131	13.3	4	0.4
		20+	915	10	1.1	41	4.5	155	17.2	58	6.4	241	26.7	257	28.5	141	15.6	.	.
	Age at diagnosis	1-4	82	8	9.9	18	22.2	15	18.5	3	3.7	25	30.9	12	14.8	.	.	.	.
		5-9	421	13	3.2	55	13.3	94	22.8	20	4.9	127	30.8	77	18.7	26	6.3	.	.
		10-14	1120	9	0.8	64	5.8	195	17.6	54	4.9	308	27.8	359	32.4	117	10.6	2	0.2
		15-20	1488	11	0.8	60	4.1	222	15.3	94	6.5	395	27.2	431	29.6	239	16.4	2	0.1
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.	1	50.0	1	50.0	.	.	.	.
		Chemotherapy, no radiation	364	4	1.1	21	5.8	63	17.5	17	4.7	90	25.0	121	33.6	43	11.9	1	0.3
		Radiation, no chemotherapy	652	10	1.6	26	4.0	94	14.6	38	5.9	177	27.6	196	30.5	100	15.6	1	0.2
		Chemotherapy and radiation	1765	22	1.3	113	6.5	284	16.4	105	6.1	504	29.1	490	28.3	214	12.3	2	0.1
		Unknown	328	5	1.6	37	11.7	85	26.8	11	3.5	83	26.2	71	22.4	25	7.9	.	.
Males	**All cases**		**1634**	**26**	**1.6**	**131**	**8.1**	**327**	**20.3**	**94**	**5.8**	**439**	**27.3**	**423**	**26.3**	**167**	**10.4**	**2**	**0.1**
	Age at baseline	<18	46	17	37.0	26	56.5	3	6.5	.	.	.	.	.	.	.	.	.	.
		18-19	48	.	.	8	17.0	17	36.2	3	6.4	19	40.4	.	.	.	.	.	.
		20-24	239	2	0.8	21	8.9	55	23.2	4	1.7	107	45.1	40	16.9	8	3.4	.	.
		25-29	445	4	0.9	25	5.7	89	20.3	31	7.1	111	25.3	142	32.3	36	8.2	1	0.2
		30-34	482	2	0.4	33	7.0	98	20.8	30	6.4	112	23.7	140	29.7	57	12.1	.	.
		35+	374	1	0.3	18	4.9	65	17.7	26	7.1	90	24.5	101	27.4	66	17.9	1	0.3
	Years since diagnosis	5-9	138	12	8.8	17	12.4	36	26.3	4	2.9	48	35.0	14	10.2	6	4.4	.	.
		10-14	491	9	1.8	50	10.3	84	17.2	28	5.7	143	29.4	136	27.9	37	7.6	.	.
		15-19	537	2	0.4	38	7.2	104	19.8	33	6.3	135	25.7	149	28.4	62	11.8	2	0.4
		20+	468	3	0.7	26	5.7	103	22.4	29	6.3	113	24.6	124	27.0	62	13.5	.	.
	Age at diagnosis	1-4	62	8	12.9	15	24.2	11	17.7	3	4.8	20	32.3	5	8.1	.	.	.	.
		5-9	305	10	3.3	45	15.1	80	26.8	18	6.0	83	27.8	51	17.1	12	4.0	.	.
		10-14	581	5	0.9	33	5.7	113	19.7	30	5.2	159	27.7	176	30.6	58	10.1	1	0.2
		15-20	686	3	0.4	38	5.6	123	18.3	43	6.4	177	26.3	191	28.4	97	14.4	1	0.1
	Treatment	Surgery only	2	.	.	.	.	.	.	.	.	1	50.0	1	50.0	.	.	.	.
		Chemotherapy, no radiation	187	4	2.1	11	5.9	43	23.0	12	6.4	50	26.7	50	26.7	16	8.6	1	0.5
		Radiation, no chemotherapy	336	6	1.8	19	5.7	56	16.9	17	5.1	90	27.1	92	27.7	52	15.7	.	.
		Chemotherapy and radiation	915	14	1.6	72	8.0	168	18.6	61	6.8	250	27.7	244	27.1	91	10.1	1	0.1
		Unknown	194	2	1.1	29	15.5	60	32.1	4	2.1	48	25.7	36	19.3	8	4.3	.	.
Females	**All cases**		**1477**	**15**	**1.0**	**66**	**4.6**	**199**	**13.8**	**77**	**5.3**	**416**	**28.8**	**456**	**31.5**	**215**	**14.9**	**2**	**0.1**
	Age at baseline	<18	15	1	7.7	10	76.9	2	15.4	.	.	.	.	.	.	.	.	.	.
		18-19	13	.	.	1	7.7	5	38.5	.	.	7	53.8	.	.	.	.	.	.
		20-24	136	1	0.7	5	3.7	23	17.2	4	3.0	57	42.5	40	29.9	4	3.0	.	.
		25-29	353	3	0.9	19	5.5	52	15.1	18	5.2	84	24.4	127	36.9	41	11.9	.	.
		30-34	469	3	0.7	20	4.3	54	11.7	20	4.3	133	28.9	144	31.3	85	18.5	1	0.2

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		35+	491	7	1.5	11	2.3	63	13.1	35	7.3	135	28.0	145	30.1	85	17.6	1	0.2
	Years since diagnosis	5-9	104	.	.	9	8.8	20	19.6	6	5.9	45	44.1	20	19.6	2	2.0	.	.
		10-14	455	5	1.1	27	6.1	55	12.5	21	4.8	116	26.3	152	34.5	65	14.7	.	.
		15-19	471	3	0.7	15	3.3	72	15.7	21	4.6	127	27.6	151	32.8	69	15.0	2	0.4
		20+	447	7	1.6	15	3.4	52	11.7	29	6.5	128	28.9	133	30.0	79	17.8	.	.
	Age at diagnosis	1-4	20	.	.	3	15.8	4	21.1	.	.	5	26.3	7	36.8	.	.	.	.
		5-9	116	3	2.7	10	8.8	14	12.4	2	1.8	44	38.9	26	23.0	14	12.4	.	.
		10-14	539	4	0.8	31	5.8	82	15.4	24	4.5	149	28.0	183	34.3	59	11.1	1	0.2
		15-20	802	8	1.0	22	2.8	99	12.7	51	6.5	218	27.9	240	30.7	142	18.2	1	0.1
	Treatment	Chemotherapy, no radiation	177	.	.	10	5.8	20	11.6	5	2.9	40	23.1	71	41.0	27	15.6	.	.
		Radiation, no chemotherapy	316	4	1.3	7	2.3	38	12.3	21	6.8	87	28.1	104	33.5	48	15.5	1	0.3
		Chemotherapy and radiation	850	8	1.0	41	4.9	116	13.9	44	5.3	254	30.5	246	29.5	123	14.8	1	0.1
		Unknown	134	3	2.3	8	6.2	25	19.2	7	5.4	35	26.9	35	26.9	17	13.1	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2117**	**107**	**5.1**	**253**	**12.2**	**365**	**17.6**	**106**	**5.1**	**567**	**27.3**	**508**	**24.4**	**166**	**8.0**	**7**	**0.3**
	Age at baseline	<18	212	89	43.0	109	52.7	8	3.9	1	0.5	.	.	.	.	.	.	.	.
		18-19	132	2	1.5	35	26.7	51	38.9	2	1.5	39	29.8	1	0.8	1	0.8	.	.
		20-24	469	5	1.1	36	7.8	91	19.6	20	4.3	198	42.7	99	21.3	12	2.6	3	0.6
		25-29	572	3	0.5	37	6.6	106	18.9	44	7.8	145	25.8	172	30.7	53	9.4	1	0.2
		30-34	483	5	1.0	30	6.3	69	14.5	22	4.6	133	27.9	158	33.1	59	12.4	1	0.2
		35+	249	3	1.3	6	2.5	40	16.7	17	7.1	52	21.8	78	32.6	41	17.2	2	0.8
	Years since diagnosis	5-9	144	42	30.0	36	25.7	20	14.3	5	3.6	23	16.4	11	7.9	3	2.1	.	.
		10-14	671	49	7.4	125	18.9	133	20.1	27	4.1	181	27.4	110	16.6	35	5.3	1	0.2
		15-19	730	12	1.7	58	8.0	120	16.6	39	5.4	226	31.3	201	27.9	63	8.7	2	0.3
		20+	572	4	0.7	34	6.1	92	16.5	35	6.3	137	24.6	186	33.4	65	11.7	4	0.7
	Age at diagnosis	<1	15	8	61.5	3	23.1	2	15.4	.	.	.	.	.	.	.	.	.	.
		1-4	347	61	17.8	74	21.6	53	15.5	8	2.3	95	27.7	44	12.8	6	1.7	2	0.6
		5-9	649	24	3.8	112	17.6	120	18.8	27	4.2	169	26.5	145	22.8	37	5.8	3	0.5
		10-14	672	8	1.2	43	6.5	127	19.2	45	6.8	193	29.2	186	28.1	58	8.8	1	0.2
		15-20	434	6	1.4	21	4.9	63	14.8	26	6.1	110	25.9	133	31.3	65	15.3	1	0.2
	Treatment	Surgery only	16	3	18.8	2	12.5	2	12.5	1	6.3	3	18.8	2	12.5	2	12.5	1	6.3
		Chemotherapy, no radiation	1077	53	5.0	123	11.6	176	16.6	47	4.4	298	28.1	270	25.4	91	8.6	4	0.4
		Radiation, no chemotherapy	38	.	.	3	8.6	6	17.1	3	8.6	10	28.6	6	17.1	7	20.0	.	.
		Chemotherapy and radiation	767	44	5.8	97	12.9	137	18.2	47	6.2	185	24.5	187	24.8	56	7.4	1	0.1
		Unknown	219	7	3.3	28	13.2	44	20.8	8	3.8	71	33.5	43	20.3	10	4.7	1	0.5
Males	**All cases**		**1437**	**65**	**4.6**	**191**	**13.5**	**267**	**18.9**	**80**	**5.7**	**380**	**26.9**	**320**	**22.7**	**103**	**7.3**	**5**	**0.4**
	Age at baseline	<18	146	52	36.4	85	59.4	5	3.5	1	0.7	.	.	.	.	.	.	.	.
		18-19	97	2	2.1	28	29.2	38	39.6	2	2.1	24	25.0	1	1.0	1	1.0	.	.
		20-24	304	1	0.3	23	7.6	71	23.4	18	5.9	125	41.3	56	18.5	7	2.3	2	0.7
		25-29	407	2	0.5	27	6.8	83	20.8	30	7.5	104	26.1	122	30.6	30	7.5	1	0.3
		30-34	319	5	1.6	24	7.6	47	15.0	16	5.1	91	29.0	93	29.6	38	12.1	.	.
		35+	164	3	1.9	4	2.6	23	14.7	13	8.3	36	23.1	48	30.8	27	17.3	2	1.3
	Years since diagnosis	5-9	109	28	26.2	33	30.8	15	14.0	4	3.7	17	15.9	7	6.5	3	2.8	.	.
		10-14	456	26	5.8	97	21.6	105	23.4	20	4.5	114	25.4	65	14.5	21	4.7	1	0.2
		15-19	480	7	1.5	36	7.6	85	17.9	30	6.3	152	32.0	125	26.3	39	8.2	1	0.2
		20+	392	4	1.1	25	6.6	62	16.3	26	6.8	97	25.5	123	32.4	40	10.5	3	0.8
	Age at diagnosis	<1	5	1	33.3	1	33.3	1	33.3	.	.	.	.	.	.	.	.	.	.
		1-4	235	40	17.2	52	22.3	38	16.3	6	2.6	63	27.0	29	12.4	3	1.3	2	0.9
		5-9	451	13	2.9	88	19.7	96	21.5	23	5.2	108	24.2	94	21.1	23	5.2	1	0.2
		10-14	462	6	1.3	34	7.5	91	20.1	34	7.5	133	29.4	119	26.3	34	7.5	1	0.2
		15-20	284	5	1.8	16	5.8	41	14.8	17	6.1	76	27.4	78	28.2	43	15.5	1	0.4
	Treatment	Surgery only	13	2	15.4	1	7.7	2	15.4	.	.	3	23.1	2	15.4	2	15.4	1	7.7
		Chemotherapy, no radiation	728	33	4.6	96	13.4	134	18.7	38	5.3	198	27.6	161	22.5	54	7.5	3	0.4
		Radiation, no chemotherapy	28	.	.	3	11.5	3	11.5	3	11.5	8	30.8	3	11.5	6	23.1	.	.
		Chemotherapy and radiation	511	26	5.2	73	14.5	95	18.8	31	6.2	122	24.2	122	24.2	35	6.9	.	.
		Unknown	157	4	2.6	18	11.9	33	21.9	8	5.3	49	32.5	32	21.2	6	4.0	1	0.7
Females	**All cases**		**680**	**42**	**6.3**	**62**	**9.3**	**98**	**14.7**	**26**	**3.9**	**187**	**28.0**	**188**	**28.1**	**63**	**9.4**	**2**	**0.3**
	Age at baseline	<18	66	37	57.8	24	37.5	3	4.7	.	.	.	.	.	.	.	.	.	.
		18-19	35	.	.	7	20.0	13	37.1	.	.	15	42.9	.	.	.	.	.	.
		20-24	165	4	2.5	13	8.1	20	12.4	2	1.2	73	45.3	43	26.7	5	3.1	1	0.6

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

Education: NHL

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	165	1	0.6	10	6.2	23	14.2	14	8.6	41	25.3	50	30.9	23	14.2	.	.
		30-34	164	.	.	6	3.7	22	13.5	6	3.7	42	25.8	65	39.9	21	12.9	1	0.6
		35+	85	.	.	2	2.4	17	20.5	4	4.8	16	19.3	30	36.1	14	16.9	.	.
	Years since diagnosis	5-9	35	14	42.4	3	9.1	5	15.2	1	3.0	6	18.2	4	12.1	.	.	.	.
		10-14	215	23	10.8	28	13.2	28	13.2	7	3.3	67	31.6	45	21.2	14	6.6	.	.
		15-19	250	5	2.0	22	8.9	35	14.2	9	3.7	74	30.1	76	30.9	24	9.8	1	0.4
		20+	180	.	.	9	5.1	30	16.9	9	5.1	40	22.6	63	35.6	25	14.1	1	0.6
	Age at diagnosis	<1	10	7	70.0	2	20.0	1	10.0	.	.	.	.	.	.	.	.	.	.
		1-4	112	21	19.1	22	20.0	15	13.6	2	1.8	32	29.1	15	13.6	3	2.7	.	.
		5-9	198	11	5.8	24	12.6	24	12.6	4	2.1	61	31.9	51	26.7	14	7.3	2	1.0
		10-14	210	2	1.0	9	4.3	36	17.2	11	5.3	60	28.7	67	32.1	24	11.5	.	.
		15-20	150	1	0.7	5	3.4	22	14.9	9	6.1	34	23.0	55	37.2	22	14.9	.	.
	Treatment	Surgery only	3	1	33.3	1	33.3	.	.	1	33.3	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	349	20	5.8	27	7.8	42	12.2	9	2.6	100	29.0	109	31.6	37	10.7	1	0.3
		Radiation, no chemotherapy	10	.	.	.	.	3	33.3	.	.	2	22.2	3	33.3	1	11.1	.	.
		Chemotherapy and radiation	256	18	7.2	24	9.6	42	16.8	16	6.4	63	25.2	65	26.0	21	8.4	1	0.4
		Unknown	62	3	4.9	10	16.4	11	18.0	.	.	22	36.1	11	18.0	4	6.6	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2277**	**454**	**20.3**	**471**	**21.1**	**340**	**15.2**	**64**	**2.9**	**565**	**25.3**	**256**	**11.5**	**62**	**2.8**	**23**	**1.0**
	Age at baseline	<18	832	447	54.9	328	40.3	22	2.7	.	.	2	0.2	.	.	.	.	15	1.8
		18-19	305	4	1.4	75	25.3	106	35.8	5	1.7	103	34.8	2	0.7	.	.	1	0.3
		20-24	670	3	0.5	35	5.3	132	19.9	29	4.4	328	49.5	117	17.6	15	2.3	4	0.6
		25-29	374	.	.	26	7.1	69	18.8	23	6.3	112	30.4	101	27.4	34	9.2	3	0.8
		30-34	77	.	.	7	9.3	10	13.3	6	8.0	14	18.7	29	38.7	9	12.0	.	.
		35+	19	.	.	.	.	1	5.3	1	5.3	6	31.6	7	36.8	4	21.1	.	.
	Years since diagnosis	5-9	176	134	79.3	21	12.4	1	0.6	.	.	8	4.7	1	0.6	.	.	4	2.4
		10-14	739	305	42.1	272	37.6	49	6.8	5	0.7	70	9.7	13	1.8	.	.	10	1.4
		15-19	759	13	1.7	145	19.4	181	24.2	22	2.9	290	38.8	79	10.6	14	1.9	4	0.5
		20+	603	2	0.3	33	5.6	109	18.4	37	6.2	197	33.2	163	27.4	48	8.1	5	0.8
	Age at diagnosis	<1	331	121	37.3	58	17.9	42	13.0	5	1.5	67	20.7	20	6.2	3	0.9	8	2.5
		1-4	1396	310	22.6	314	22.9	218	15.9	35	2.6	325	23.7	125	9.1	30	2.2	13	0.9
		5-9	468	22	4.8	91	19.8	70	15.3	17	3.7	151	32.9	82	17.9	24	5.2	2	0.4
		10-14	59	1	1.7	4	6.8	8	13.6	6	10.2	17	28.8	22	37.3	1	1.7	.	.
		15-20	23	.	.	4	17.4	2	8.7	1	4.3	5	21.7	7	30.4	4	17.4	.	.
	Treatment	Surgery only	35	15	44.1	6	17.6	2	5.9	1	2.9	9	26.5	1	2.9	.	.	.	.
		Chemotherapy, no radiation	873	225	26.3	166	19.4	119	13.9	20	2.3	205	23.9	93	10.9	19	2.2	10	1.2
		Radiation, no chemotherapy	4	.	.	.	.	2	50.0	.	.	1	25.0	1	25.0	.	.	.	.
		Chemotherapy and radiation	1155	180	15.9	238	21.0	178	15.7	35	3.1	306	27.0	143	12.6	40	3.5	12	1.1
		Unknown	210	34	16.3	61	29.3	39	18.8	8	3.8	44	21.2	18	8.7	3	1.4	1	0.5
Males	**All cases**		**1019**	**217**	**21.7**	**226**	**22.6**	**158**	**15.8**	**23**	**2.3**	**236**	**23.6**	**103**	**10.3**	**24**	**2.4**	**11**	**1.1**
	Age at baseline	<18	403	214	55.0	154	39.6	13	3.3	.	.	1	0.3	.	.	.	.	7	1.8
		18-19	126	1	0.8	40	32.0	46	36.8	1	0.8	37	29.6	.	.	.	.	.	.
		20-24	285	2	0.7	17	6.0	61	21.5	13	4.6	136	47.9	46	16.2	6	2.1	3	1.1
		25-29	165	.	.	12	7.5	32	19.9	7	4.3	53	32.9	41	25.5	15	9.3	1	0.6
		30-34	32	.	.	3	9.7	6	19.4	2	6.5	6	19.4	13	41.9	1	3.2	.	.
		35+	8	.	.	.	.	.	.	.	.	3	37.5	3	37.5	2	25.0	.	.
	Years since diagnosis	5-9	79	60	80.0	10	13.3	.	.	.	.	3	4.0	.	.	.	.	2	2.7
		10-14	333	150	46.4	121	37.5	18	5.6	2	0.6	24	7.4	3	0.9	.	.	5	1.5
		15-19	334	5	1.5	78	23.5	88	26.5	8	2.4	119	35.8	26	7.8	6	1.8	2	0.6
		20+	273	2	0.7	17	6.3	52	19.4	13	4.9	90	33.6	74	27.6	18	6.7	2	0.7
	Age at diagnosis	<1	169	62	38.0	35	21.5	22	13.5	.	.	29	17.8	8	4.9	2	1.2	5	3.1
		1-4	628	146	23.7	146	23.7	100	16.3	16	2.6	137	22.3	52	8.5	13	2.1	5	0.8
		5-9	192	9	4.7	41	21.6	32	16.8	5	2.6	61	32.1	33	17.4	8	4.2	1	0.5
		10-14	21	.	.	2	9.5	4	19.0	2	9.5	6	28.6	7	33.3	.	.	.	.
		15-20	9	.	.	2	22.2	.	.	.	.	3	33.3	3	33.3	1	11.1	.	.
	Treatment	Surgery only	19	7	38.9	4	22.2	1	5.6	.	.	5	27.8	1	5.6	.	.	.	.
		Chemotherapy, no radiation	396	105	27.3	82	21.3	48	12.5	6	1.6	90	23.4	40	10.4	8	2.1	6	1.6
		Chemotherapy and radiation	499	90	18.4	106	21.6	87	17.8	13	2.7	119	24.3	56	11.4	14	2.9	5	1.0
		Unknown	105	15	14.3	34	32.4	22	21.0	4	3.8	22	21.0	6	5.7	2	1.9	.	.
Females	**All cases**		**1258**	**237**	**19.2**	**245**	**19.8**	**182**	**14.7**	**41**	**3.3**	**329**	**26.6**	**153**	**12.4**	**38**	**3.1**	**12**	**1.0**
	Age at baseline	<18	429	233	54.8	174	40.9	9	2.1	.	.	1	0.2	.	.	.	.	8	1.9
		18-19	179	3	1.8	35	20.5	60	35.1	4	2.3	66	38.6	2	1.2	.	.	1	0.6
		20-24	385	1	0.3	18	4.7	71	18.7	16	4.2	192	50.7	71	18.7	9	2.4	1	0.3
		25-29	209	.	.	14	6.8	37	17.9	16	7.7	59	28.5	60	29.0	19	9.2	2	1.0

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		30-34	45	.	.	4	9.1	4	9.1	4	9.1	8	18.2	16	36.4	8	18.2	.	.
		35+	11	.	.	.	.	1	9.1	1	9.1	3	27.3	4	36.4	2	18.2	.	.
	Years since diagnosis	5-9	97	74	78.7	11	11.7	1	1.1	.	.	5	5.3	1	1.1	.	.	2	2.1
		10-14	406	155	38.7	151	37.7	31	7.7	3	0.7	46	11.5	10	2.5	.	.	5	1.2
		15-19	425	8	1.9	67	16.1	93	22.4	14	3.4	171	41.1	53	12.7	8	1.9	2	0.5
		20+	330	.	.	16	4.9	57	17.5	24	7.4	107	32.8	89	27.3	30	9.2	3	0.9
	Age at diagnosis	<1	162	59	36.6	23	14.3	20	12.4	5	3.1	38	23.6	12	7.5	1	0.6	3	1.9
		1-4	768	164	21.7	168	22.3	118	15.6	19	2.5	188	24.9	73	9.7	17	2.3	8	1.1
		5-9	276	13	4.8	50	18.6	38	14.1	12	4.5	90	33.5	49	18.2	16	5.9	1	0.4
		10-14	38	1	2.6	2	5.3	4	10.5	4	10.5	11	28.9	15	39.5	1	2.6	.	.
		15-20	14	.	.	2	14.3	2	14.3	1	7.1	2	14.3	4	28.6	3	21.4	.	.
	Treatment	Surgery only	16	8	50.0	2	12.5	1	6.3	1	6.3	4	25.0	.	.	.	.	.	.
		Chemotherapy, no radiation	477	120	25.4	84	17.8	71	15.0	14	3.0	115	24.4	53	11.2	11	2.3	4	0.8
		Radiation, no chemotherapy	4	.	.	.	.	2	50.0	.	.	1	25.0	1	25.0	.	.	.	.
		Chemotherapy and radiation	656	90	14.0	132	20.6	91	14.2	22	3.4	187	29.1	87	13.6	26	4.0	7	1.1
		Unknown	105	19	18.4	27	26.2	17	16.5	4	3.9	22	21.4	12	11.7	1	1.0	1	1.0

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1954**	**599**	**31.1**	**416**	**21.6**	**252**	**13.1**	**43**	**2.2**	**380**	**19.7**	**169**	**8.8**	**34**	**1.8**	**35**	**1.8**
	Age at baseline	<18	957	587	62.3	316	33.5	14	1.5	.	.	3	0.3	.	.	.	.	22	2.3
		18-19	237	4	1.7	62	26.6	85	36.5	4	1.7	73	31.3	.	.	.	.	5	2.1
		20-24	544	6	1.1	24	4.4	113	20.9	27	5.0	257	47.6	101	18.7	8	1.5	4	0.7
		25-29	172	1	0.6	7	4.1	33	19.5	12	7.1	38	22.5	57	33.7	17	10.1	4	2.4
		30-34	36	.	.	4	11.1	7	19.4	.	.	8	22.2	9	25.0	8	22.2	.	.
		35+	8	1	12.5	3	37.5	.	.	.	.	1	12.5	2	25.0	1	12.5	.	.
	Years since diagnosis	5-9	160	132	84.6	12	7.7	1	0.6	1	0.6	5	3.2	.	.	.	.	5	3.2
		10-14	610	419	69.8	122	20.3	12	2.0	.	.	26	4.3	4	0.7	4	0.7	13	2.2
		15-19	639	45	7.1	255	40.3	128	20.3	10	1.6	154	24.4	22	3.5	7	1.1	11	1.7
		20+	545	3	0.6	27	5.0	111	20.6	32	5.9	195	36.1	143	26.5	23	4.3	6	1.1
	Age at diagnosis	<1	993	347	35.4	222	22.7	119	12.1	26	2.7	180	18.4	59	6.0	7	0.7	20	2.0
		1-4	764	226	30.0	160	21.2	107	14.2	12	1.6	148	19.7	77	10.2	10	1.3	13	1.7
		5-9	148	24	16.2	27	18.2	20	13.5	3	2.0	40	27.0	23	15.5	9	6.1	2	1.4
		10-14	30	1	3.6	4	14.3	4	14.3	1	3.6	6	21.4	7	25.0	5	17.9	.	.
		15-20	19	1	5.3	3	15.8	2	10.5	1	5.3	6	31.6	3	15.8	3	15.8	.	.
	Treatment	Surgery only	548	166	30.5	123	22.6	72	13.2	12	2.2	106	19.5	46	8.5	11	2.0	8	1.5
		Chemotherapy, no radiation	562	194	35.1	128	23.1	73	13.2	9	1.6	94	17.0	36	6.5	6	1.1	13	2.4
		Radiation, no chemotherapy	138	34	25.4	36	26.9	19	14.2	5	3.7	25	18.7	14	10.4	1	0.7	.	.
		Chemotherapy and radiation	532	145	27.6	99	18.8	61	11.6	14	2.7	119	22.6	61	11.6	13	2.5	14	2.7
		Unknown	174	60	35.1	30	17.5	27	15.8	3	1.8	36	21.1	12	7.0	3	1.8	.	.
Males	**All cases**		**953**	**311**	**33.0**	**203**	**21.5**	**118**	**12.5**	**17**	**1.8**	**188**	**19.9**	**71**	**7.5**	**13**	**1.4**	**22**	**2.3**
	Age at baseline	<18	479	307	64.9	145	30.7	7	1.5	.	.	.	.	.	.	.	.	14	3.0
		18-19	104	1	1.0	36	35.0	32	31.1	1	1.0	30	29.1	.	.	.	.	3	2.9
		20-24	275	2	0.7	13	4.8	61	22.3	13	4.8	132	48.4	46	16.8	3	1.1	3	1.1
		25-29	78	1	1.3	4	5.2	16	20.8	3	3.9	23	29.9	23	29.9	5	6.5	2	2.6
		30-34	14	.	.	3	21.4	2	14.3	.	.	3	21.4	1	7.1	5	35.7	.	.
		35+	3	.	.	2	66.7	.	.	.	.	.	.	1	33.3	.	.	.	.
	Years since diagnosis	5-9	75	66	88.0	4	5.3	1	1.3	.	.	1	1.3	.	.	.	.	3	4.0
		10-14	304	219	73.5	54	18.1	3	1.0	.	.	14	4.7	1	0.3	.	.	7	2.3
		15-19	308	25	8.2	130	42.5	60	19.6	3	1.0	66	21.6	9	2.9	4	1.3	9	2.9
		20+	266	1	0.4	15	5.7	54	20.5	14	5.3	107	40.5	61	23.1	9	3.4	3	1.1
	Age at diagnosis	<1	516	186	36.5	116	22.7	55	10.8	11	2.2	97	19.0	29	5.7	1	0.2	15	2.9
		1-4	344	112	32.8	69	20.2	49	14.4	4	1.2	65	19.1	31	9.1	5	1.5	6	1.8
		5-9	74	12	16.2	14	18.9	11	14.9	2	2.7	21	28.4	8	10.8	5	6.8	1	1.4
		10-14	13	1	8.3	2	16.7	2	16.7	.	.	3	25.0	2	16.7	2	16.7	.	.
		15-20	6	.	.	2	33.3	1	16.7	.	.	2	33.3	1	16.7	.	.	.	.
	Treatment	Surgery only	263	88	33.8	58	22.3	31	11.9	5	1.9	52	20.0	22	8.5	2	0.8	2	0.8
		Chemotherapy, no radiation	279	97	35.1	66	23.9	31	11.2	4	1.4	49	17.8	16	5.8	2	0.7	11	4.0
		Radiation, no chemotherapy	62	20	32.8	15	24.6	6	9.8	2	3.3	14	23.0	3	4.9	1	1.6	.	.
		Chemotherapy and radiation	259	75	29.0	47	18.1	37	14.3	4	1.5	54	20.8	27	10.4	6	2.3	9	3.5
		Unknown	90	31	35.6	17	19.5	13	14.9	2	2.3	19	21.8	3	3.4	2	2.3	.	.
Females	**All cases**		**1001**	**288**	**29.2**	**213**	**21.6**	**134**	**13.6**	**26**	**2.6**	**192**	**19.5**	**98**	**9.9**	**21**	**2.1**	**13**	**1.3**
	Age at baseline	<18	478	280	59.7	171	36.5	7	1.5	.	.	3	0.6	.	.	.	.	8	1.7
		18-19	133	3	2.3	26	20.0	53	40.8	3	2.3	43	33.1	.	.	.	.	2	1.5
		20-24	269	4	1.5	11	4.1	52	19.5	14	5.2	125	46.8	55	20.6	5	1.9	1	0.4

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	94	.	.	3	3.3	17	18.5	9	9.8	15	16.3	34	37.0	12	13.0	2	2.2
		30-34	22	.	.	1	4.5	5	22.7	.	.	5	22.7	8	36.4	3	13.6	.	.
		35+	5	1	20.0	1	20.0	.	.	.	.	1	20.0	1	20.0	1	20.0	.	.
	Years since diagnosis	5-9	85	66	81.5	8	9.9	.	.	1	1.2	4	4.9	.	.	.	.	2	2.5
		10-14	306	200	66.2	68	22.5	9	3.0	.	.	12	4.0	3	1.0	4	1.3	6	2.0
		15-19	331	20	6.1	125	38.3	68	20.9	7	2.1	88	27.0	13	4.0	3	0.9	2	0.6
		20+	279	2	0.7	12	4.3	57	20.7	18	6.5	88	31.9	82	29.7	14	5.1	3	1.1
	Age at diagnosis	<1	477	161	34.3	106	22.6	64	13.6	15	3.2	83	17.7	30	6.4	6	1.3	5	1.1
		1-4	420	114	27.7	91	22.1	58	14.1	8	1.9	83	20.1	46	11.2	5	1.2	7	1.7
		5-9	74	12	16.2	13	17.6	9	12.2	1	1.4	19	25.7	15	20.3	4	5.4	1	1.4
		10-14	17	.	.	2	12.5	2	12.5	1	6.3	3	18.8	5	31.3	3	18.8	.	.
		15-20	13	1	7.7	1	7.7	1	7.7	1	7.7	4	30.8	2	15.4	3	23.1	.	.
	Treatment	Surgery only	285	78	27.5	65	22.9	41	14.4	7	2.5	54	19.0	24	8.5	9	3.2	6	2.1
		Chemotherapy, no radiation	283	97	35.0	62	22.4	42	15.2	5	1.8	45	16.2	20	7.2	4	1.4	2	0.7
		Radiation, no chemotherapy	76	14	19.2	21	28.8	13	17.8	3	4.1	11	15.1	11	15.1	.	.	.	.
		Chemotherapy and radiation	273	70	26.2	52	19.5	24	9.0	10	3.7	65	24.3	34	12.7	7	2.6	5	1.9
		Unknown	84	29	34.5	13	15.5	14	16.7	1	1.2	17	20.2	9	10.7	1	1.2	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1760**	**223**	**12.9**	**213**	**12.3**	**282**	**16.3**	**75**	**4.3**	**445**	**25.8**	**359**	**20.8**	**122**	**7.1**	**7**	**0.4**
	Age at baseline	<18	341	198	59.5	121	36.3	10	3.0	.	.	.	.	.	.	.	.	4	1.2
		18-19	125	6	4.9	26	21.1	44	35.8	5	4.1	41	33.3	1	0.8	.	.	.	.
		20-24	425	7	1.7	24	5.8	97	23.3	14	3.4	183	44.0	79	19.0	10	2.4	2	0.5
		25-29	393	2	0.5	17	4.4	56	14.5	27	7.0	94	24.4	147	38.1	42	10.9	1	0.3
		30-34	299	8	2.7	16	5.5	43	14.7	14	4.8	82	28.1	82	28.1	47	16.1	.	.
		35+	177	2	1.1	9	5.1	32	18.2	15	8.5	45	25.6	50	28.4	23	13.1	.	.
	Years since diagnosis	5-9	182	73	40.8	22	12.3	22	12.3	6	3.4	35	19.6	19	10.6	1	0.6	1	0.6
		10-14	521	127	24.8	99	19.3	60	11.7	14	2.7	110	21.4	76	14.8	25	4.9	2	0.4
		15-19	541	15	2.8	65	12.3	107	20.2	21	4.0	156	29.4	113	21.3	51	9.6	2	0.4
		20+	516	8	1.6	27	5.4	93	18.5	34	6.7	144	28.6	151	30.0	45	8.9	2	0.4
	Age at diagnosis	<1	124	49	40.8	20	16.7	18	15.0	1	0.8	19	15.8	8	6.7	2	1.7	3	2.5
		1-4	562	132	24.0	112	20.4	84	15.3	19	3.5	117	21.3	72	13.1	11	2.0	3	0.5
		5-9	397	32	8.3	47	12.2	66	17.1	12	3.1	125	32.4	86	22.3	17	4.4	1	0.3
		10-14	348	8	2.3	18	5.2	61	17.7	19	5.5	96	27.9	98	28.5	44	12.8	.	.
		15-20	329	2	0.6	16	4.9	53	16.3	24	7.4	88	27.0	95	29.1	48	14.7	.	.
	Treatment	Surgery only	171	13	7.7	11	6.5	27	16.1	7	4.2	43	25.6	54	32.1	13	7.7	.	.
		Chemotherapy, no radiation	361	50	14.0	45	12.6	63	17.6	15	4.2	79	22.1	72	20.2	32	9.0	1	0.3
		Radiation, no chemotherapy	63	1	1.6	2	3.2	11	17.7	4	6.5	20	32.3	19	30.6	5	8.1	.	.
		Chemotherapy and radiation	974	138	14.5	123	12.9	148	15.5	40	4.2	247	25.9	190	19.9	64	6.7	5	0.5
		Unknown	191	21	11.4	32	17.4	33	17.9	9	4.9	56	30.4	24	13.0	8	4.3	1	0.5
Males	**All cases**		**951**	**132**	**14.0**	**122**	**13.0**	**169**	**18.0**	**42**	**4.5**	**222**	**23.6**	**190**	**20.2**	**60**	**6.4**	**3**	**0.3**
	Age at baseline	<18	192	122	64.6	62	32.8	2	1.1	.	.	.	.	.	.	.	.	3	1.6
		18-19	66	3	4.7	19	29.7	21	32.8	2	3.1	18	28.1	1	1.6	.	.	.	.
		20-24	242	1	0.4	19	7.9	69	28.9	9	3.8	97	40.6	42	17.6	2	0.8	.	.
		25-29	208	1	0.5	8	3.9	35	17.0	16	7.8	51	24.8	73	35.4	22	10.7	.	.
		30-34	159	5	3.2	9	5.7	29	18.4	8	5.1	40	25.3	44	27.8	23	14.6	.	.
		35+	84	.	.	5	6.0	13	15.5	7	8.3	16	19.0	30	35.7	13	15.5	.	.
	Years since diagnosis	5-9	100	45	45.5	16	16.2	11	11.1	3	3.0	16	16.2	7	7.1	.	.	1	1.0
		10-14	288	78	27.4	55	19.3	36	12.6	10	3.5	47	16.5	42	14.7	16	5.6	1	0.4
		15-19	282	5	1.8	33	11.8	70	25.0	12	4.3	80	28.6	56	20.0	23	8.2	1	0.4
		20+	281	4	1.4	18	6.5	52	18.8	17	6.2	79	28.6	85	30.8	21	7.6	.	.
	Age at diagnosis	<1	52	19	37.3	9	17.6	11	21.6	.	.	9	17.6	1	2.0	.	.	2	3.9
		1-4	331	91	28.1	65	20.1	45	13.9	10	3.1	69	21.3	39	12.0	4	1.2	1	0.3
		5-9	225	19	8.5	29	13.0	47	21.1	8	3.6	68	30.5	45	20.2	7	3.1	.	.
		10-14	186	1	0.5	11	5.9	40	21.6	12	6.5	38	20.5	59	31.9	24	13.0	.	.
		15-20	157	2	1.3	8	5.1	26	16.6	12	7.6	38	24.2	46	29.3	25	15.9	.	.
	Treatment	Surgery only	74	4	5.4	4	5.4	18	24.3	3	4.1	17	23.0	25	33.8	3	4.1	.	.
		Chemotherapy, no radiation	212	34	16.2	25	11.9	36	17.1	10	4.8	43	20.5	40	19.0	22	10.5	.	.
		Radiation, no chemotherapy	32	1	3.2	2	6.5	7	22.6	2	6.5	9	29.0	9	29.0	1	3.2	.	.
		Chemotherapy and radiation	524	85	16.4	70	13.5	88	17.0	24	4.6	117	22.6	102	19.7	30	5.8	2	0.4
		Unknown	109	8	7.5	21	19.6	20	18.7	3	2.8	36	33.6	14	13.1	4	3.7	1	0.9
Females	**All cases**		**809**	**91**	**11.6**	**91**	**11.6**	**113**	**14.4**	**33**	**4.2**	**223**	**28.4**	**169**	**21.5**	**62**	**7.9**	**4**	**0.5**
	Age at baseline	<18	149	76	52.8	59	41.0	8	5.6	.	.	.	.	.	.	.	.	1	0.7
		18-19	59	3	5.1	7	11.9	23	39.0	3	5.1	23	39.0	.	.	.	.	.	.
		20-24	183	6	3.4	5	2.8	28	15.8	5	2.8	86	48.6	37	20.9	8	4.5	2	1.1

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	185	1	0.6	9	5.0	21	11.7	11	6.1	43	23.9	74	41.1	20	11.1	1	0.6
		30-34	140	3	2.2	7	5.2	14	10.4	6	4.5	42	31.3	38	28.4	24	17.9	.	.
		35+	93	2	2.2	4	4.3	19	20.7	8	8.7	29	31.5	20	21.7	10	10.9	.	.
	Years since diagnosis	5-9	82	28	35.0	6	7.5	11	13.8	3	3.8	19	23.8	12	15.0	1	1.3	.	.
		10-14	233	49	21.5	44	19.3	24	10.5	4	1.8	63	27.6	34	14.9	9	3.9	1	0.4
		15-19	259	10	4.0	32	12.8	37	14.8	9	3.6	76	30.4	57	22.8	28	11.2	1	0.4
		20+	235	4	1.8	9	3.9	41	18.0	17	7.5	65	28.5	66	28.9	24	10.5	2	0.9
	Age at diagnosis	<1	72	30	43.5	11	15.9	7	10.1	1	1.4	10	14.5	7	10.1	2	2.9	1	1.4
		1-4	231	41	18.1	47	20.8	39	17.3	9	4.0	48	21.2	33	14.6	7	3.1	2	0.9
		5-9	172	13	8.0	18	11.0	19	11.7	4	2.5	57	35.0	41	25.2	10	6.1	1	0.6
		10-14	162	7	4.4	7	4.4	21	13.2	7	4.4	58	36.5	39	24.5	20	12.6	.	.
		15-20	172	.	.	8	4.7	27	16.0	12	7.1	50	29.6	49	29.0	23	13.6	.	.
	Treatment	Surgery only	97	9	9.6	7	7.4	9	9.6	4	4.3	26	27.7	29	30.9	10	10.6	.	.
		Chemotherapy, no radiation	149	16	10.9	20	13.6	27	18.4	5	3.4	36	24.5	32	21.8	10	6.8	1	0.7
		Radiation, no chemotherapy	31	.	.	.	.	4	12.9	2	6.5	11	35.5	10	32.3	4	12.9	.	.
		Chemotherapy and radiation	450	53	12.1	53	12.1	60	13.7	16	3.7	130	29.7	88	20.1	34	7.8	3	0.7
		Unknown	82	13	16.9	11	14.3	13	16.9	6	7.8	20	26.0	10	13.0	4	5.2	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2100**	**63**	**3.1**	**180**	**8.7**	**325**	**15.7**	**83**	**4.0**	**603**	**29.2**	**569**	**27.6**	**235**	**11.4**	**6**	**0.3**
	Age at baseline	<18	96	42	44.7	47	50.0	3	3.2	.	.	.	.	.	.	.	.	2	2.1
		18-19	72	2	2.8	21	29.2	30	41.7	2	2.8	16	22.2	1	1.4	.	.	.	.
		20-24	389	4	1.1	22	5.8	63	16.6	15	3.9	182	47.9	82	21.6	10	2.6	2	0.5
		25-29	568	4	0.7	23	4.1	91	16.3	30	5.4	162	29.0	181	32.4	67	12.0	1	0.2
		30-34	567	7	1.3	39	7.0	76	13.7	23	4.1	137	24.7	183	33.0	89	16.0	1	0.2
		35+	408	4	1.0	28	6.9	62	15.3	13	3.2	106	26.2	122	30.2	69	17.1	.	.
	Years since diagnosis	5-9	243	29	12.2	49	20.6	47	19.7	8	3.4	79	33.2	20	8.4	6	2.5	.	.
		10-14	681	21	3.1	58	8.6	97	14.4	30	4.5	212	31.5	189	28.1	62	9.2	3	0.4
		15-19	677	6	0.9	42	6.3	104	15.7	29	4.4	176	26.5	213	32.1	92	13.9	2	0.3
		20+	499	7	1.4	31	6.3	77	15.7	16	3.3	136	27.8	147	30.0	75	15.3	1	0.2
	Age at diagnosis	<1	9	2	25.0	4	50.0	.	.	.	.	2	25.0	.	.	.	.	.	.
		1-4	88	18	21.4	15	17.9	15	17.9	.	.	23	27.4	8	9.5	2	2.4	3	3.6
		5-9	369	27	7.4	43	11.8	64	17.5	11	3.0	107	29.3	86	23.6	26	7.1	1	0.3
		10-14	842	10	1.2	68	8.2	122	14.8	38	4.6	263	31.9	236	28.6	87	10.5	1	0.1
		15-20	792	6	0.8	50	6.4	124	15.9	34	4.3	208	26.6	239	30.6	120	15.3	1	0.1
	Treatment	Surgery only	119	1	0.9	5	4.3	21	18.1	8	6.9	23	19.8	43	37.1	15	12.9	.	.
		Chemotherapy, no radiation	1191	29	2.5	87	7.4	162	13.8	37	3.2	363	30.9	352	30.0	140	11.9	3	0.3
		Radiation, no chemotherapy	17	1	6.3	.	.	6	37.5	1	6.3	3	18.8	3	18.8	2	12.5	.	.
		Chemotherapy and radiation	582	23	4.0	55	9.6	94	16.4	30	5.2	164	28.6	147	25.6	58	10.1	3	0.5
		Unknown	191	9	4.9	33	17.8	42	22.7	7	3.8	50	27.0	24	13.0	20	10.8	.	.
Males	**All cases**		**1086**	**33**	**3.1**	**105**	**9.8**	**167**	**15.7**	**42**	**3.9**	**328**	**30.8**	**266**	**25.0**	**122**	**11.4**	**3**	**0.3**
	Age at baseline	<18	48	19	40.4	26	55.3	1	2.1	.	.	.	.	.	.	.	.	1	2.1
		18-19	36	1	2.8	11	30.6	13	36.1	1	2.8	9	25.0	1	2.8	.	.	.	.
		20-24	194	3	1.6	13	6.9	28	14.9	7	3.7	101	53.7	30	16.0	5	2.7	1	0.5
		25-29	299	2	0.7	14	4.8	55	18.8	15	5.1	95	32.4	80	27.3	32	10.9	.	.
		30-34	284	5	1.8	21	7.5	31	11.1	12	4.3	72	25.8	93	33.3	44	15.8	1	0.4
		35+	225	3	1.3	20	9.0	39	17.5	7	3.1	51	22.9	62	27.8	41	18.4	.	.
	Years since diagnosis	5-9	133	14	10.8	32	24.6	24	18.5	5	3.8	41	31.5	10	7.7	4	3.1	.	.
		10-14	349	10	2.9	28	8.2	47	13.7	16	4.7	126	36.7	86	25.1	29	8.5	1	0.3
		15-19	349	5	1.5	26	7.6	53	15.4	14	4.1	94	27.3	102	29.7	48	14.0	2	0.6
		20+	255	4	1.6	19	7.6	43	17.3	7	2.8	67	26.9	68	27.3	41	16.5	.	.
	Age at diagnosis	<1	4	1	25.0	2	50.0	.	.	.	.	1	25.0	.	.	.	.	.	.
		1-4	47	8	18.6	5	11.6	7	16.3	.	.	16	37.2	5	11.6	1	2.3	1	2.3
		5-9	189	14	7.5	23	12.4	36	19.4	4	2.2	58	31.2	35	18.8	15	8.1	1	0.5
		10-14	403	4	1.0	40	10.2	51	12.9	21	5.3	130	33.0	104	26.4	44	11.2	.	.
		15-20	443	6	1.4	35	8.0	73	16.6	17	3.9	123	28.0	122	27.8	62	14.1	1	0.2
	Treatment	Surgery only	48	1	2.2	2	4.3	9	19.6	3	6.5	5	10.9	21	45.7	5	10.9	.	.
		Chemotherapy, no radiation	612	15	2.5	50	8.3	79	13.2	21	3.5	198	33.1	162	27.0	74	12.4	.	.
		Radiation, no chemotherapy	9	.	.	.	.	3	33.3	.	.	2	22.2	2	22.2	2	22.2	.	.
		Chemotherapy and radiation	297	13	4.4	30	10.1	52	17.5	13	4.4	87	29.3	68	22.9	31	10.4	3	1.0
		Unknown	120	4	3.5	23	20.0	24	20.9	5	4.3	36	31.3	13	11.3	10	8.7	.	.
Females	**All cases**		**1014**	**30**	**3.0**	**75**	**7.5**	**158**	**15.8**	**41**	**4.1**	**275**	**27.6**	**303**	**30.4**	**113**	**11.3**	**3**	**0.3**
	Age at baseline	<18	48	23	48.9	21	44.7	2	4.3	.	.	.	.	.	.	.	.	1	2.1
		18-19	36	1	2.8	10	27.8	17	47.2	1	2.8	7	19.4	.	.	.	.	.	.
		20-24	195	1	0.5	9	4.7	35	18.2	8	4.2	81	42.2	52	27.1	5	2.6	1	0.5

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		25-29	269	2	0.8	9	3.4	36	13.5	15	5.6	67	25.2	101	38.0	35	13.2	1	0.4
		30-34	283	2	0.7	18	6.5	45	16.3	11	4.0	65	23.6	90	32.6	45	16.3	.	.
		35+	183	1	0.6	8	4.4	23	12.7	6	3.3	55	30.4	60	33.1	28	15.5	.	.
	Years since diagnosis	5-9	110	15	13.9	17	15.7	23	21.3	3	2.8	38	35.2	10	9.3	2	1.9	.	.
		10-14	332	11	3.3	30	9.1	50	15.2	14	4.3	86	26.1	103	31.3	33	10.0	2	0.6
		15-19	328	1	0.3	16	5.0	51	15.9	15	4.7	82	25.6	111	34.7	44	13.8	.	.
		20+	244	3	1.2	12	5.0	34	14.1	9	3.7	69	28.6	79	32.8	34	14.1	1	0.4
	Age at diagnosis	<1	5	1	25.0	2	50.0	.	.	.	.	1	25.0	.	.	.	.	.	.
		1-4	41	10	24.4	10	24.4	8	19.5	.	.	7	17.1	3	7.3	1	2.4	2	4.9
		5-9	180	13	7.3	20	11.2	28	15.6	7	3.9	49	27.4	51	28.5	11	6.1	.	.
		10-14	439	6	1.4	28	6.5	71	16.5	17	3.9	133	30.9	132	30.6	43	10.0	1	0.2
		15-20	349	.	.	15	4.4	51	14.9	17	5.0	85	24.8	117	34.1	58	16.9	.	.
	Treatment	Surgery only	71	.	.	3	4.3	12	17.1	5	7.1	18	25.7	22	31.4	10	14.3	.	.
		Chemotherapy, no radiation	579	14	2.4	37	6.4	83	14.5	16	2.8	165	28.7	190	33.1	66	11.5	3	0.5
		Radiation, no chemotherapy	8	1	14.3	.	.	3	42.9	1	14.3	1	14.3	1	14.3	.	.	.	.
		Chemotherapy and radiation	285	10	3.6	25	9.0	42	15.2	17	6.1	77	27.8	79	28.5	27	9.7	.	.
		Unknown	71	5	7.1	10	14.3	18	25.7	2	2.9	14	20.0	11	15.7	10	14.3	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**738**	**36**	**4.9**	**77**	**10.6**	**103**	**14.1**	**36**	**4.9**	**206**	**28.3**	**186**	**25.5**	**82**	**11.2**	**3**	**0.4**
	Age at baseline	<18	61	27	45.8	27	45.8	3	5.1	.	.	.	.	.	.	.	.	2	3.4
		18-19	36	.	.	14	38.9	11	30.6	1	2.8	10	27.8	.	.	.	.	.	.
		20-24	170	4	2.4	11	6.5	23	13.6	8	4.7	83	49.1	33	19.5	7	4.1	.	.
		25-29	204	1	0.5	6	3.0	33	16.4	14	7.0	43	21.4	78	38.8	26	12.9	.	.
		30-34	164	3	1.9	12	7.4	17	10.5	10	6.2	44	27.2	43	26.5	32	19.8	1	0.6
		35+	103	1	1.0	7	6.9	16	15.7	3	2.9	26	25.5	32	31.4	17	16.7	.	.
	Years since diagnosis	5-9	104	18	17.6	23	22.5	18	17.6	5	4.9	31	30.4	4	3.9	3	2.9	.	.
		10-14	247	12	4.9	29	11.8	29	11.8	11	4.5	80	32.7	59	24.1	23	9.4	2	0.8
		15-19	223	4	1.8	17	7.7	29	13.2	16	7.3	53	24.1	68	30.9	32	14.5	1	0.5
		20+	164	2	1.2	8	4.9	27	16.7	4	2.5	42	25.9	55	34.0	24	14.8	.	.
	Age at diagnosis	<1	5	.	.	4	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		1-4	54	12	22.6	12	22.6	7	13.2	.	.	15	28.3	4	7.5	1	1.9	2	3.8
		5-9	183	18	9.9	19	10.5	28	15.5	6	3.3	49	27.1	51	28.2	10	5.5	.	.
		10-14	278	4	1.5	29	10.5	36	13.1	16	5.8	78	28.4	71	25.8	41	14.9	.	.
		15-20	218	2	0.9	13	6.0	32	14.8	14	6.5	64	29.6	60	27.8	30	13.9	1	0.5
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	1	100.0	.	.	.	.	.	.
		Chemotherapy, no radiation	210	10	4.8	21	10.0	15	7.2	9	4.3	62	29.7	64	30.6	27	12.9	1	0.5
		Radiation, no chemotherapy	2	.	.	.	.	1	50.0	.	.	.	.	1	50.0	.	.	.	.
		Chemotherapy and radiation	463	19	4.1	44	9.6	75	16.4	25	5.5	130	28.4	115	25.1	48	10.5	2	0.4
		Unknown	62	7	11.9	12	20.3	12	20.3	2	3.4	13	22.0	6	10.2	7	11.9	.	.
Males	**All cases**		**386**	**16**	**4.2**	**45**	**11.7**	**59**	**15.4**	**15**	**3.9**	**119**	**31.1**	**85**	**22.2**	**42**	**11.0**	**2**	**0.5**
	Age at baseline	<18	27	11	42.3	13	50.0	1	3.8	.	.	.	.	.	.	.	.	1	3.8
		18-19	20	.	.	9	45.0	4	20.0	.	.	7	35.0	.	.	.	.	.	.
		20-24	88	3	3.4	6	6.8	12	13.6	3	3.4	47	53.4	13	14.8	4	4.5	.	.
		25-29	105	.	.	4	3.8	24	23.1	6	5.8	26	25.0	31	29.8	13	12.5	.	.
		30-34	90	2	2.2	9	10.1	9	10.1	5	5.6	26	29.2	21	23.6	16	18.0	1	1.1
		35+	56	.	.	4	7.1	9	16.1	1	1.8	13	23.2	20	35.7	9	16.1	.	.
	Years since diagnosis	5-9	56	7	12.7	14	25.5	11	20.0	2	3.6	15	27.3	3	5.5	3	5.5	.	.
		10-14	121	6	5.0	15	12.5	13	10.8	4	3.3	48	40.0	23	19.2	10	8.3	1	0.8
		15-19	123	3	2.4	12	9.8	19	15.4	7	5.7	33	26.8	32	26.0	16	13.0	1	0.8
		20+	86	.	.	4	4.7	16	18.8	2	2.4	23	27.1	27	31.8	13	15.3	.	.
	Age at diagnosis	<1	2	.	.	2	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		1-4	29	6	21.4	5	17.9	4	14.3	.	.	10	35.7	2	7.1	.	.	1	3.6
		5-9	91	8	8.9	9	10.0	17	18.9	2	2.2	28	31.1	20	22.2	6	6.7	.	.
		10-14	147	.	.	19	12.9	18	12.2	9	6.1	45	30.6	33	22.4	23	15.6	.	.
		15-20	117	2	1.7	10	8.6	20	17.2	4	3.4	36	31.0	30	25.9	13	11.2	1	0.9
	Treatment	Chemotherapy, no radiation	111	4	3.6	14	12.7	7	6.4	2	1.8	41	37.3	27	24.5	15	13.6	.	.
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.	.	.	1	100.0	.	.	.	.
		Chemotherapy and radiation	237	10	4.2	23	9.7	43	18.1	12	5.1	70	29.5	53	22.4	24	10.1	2	0.8
		Unknown	37	2	5.7	8	22.9	9	25.7	1	2.9	8	22.9	4	11.4	3	8.6	.	.
Females	**All cases**		**352**	**20**	**5.8**	**32**	**9.2**	**44**	**12.7**	**21**	**6.1**	**87**	**25.1**	**101**	**29.2**	**40**	**11.6**	**1**	**0.3**
	Age at baseline	<18	34	16	48.5	14	42.4	2	6.1	.	.	.	.	.	.	.	.	1	3.0
		18-19	16	.	.	5	31.3	7	43.8	1	6.3	3	18.8	.	.	.	.	.	.
		20-24	82	1	1.2	5	6.2	11	13.6	5	6.2	36	44.4	20	24.7	3	3.7	.	.
		25-29	99	1	1.0	2	2.1	9	9.3	8	8.2	17	17.5	47	48.5	13	13.4	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		30-34	74	1	1.4	3	4.1	8	11.0	5	6.8	18	24.7	22	30.1	16	21.9	.	.
		35+	47	1	2.2	3	6.5	7	15.2	2	4.3	13	28.3	12	26.1	8	17.4	.	.
	Years since diagnosis	5-9	48	11	23.4	9	19.1	7	14.9	3	6.4	16	34.0	1	2.1	.	.	.	.
		10-14	126	6	4.8	14	11.2	16	12.8	7	5.6	32	25.6	36	28.8	13	10.4	1	0.8
		15-19	100	1	1.0	5	5.2	10	10.3	9	9.3	20	20.6	36	37.1	16	16.5	.	.
		20+	78	2	2.6	4	5.2	11	14.3	2	2.6	19	24.7	28	36.4	11	14.3	.	.
	Age at diagnosis	<1	3	.	.	2	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		1-4	25	6	24.0	7	28.0	3	12.0	.	.	5	20.0	2	8.0	1	4.0	1	4.0
		5-9	92	10	11.0	10	11.0	11	12.1	4	4.4	21	23.1	31	34.1	4	4.4	.	.
		10-14	131	4	3.1	10	7.8	18	14.1	7	5.5	33	25.8	38	29.7	18	14.1	.	.
		15-20	101	.	.	3	3.0	12	12.0	10	10.0	28	28.0	30	30.0	17	17.0	.	.
	Treatment	Surgery only	1	.	.	.	.	.	.	.	.	1	100.0	.	.	.	.	.	.
		Chemotherapy, no radiation	99	6	6.1	7	7.1	8	8.1	7	7.1	21	21.2	37	37.4	12	12.1	1	1.0
		Radiation, no chemotherapy	1	.	.	.	.	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	226	9	4.1	21	9.5	32	14.5	13	5.9	60	27.1	62	28.1	24	10.9	.	.
		Unknown	25	5	20.8	4	16.7	3	12.5	1	4.2	5	20.8	2	8.3	4	16.7	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1259**	**21**	**1.7**	**101**	**8.2**	**201**	**16.3**	**44**	**3.6**	**377**	**30.5**	**348**	**28.2**	**142**	**11.5**	**1**	**0.1**
	Age at baseline	<18	29	9	31.0	20	69.0	.	.	.	.	.	.	.	.	.	.	.	.
		18-19	30	2	6.7	7	23.3	14	46.7	1	3.3	5	16.7	1	3.3	.	.	.	.
		20-24	199	.	.	11	5.7	37	19.2	7	3.6	92	47.7	44	22.8	2	1.0	.	.
		25-29	344	3	0.9	16	4.7	56	16.6	15	4.4	115	34.0	91	26.9	41	12.1	1	0.3
		30-34	374	4	1.1	27	7.4	52	14.3	11	3.0	91	25.0	125	34.3	54	14.8	.	.
		35+	283	3	1.1	20	7.1	42	14.9	10	3.6	74	26.3	87	31.0	45	16.0	.	.
	Years since diagnosis	5-9	132	9	6.9	26	20.0	27	20.8	3	2.3	46	35.4	16	12.3	3	2.3	.	.
		10-14	397	5	1.3	28	7.2	61	15.6	18	4.6	126	32.3	115	29.5	37	9.5	.	.
		15-19	423	2	0.5	25	6.0	69	16.7	12	2.9	119	28.7	131	31.6	56	13.5	.	.
		20+	307	5	1.7	22	7.3	44	14.6	11	3.7	86	28.6	86	28.6	46	15.3	1	0.3
	Age at diagnosis	1-4	25	3	13.6	3	13.6	4	18.2	.	.	8	36.4	2	9.1	1	4.5	1	4.5
		5-9	168	8	4.8	24	14.4	34	20.4	4	2.4	53	31.7	30	18.0	14	8.4	.	.
		10-14	534	6	1.1	38	7.3	79	15.1	21	4.0	181	34.7	152	29.1	45	8.6	.	.
		15-20	532	4	0.8	36	6.9	84	16.0	19	3.6	135	25.8	164	31.3	82	15.6	.	.
	Treatment	Surgery only	86	1	1.2	4	4.8	15	18.1	6	7.2	18	21.7	32	38.6	7	8.4	.	.
		Chemotherapy, no radiation	957	16	1.7	66	7.0	143	15.2	28	3.0	296	31.5	279	29.6	112	11.9	1	0.1
		Radiation, no chemotherapy	10	.	.	.	.	2	22.2	1	11.1	2	22.2	2	22.2	2	22.2	.	.
		Chemotherapy and radiation	83	2	2.5	10	12.5	14	17.5	4	5.0	24	30.0	18	22.5	8	10.0	.	.
		Unknown	123	2	1.6	21	17.2	27	22.1	5	4.1	37	30.3	17	13.9	13	10.7	.	.
Males	**All cases**		**648**	**16**	**2.5**	**59**	**9.3**	**100**	**15.8**	**25**	**3.9**	**198**	**31.2**	**160**	**25.2**	**76**	**12.0**	**.**	**.**
	Age at baseline	<18	20	7	35.0	13	65.0	.	.	.	.	.	.	.	.	.	.	.	.
		18-19	12	1	8.3	2	16.7	6	50.0	1	8.3	1	8.3	1	8.3	.	.	.	.
		20-24	95	.	.	7	7.7	15	16.5	4	4.4	50	54.9	14	15.4	1	1.1	.	.
		25-29	183	2	1.1	10	5.6	30	16.9	8	4.5	66	37.1	43	24.2	19	10.7	.	.
		30-34	179	3	1.7	12	6.9	19	10.9	6	3.4	45	25.7	63	36.0	27	15.4	.	.
		35+	159	3	1.9	15	9.5	30	19.0	6	3.8	36	22.8	39	24.7	29	18.4	.	.
	Years since diagnosis	5-9	74	7	9.6	18	24.7	12	16.4	3	4.1	25	34.2	7	9.6	1	1.4	.	.
		10-14	209	3	1.5	13	6.4	30	14.7	11	5.4	73	35.8	55	27.0	19	9.3	.	.
		15-19	211	2	1.0	14	6.8	33	15.9	6	2.9	59	28.5	63	30.4	30	14.5	.	.
		20+	154	4	2.7	14	9.3	25	16.7	5	3.3	41	27.3	35	23.3	26	17.3	.	.
	Age at diagnosis	1-4	14	2	18.2	.	.	1	9.1	.	.	6	54.5	1	9.1	1	9.1	.	.
		5-9	84	6	7.2	14	16.9	17	20.5	1	1.2	26	31.3	11	13.3	8	9.6	.	.
		10-14	246	4	1.7	21	8.8	31	13.0	12	5.0	85	35.6	65	27.2	21	8.8	.	.
		15-20	304	4	1.3	24	8.0	51	16.9	12	4.0	81	26.9	83	27.6	46	15.3	.	.
	Treatment	Surgery only	30	1	3.6	1	3.6	6	21.4	1	3.6	5	17.9	13	46.4	1	3.6	.	.
		Chemotherapy, no radiation	489	11	2.3	36	7.5	71	14.9	19	4.0	153	32.0	129	27.0	59	12.3	.	.
		Radiation, no chemotherapy	6	.	.	.	.	1	16.7	.	.	2	33.3	1	16.7	2	33.3	.	.
		Chemotherapy and radiation	44	2	4.5	7	15.9	8	18.2	1	2.3	10	22.7	9	20.5	7	15.9	.	.
		Unknown	79	2	2.6	15	19.2	14	17.9	4	5.1	28	35.9	8	10.3	7	9.0	.	.
Females	**All cases**		**611**	**5**	**0.8**	**42**	**7.0**	**101**	**16.8**	**19**	**3.2**	**179**	**29.8**	**188**	**31.3**	**66**	**11.0**	**1**	**0.2**
	Age at baseline	<18	9	2	22.2	7	77.8	.	.	.	.	.	.	.	.	.	.	.	.
		18-19	18	1	5.6	5	27.8	8	44.4	.	.	4	22.2	.	.	.	.	.	.
		20-24	104	.	.	4	3.9	22	21.6	3	2.9	42	41.2	30	29.4	1	1.0	.	.
		25-29	161	1	0.6	6	3.8	26	16.3	7	4.4	49	30.6	48	30.0	22	13.8	1	0.6
		30-34	195	1	0.5	15	7.9	33	17.5	5	2.6	46	24.3	62	32.8	27	14.3	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included

				1-8 years (grade school)		9-12 years (high school) not graduate		Completed high school		Post high school not college		Some college		College graduate		Post graduate level		9	
			All cases	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
		35+	124	.	.	5	4.1	12	9.8	4	3.3	38	30.9	48	39.0	16	13.0	.	.
	Years since diagnosis	5-9	58	2	3.5	8	14.0	15	26.3	.	.	21	36.8	9	15.8	2	3.5	.	.
		10-14	188	2	1.1	15	8.1	31	16.7	7	3.8	53	28.5	60	32.3	18	9.7	.	.
		15-19	212	.	.	11	5.3	36	17.4	6	2.9	60	29.0	68	32.9	26	12.6	.	.
		20+	153	1	0.7	8	5.3	19	12.6	6	4.0	45	29.8	51	33.8	20	13.2	1	0.7
	Age at diagnosis	1-4	11	1	9.1	3	27.3	3	27.3	.	.	2	18.2	1	9.1	.	.	1	9.1
		5-9	84	2	2.4	10	11.9	17	20.2	3	3.6	27	32.1	19	22.6	6	7.1	.	.
		10-14	288	2	0.7	17	6.0	48	17.0	9	3.2	96	33.9	87	30.7	24	8.5	.	.
		15-20	228	.	.	12	5.4	33	14.8	7	3.1	54	24.2	81	36.3	36	16.1	.	.
	Treatment	Surgery only	56	.	.	3	5.5	9	16.4	5	9.1	13	23.6	19	34.5	6	10.9	.	.
		Chemotherapy, no radiation	468	5	1.1	30	6.5	72	15.6	9	1.9	143	30.9	150	32.4	53	11.4	1	0.2
		Radiation, no chemotherapy	4	.	.	.	.	1	33.3	1	33.3	.	.	1	33.3	.	.	.	.
		Chemotherapy and radiation	39	.	.	3	8.3	6	16.7	3	8.3	14	38.9	9	25.0	1	2.8	.	.
		Unknown	44	.	.	6	13.6	13	29.5	1	2.3	9	20.5	9	20.5	6	13.6	.	.

CCSS data from March 2026 data freeze
Based on questionnaire items O.1/R.1
n=10 participants with no baseline information are not included