				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**25725**	**5783**	**23.6**	**701**	**19461**	**85.4**	**7517**	**38.6**	**5406**	**27.8**	**1047**	**5.4**	**2534**	**13.0**	**206**	**1.1**	**745**	**3.8**
	Age at baseline	<18	5688	1239	23.1	197	4374	93.6	949	21.7	234	5.3	24	0.5	345	7.9	17	0.4	53	1.2
		18-19	2152	361	17.7	72	1640	87.0	99	6.0	1013	61.8	40	2.4	230	14.0	18	1.1	102	6.2
		20-24	6024	1103	19.3	192	4193	79.5	1129	26.9	2172	51.8	243	5.8	687	16.4	54	1.3	266	6.3
		25-29	5571	1345	25.1	144	4124	81.7	2298	55.7	792	19.2	370	9.0	674	16.3	62	1.5	173	4.2
		30-34	3885	1030	27.4	71	3108	86.0	1862	59.9	681	21.9	217	7.0	379	12.2	44	1.4	100	3.2
		35+	2405	705	30.2	25	2022	88.4	1180	58.4	514	25.4	153	7.6	219	10.8	11	0.5	51	2.5
	Years since diagnosis	5-9	2592	509	23.1	93	1290	90.2	203	15.7	196	15.2	28	2.2	78	6.0	7	0.5	27	2.1
		10-14	8345	1938	24.1	272	6619	88.1	2149	32.5	1524	23.0	279	4.2	768	11.6	61	0.9	219	3.3
		15-19	8211	1782	22.4	192	6438	84.0	2535	39.4	2349	36.5	349	5.4	878	13.6	85	1.3	294	4.6
		20+	6577	1554	24.4	144	5114	82.8	2630	51.4	1337	26.1	391	7.6	810	15.8	53	1.0	205	4.0
	Age at diagnosis	<1	1933	348	18.6	46	1622	90.2	406	25.0	426	26.3	34	2.1	226	13.9	11	0.7	67	4.1
		1-4	8297	1744	22.0	276	6329	85.8	1541	24.3	1767	27.9	209	3.3	820	13.0	50	0.8	239	3.8
		5-9	5790	1146	20.8	175	4235	83.0	1481	35.0	1408	33.2	247	5.8	577	13.6	58	1.4	186	4.4
		10-14	5453	1305	25.1	150	3998	83.3	2168	54.2	1017	25.4	279	7.0	562	14.1	50	1.3	156	3.9
		15-20	4252	1240	30.7	54	3277	88.5	1921	58.6	788	24.0	278	8.5	349	10.6	37	1.1	97	3.0
	Treatment	Surgery only	2169	368	17.6	68	1725	86.2	657	38.1	523	30.3	87	5.0	226	13.1	26	1.5	64	3.7
		Chemotherapy, no radiation	8166	1649	21.1	132	6469	85.5	2404	37.2	1828	28.3	307	4.7	823	12.7	71	1.1	253	3.9
		Radiation, no chemotherapy	2086	554	27.7	92	1590	88.2	649	40.8	427	26.9	111	7.0	229	14.4	18	1.1	50	3.1
		Chemotherapy and radiation	10806	2653	25.9	341	7896	85.2	3129	39.6	2191	27.7	442	5.6	1006	12.7	73	0.9	313	4.0
		Unknown	2498	559	23.5	68	1781	83.1	678	38.1	437	24.5	100	5.6	250	14.0	18	1.0	65	3.6
Males	**All cases**		**13753**	**2951**	**22.6**	**388**	**10068**	**83.6**	**4358**	**43.3**	**2365**	**23.5**	**611**	**6.1**	**1168**	**11.6**	**80**	**0.8**	**400**	**4.0**
	Age at baseline	<18	3065	673	23.4	102	2315	93.3	504	21.8	127	5.5	16	0.7	195	8.4	11	0.5	33	1.4
		18-19	1122	196	18.4	40	842	86.4	58	6.9	511	60.7	22	2.6	116	13.8	10	1.2	48	5.7
		20-24	3170	526	17.6	101	2119	77.4	649	30.6	1084	51.2	118	5.6	292	13.8	20	0.9	137	6.5
		25-29	3091	686	23.2	92	2210	79.9	1376	62.3	283	12.8	240	10.9	307	13.9	25	1.1	101	4.6
		30-34	2072	505	25.3	41	1576	82.7	1097	69.6	209	13.3	119	7.6	165	10.5	12	0.8	53	3.4
		35+	1233	365	30.6	12	1006	85.8	674	67.0	151	15.0	96	9.5	93	9.2	2	0.2	28	2.8
	Years since diagnosis	5-9	1455	271	22.1	54	687	90.4	117	17.0	100	14.6	12	1.7	42	6.1	4	0.6	13	1.9
		10-14	4468	1020	23.8	148	3464	87.1	1208	34.9	719	20.8	156	4.5	368	10.6	24	0.7	127	3.7
		15-19	4314	863	20.7	106	3276	81.8	1469	44.8	1029	31.4	214	6.5	409	12.5	37	1.1	153	4.7
		20+	3516	797	23.5	80	2641	80.3	1564	59.2	517	19.6	229	8.7	349	13.2	15	0.6	107	4.1
	Age at diagnosis	<1	987	160	16.8	23	810	88.5	204	25.2	200	24.7	19	2.3	120	14.8	5	0.6	39	4.8
		1-4	4344	889	21.3	144	3250	84.7	870	26.8	847	26.1	117	3.6	371	11.4	20	0.6	118	3.6
		5-9	3263	638	20.7	98	2309	81.3	912	39.5	712	30.8	149	6.5	280	12.1	27	1.2	106	4.6
		10-14	2887	639	23.3	91	2034	80.8	1266	62.2	372	18.3	160	7.9	227	11.2	19	0.9	81	4.0
		15-20	2272	625	29.3	32	1665	86.2	1106	66.4	234	14.1	166	10.0	170	10.2	9	0.5	56	3.4

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

Insurance: All cancers

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**25725**	**708**	**3.6**	**428**	**2.2**
	Age at baseline	<18	5688	185	4.2	83	1.9
		18-19	2152	48	2.9	27	1.6
		20-24	6024	141	3.4	87	2.1
		25-29	5571	153	3.7	110	2.7
		30-34	3885	99	3.2	70	2.3
		35+	2405	82	4.1	51	2.5
	Years since diagnosis	5-9	2592	85	6.6	32	2.5
		10-14	8345	279	4.2	144	2.2
		15-19	8211	185	2.9	134	2.1
		20+	6577	159	3.1	118	2.3
	Age at diagnosis	<1	1933	51	3.1	31	1.9
		1-4	8297	228	3.6	126	2.0
		5-9	5790	127	3.0	83	2.0
		10-14	5453	148	3.7	91	2.3
		15-20	4252	154	4.7	97	3.0
	Treatment	Surgery only	2169	50	2.9	37	2.1
		Chemotherapy, no radiation	8166	216	3.3	144	2.2
		Radiation, no chemotherapy	2086	65	4.1	48	3.0
		Chemotherapy and radiation	10806	307	3.9	163	2.1
		Unknown	2498	70	3.9	36	2.0
Males	**All cases**		**13753**	**374**	**3.7**	**229**	**2.3**
	Age at baseline	<18	3065	119	5.1	47	2.0
		18-19	1122	31	3.7	10	1.2
		20-24	3170	60	2.8	35	1.7
		25-29	3091	71	3.2	63	2.9
		30-34	2072	52	3.3	40	2.5
		35+	1233	41	4.1	34	3.4
	Years since diagnosis	5-9	1455	47	6.8	16	2.3
		10-14	4468	161	4.6	80	2.3
		15-19	4314	94	2.9	63	1.9
		20+	3516	72	2.7	70	2.7
	Age at diagnosis	<1	987	24	3.0	12	1.5
		1-4	4344	133	4.1	60	1.8
		5-9	3263	71	3.1	50	2.2
		10-14	2887	64	3.1	45	2.2
		15-20	2272	82	4.9	62	3.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

										How health insurance provided (Q.3/U.3) [2]:											
				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
	Treatment	Surgery only	1070	181	17.5	37	831	84.6	341	41.0	224	27.0	53	6.4	104	12.5	8	1.0	38	4.6
		Chemotherapy, no radiation	4299	802	19.5	74	3312	83.5	1389	41.9	811	24.5	173	5.2	386	11.7	28	0.8	139	4.2
		Radiation, no chemotherapy	1086	272	26.2	50	791	85.5	370	46.8	171	21.6	71	9.0	93	11.8	9	1.1	28	3.5
		Chemotherapy and radiation	5825	1371	24.9	186	4127	84.0	1830	44.3	950	23.0	247	6.0	465	11.3	25	0.6	151	3.7
		Unknown	1473	325	23.2	41	1007	80.6	428	42.5	209	20.8	67	6.7	120	11.9	10	1.0	44	4.4
Females	**All cases**		**11972**	**2832**	**24.7**	**313**	**9393**	**87.4**	**3159**	**33.6**	**3041**	**32.4**	**436**	**4.6**	**1366**	**14.5**	**126**	**1.3**	**345**	**3.7**
	Age at baseline	<18	2623	566	22.8	95	2059	93.8	445	21.6	107	5.2	8	0.4	150	7.3	6	0.3	20	1.0
		18-19	1030	165	17.1	32	798	87.7	41	5.1	502	62.9	18	2.3	114	14.3	8	1.0	54	6.8
		20-24	2854	577	21.2	91	2074	81.7	480	23.1	1088	52.5	125	6.0	395	19.0	34	1.6	129	6.2
		25-29	2480	659	27.5	52	1914	83.9	922	48.2	509	26.6	130	6.8	367	19.2	37	1.9	72	3.8
		30-34	1813	525	29.7	30	1532	89.7	765	49.9	472	30.8	98	6.4	214	14.0	32	2.1	47	3.1
		35+	1172	340	29.8	13	1016	91.1	506	49.8	363	35.7	57	5.6	126	12.4	9	0.9	23	2.3
	Years since diagnosis	5-9	1137	238	24.4	39	603	90.0	86	14.3	96	15.9	16	2.7	36	6.0	3	0.5	14	2.3
		10-14	3877	918	24.5	124	3155	89.4	941	29.8	805	25.5	123	3.9	400	12.7	37	1.2	92	2.9
		15-19	3897	919	24.4	86	3162	86.4	1066	33.7	1320	41.7	135	4.3	469	14.8	48	1.5	141	4.5
		20+	3061	757	25.4	64	2473	85.7	1066	43.1	820	33.2	162	6.6	461	18.6	38	1.5	98	4.0
	Age at diagnosis	<1	946	188	20.5	23	812	91.9	202	24.9	226	27.8	15	1.8	106	13.1	6	0.7	28	3.4
		1-4	3953	855	22.7	132	3079	86.9	671	21.8	920	29.9	92	3.0	449	14.6	30	1.0	121	3.9
		5-9	2527	508	21.0	77	1926	85.2	569	29.5	696	36.1	98	5.1	297	15.4	31	1.6	80	4.2
		10-14	2566	666	27.2	59	1964	86.0	902	45.9	645	32.8	119	6.1	335	17.1	31	1.6	75	3.8
		15-20	1980	615	32.3	22	1612	90.9	815	50.6	554	34.4	112	6.9	179	11.1	28	1.7	41	2.5
	Treatment	Surgery only	1099	187	17.6	31	894	87.7	316	35.3	299	33.4	34	3.8	122	13.6	18	2.0	26	2.9
		Chemotherapy, no radiation	3867	847	22.8	58	3157	87.7	1015	32.2	1017	32.2	134	4.2	437	13.8	43	1.4	114	3.6
		Radiation, no chemotherapy	1000	282	29.2	42	799	91.1	279	34.9	256	32.0	40	5.0	136	17.0	9	1.1	22	2.8
		Chemotherapy and radiation	4981	1282	27.0	155	3769	86.5	1299	34.5	1241	32.9	195	5.2	541	14.4	48	1.3	162	4.3
		Unknown	1025	234	23.9	27	774	86.6	250	32.3	228	29.5	33	4.3	130	16.8	8	1.0	21	2.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
	Treatment	Surgery only	1070	22	2.6	19	2.3
		Chemotherapy, no radiation	4299	108	3.3	71	2.1
		Radiation, no chemotherapy	1086	37	4.7	31	3.9
		Chemotherapy and radiation	5825	162	3.9	88	2.1
		Unknown	1473	45	4.5	20	2.0
Females	**All cases**		**11972**	**334**	**3.6**	**199**	**2.1**
	Age at baseline	<18	2623	66	3.2	36	1.7
		18-19	1030	17	2.1	17	2.1
		20-24	2854	81	3.9	52	2.5
		25-29	2480	82	4.3	47	2.5
		30-34	1813	47	3.1	30	2.0
		35+	1172	41	4.0	17	1.7
	Years since diagnosis	5-9	1137	38	6.3	16	2.7
		10-14	3877	118	3.7	64	2.0
		15-19	3897	91	2.9	71	2.2
		20+	3061	87	3.5	48	1.9
	Age at diagnosis	<1	946	27	3.3	19	2.3
		1-4	3953	95	3.1	66	2.1
		5-9	2527	56	2.9	33	1.7
		10-14	2566	84	4.3	46	2.3
		15-20	1980	72	4.5	35	2.2
	Treatment	Surgery only	1099	28	3.1	18	2.0
		Chemotherapy, no radiation	3867	108	3.4	73	2.3
		Radiation, no chemotherapy	1000	28	3.5	17	2.1
		Chemotherapy and radiation	4981	145	3.8	75	2.0
		Unknown	1025	25	3.2	16	2.1

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**7908**	**1872**	**24.7**	**222**	**5903**	**84.2**	**2006**	**34.0**	**1584**	**26.8**	**284**	**4.8**	**655**	**11.1**	**61**	**1.0**	**227**	**3.8**
	Age at baseline	<18	2236	555	25.9	83	1664	92.6	254	15.3	59	3.5	4	0.2	95	5.7	6	0.4	19	1.1
		18-19	844	176	21.7	33	645	85.9	48	7.4	378	58.6	19	2.9	85	13.2	4	0.6	37	5.7
		20-24	1970	396	21.0	64	1403	78.8	392	27.9	706	50.3	98	7.0	218	15.5	22	1.6	91	6.5
		25-29	1608	395	25.4	28	1205	80.1	707	58.7	213	17.7	99	8.2	161	13.4	21	1.7	55	4.6
		30-34	847	235	28.9	11	666	84.0	426	64.0	138	20.7	42	6.3	69	10.4	6	0.9	16	2.4
		35+	403	115	29.8	3	320	84.0	179	55.9	90	28.1	22	6.9	27	8.4	2	0.6	9	2.8
	Years since diagnosis	5-9	981	209	23.8	36	510	90.1	51	10.0	61	12.0	10	2.0	23	4.5	3	0.6	9	1.8
		10-14	2637	660	25.8	101	2105	88.0	520	24.7	434	20.6	61	2.9	192	9.1	19	0.9	61	2.9
		15-19	2441	555	23.5	58	1883	81.8	697	37.0	733	38.9	102	5.4	251	13.3	25	1.3	89	4.7
		20+	1849	448	25.1	27	1405	80.4	738	52.5	356	25.3	111	7.9	189	13.5	14	1.0	68	4.8
	Age at diagnosis	<1	242	49	21.1	.	209	91.3	59	28.2	59	28.2	4	1.9	41	19.6	1	0.5	16	7.7
		1-4	3735	875	24.4	119	2818	85.1	617	21.9	716	25.4	93	3.3	305	10.8	19	0.7	108	3.8
		5-9	1931	416	22.3	58	1424	83.2	502	35.3	441	31.0	88	6.2	155	10.9	22	1.5	52	3.7
		10-14	1313	341	27.2	36	942	81.3	521	55.3	259	27.5	57	6.1	99	10.5	11	1.2	40	4.2
		15-20	687	191	29.7	9	510	85.6	307	60.2	109	21.4	42	8.2	55	10.8	8	1.6	11	2.2
	Treatment	Surgery only	3	1	50.0	.	2	100.0	1	50.0	1	50.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	3383	702	21.7	31	2700	85.7	867	32.1	756	28.0	110	4.1	322	11.9	28	1.0	104	3.9
		Radiation, no chemotherapy	4	2	50.0	.	3	100.0	2	66.7	1	33.3	1	33.3	.	.	.	.	.	.
		Chemotherapy and radiation	3775	989	27.2	167	2681	83.3	943	35.2	702	26.2	138	5.1	273	10.2	29	1.1	107	4.0
		Unknown	743	178	25.0	24	517	81.4	193	37.3	124	24.0	35	6.8	60	11.6	4	0.8	16	3.1
Males	**All cases**		**4218**	**954**	**23.6**	**123**	**3065**	**83.0**	**1162**	**37.9**	**743**	**24.2**	**155**	**5.1**	**277**	**9.0**	**28**	**0.9**	**118**	**3.8**
	Age at baseline	<18	1222	308	26.3	42	891	92.3	133	14.9	39	4.4	2	0.2	53	5.9	5	0.6	11	1.2
		18-19	454	95	21.4	19	346	86.3	27	7.8	210	60.7	13	3.8	45	13.0	2	0.6	19	5.5
		20-24	997	178	18.7	32	696	77.9	231	33.2	341	49.0	48	6.9	78	11.2	14	2.0	41	5.9
		25-29	870	204	24.3	20	620	76.9	399	64.4	78	12.6	59	9.5	67	10.8	5	0.8	34	5.5
		30-34	449	107	25.1	9	333	80.2	247	74.2	48	14.4	20	6.0	24	7.2	2	0.6	8	2.4
		35+	226	62	28.7	1	179	83.6	125	69.8	27	15.1	13	7.3	10	5.6	.	.	5	2.8
	Years since diagnosis	5-9	557	114	22.8	19	272	89.5	31	11.4	34	12.5	3	1.1	11	4.0	2	0.7	3	1.1
		10-14	1415	354	25.7	54	1118	87.2	292	26.1	222	19.9	34	3.0	85	7.6	12	1.1	34	3.0
		15-19	1252	271	22.2	33	947	80.3	396	41.8	340	35.9	66	7.0	107	11.3	11	1.2	43	4.5
		20+	994	215	22.7	17	728	78.4	443	60.9	147	20.2	52	7.1	74	10.2	3	0.4	38	5.2
	Age at diagnosis	<1	113	18	16.7	.	95	89.6	20	21.1	30	31.6	2	2.1	23	24.2	.	.	10	10.5
		1-4	1998	447	23.2	63	1480	84.3	355	24.0	359	24.3	53	3.6	140	9.5	9	0.6	55	3.7
		5-9	1041	226	22.6	31	743	82.1	293	39.4	223	30.0	48	6.5	57	7.7	12	1.6	26	3.5
		10-14	650	146	23.5	21	442	77.7	284	64.3	90	20.4	27	6.1	31	7.0	4	0.9	18	4.1
		15-20	416	117	30.0	8	305	85.0	210	68.9	41	13.4	25	8.2	26	8.5	3	1.0	9	3.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**7908**	**191**	**3.2**	**113**	**1.9**
	Age at baseline	<18	2236	68	4.1	31	1.9
		18-19	844	18	2.8	7	1.1
		20-24	1970	47	3.3	31	2.2
		25-29	1608	27	2.2	25	2.1
		30-34	847	19	2.9	14	2.1
		35+	403	12	3.8	5	1.6
	Years since diagnosis	5-9	981	33	6.5	11	2.2
		10-14	2637	76	3.6	37	1.8
		15-19	2441	40	2.1	36	1.9
		20+	1849	42	3.0	29	2.1
	Age at diagnosis	<1	242	5	2.4	5	2.4
		1-4	3735	100	3.5	47	1.7
		5-9	1931	37	2.6	31	2.2
		10-14	1313	30	3.2	24	2.5
		15-20	687	19	3.7	6	1.2
	Treatment	Surgery only	3	.	.	.	.
		Chemotherapy, no radiation	3383	80	3.0	51	1.9
		Radiation, no chemotherapy	4	.	.	1	33.3
		Chemotherapy and radiation	3775	99	3.7	55	2.1
		Unknown	743	12	2.3	6	1.2
Males	**All cases**		**4218**	**111**	**3.6**	**57**	**1.9**
	Age at baseline	<18	1222	44	4.9	12	1.3
		18-19	454	14	4.0	3	0.9
		20-24	997	24	3.4	13	1.9
		25-29	870	13	2.1	16	2.6
		30-34	449	9	2.7	9	2.7
		35+	226	7	3.9	4	2.2
	Years since diagnosis	5-9	557	19	7.0	4	1.5
		10-14	1415	47	4.2	19	1.7
		15-19	1252	24	2.5	15	1.6
		20+	994	21	2.9	19	2.6
	Age at diagnosis	<1	113	3	3.2	1	1.1
		1-4	1998	63	4.3	20	1.4
		5-9	1041	21	2.8	16	2.2
		10-14	650	12	2.7	15	3.4
		15-20	416	12	3.9	5	1.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
	Treatment	Surgery only	1	1	100.0	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	1694	316	19.5	19	1325	84.2	481	36.3	346	26.1	53	4.0	138	10.4	13	1.0	56	4.2
		Radiation, no chemotherapy	3	2	66.7	.	2	100.0	1	50.0	.	.	1	50.0	.	.	.	.	.	.
		Chemotherapy and radiation	2076	534	26.7	91	1435	82.5	556	38.7	325	22.6	77	5.4	114	7.9	13	0.9	50	3.5
		Unknown	444	101	23.7	13	302	80.1	123	40.7	72	23.8	24	7.9	25	8.3	2	0.7	12	4.0
Females	**All cases**		**3690**	**918**	**25.9**	**99**	**2838**	**85.6**	**844**	**29.7**	**841**	**29.6**	**129**	**4.5**	**378**	**13.3**	**33**	**1.2**	**109**	**3.8**
	Age at baseline	<18	1014	247	25.5	41	773	92.9	121	15.7	20	2.6	2	0.3	42	5.4	1	0.1	8	1.0
		18-19	390	81	22.0	14	299	85.4	21	7.0	168	56.2	6	2.0	40	13.4	2	0.7	18	6.0
		20-24	973	218	23.4	32	707	79.6	161	22.8	365	51.6	50	7.1	140	19.8	8	1.1	50	7.1
		25-29	738	191	26.7	8	585	83.7	308	52.6	135	23.1	40	6.8	94	16.1	16	2.7	21	3.6
		30-34	398	128	33.1	2	333	88.1	179	53.8	90	27.0	22	6.6	45	13.5	4	1.2	8	2.4
		35+	177	53	31.2	2	141	84.4	54	38.3	63	44.7	9	6.4	17	12.1	2	1.4	4	2.8
	Years since diagnosis	5-9	424	95	25.1	17	238	90.8	20	8.4	27	11.3	7	2.9	12	5.0	1	0.4	6	2.5
		10-14	1222	306	25.8	47	987	88.8	228	23.1	212	21.5	27	2.7	107	10.8	7	0.7	27	2.7
		15-19	1189	284	24.8	25	936	83.4	301	32.2	393	42.0	36	3.8	144	15.4	14	1.5	46	4.9
		20+	855	233	28.0	10	677	82.7	295	43.6	209	30.9	59	8.7	115	17.0	11	1.6	30	4.4
	Age at diagnosis	<1	129	31	25.0	.	114	92.7	39	34.2	29	25.4	2	1.8	18	15.8	1	0.9	6	5.3
		1-4	1737	428	25.7	56	1338	85.9	262	19.6	357	26.7	40	3.0	165	12.3	10	0.7	53	4.0
		5-9	890	190	22.0	27	681	84.5	209	30.7	218	32.0	40	5.9	98	14.4	10	1.5	26	3.8
		10-14	663	195	30.8	15	500	84.7	237	47.4	169	33.8	30	6.0	68	13.6	7	1.4	22	4.4
		15-20	271	74	29.1	1	205	86.5	97	47.3	68	33.2	17	8.3	29	14.1	5	2.4	2	1.0
	Treatment	Surgery only	2	.	.	.	1	100.0	.	.	1	100.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	1689	386	23.9	12	1375	87.3	386	28.1	410	29.8	57	4.1	184	13.4	15	1.1	48	3.5
		Radiation, no chemotherapy	1	.	.	.	1	100.0	1	100.0	1	100.0	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1699	455	27.8	76	1246	84.2	387	31.1	377	30.3	61	4.9	159	12.8	16	1.3	57	4.6
		Unknown	299	77	26.9	11	215	83.3	70	32.6	52	24.2	11	5.1	35	16.3	2	0.9	4	1.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
	Treatment	Surgery only	1	.	.	.	.
		Chemotherapy, no radiation	1694	44	3.3	23	1.7
		Radiation, no chemotherapy	3	.	.	1	50.0
		Chemotherapy and radiation	2076	58	4.0	32	2.2
		Unknown	444	9	3.0	1	0.3
Females	**All cases**		**3690**	**80**	**2.8**	**56**	**2.0**
	Age at baseline	<18	1014	24	3.1	19	2.5
		18-19	390	4	1.3	4	1.3
		20-24	973	23	3.3	18	2.5
		25-29	738	14	2.4	9	1.5
		30-34	398	10	3.0	5	1.5
		35+	177	5	3.5	1	0.7
	Years since diagnosis	5-9	424	14	5.9	7	2.9
		10-14	1222	29	2.9	18	1.8
		15-19	1189	16	1.7	21	2.2
		20+	855	21	3.1	10	1.5
	Age at diagnosis	<1	129	2	1.8	4	3.5
		1-4	1737	37	2.8	27	2.0
		5-9	890	16	2.3	15	2.2
		10-14	663	18	3.6	9	1.8
		15-20	271	7	3.4	1	0.5
	Treatment	Surgery only	2	.	.	.	.
		Chemotherapy, no radiation	1689	36	2.6	28	2.0
		Radiation, no chemotherapy	1	.	.	.	.
		Chemotherapy and radiation	1699	41	3.3	23	1.8
		Unknown	299	3	1.4	5	2.3

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]: Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**6646**	**1597**	**25.0**	**211**	**4938**	**84.0**	**1613**	**32.7**	**1310**	**26.5**	**241**	**4.9**	**497**	**10.1**	**51**	**1.0**	**187**	**3.8**
	Age at baseline	<18	1941	499	26.8	78	1437	92.5	183	12.7	36	2.5	2	0.1	63	4.4	2	0.1	11	0.8
		18-19	730	157	22.3	33	557	85.6	40	7.2	326	58.5	16	2.9	64	11.5	4	0.7	33	5.9
		20-24	1693	347	21.4	62	1207	78.6	345	28.6	604	50.0	88	7.3	169	14.0	22	1.8	78	6.5
		25-29	1338	333	25.7	26	991	79.0	582	58.7	179	18.1	81	8.2	130	13.1	18	1.8	46	4.6
		30-34	657	187	29.5	9	516	83.8	331	64.1	103	20.0	35	6.8	55	10.7	4	0.8	12	2.3
		35+	287	74	27.0	3	230	85.2	132	57.4	62	27.0	19	8.3	16	7.0	1	0.4	7	3.0
	Years since diagnosis	5-9	844	188	24.5	34	457	90.7	42	9.2	50	10.9	7	1.5	20	4.4	3	0.7	7	1.5
		10-14	2222	564	26.1	95	1770	88.1	387	21.9	368	20.8	48	2.7	133	7.5	13	0.7	50	2.8
		15-19	2024	465	23.7	56	1538	80.8	549	35.7	614	39.9	86	5.6	194	12.6	23	1.5	72	4.7
		20+	1556	380	25.4	26	1173	80.1	635	54.1	278	23.7	100	8.5	150	12.8	12	1.0	58	4.9
	Age at diagnosis	<1	134	28	22.4	.	107	88.4	29	27.1	28	26.2	1	0.9	19	17.8	1	0.9	8	7.5
		1-4	3322	798	24.9	115	2489	84.8	532	21.4	619	24.9	84	3.4	242	9.7	15	0.6	95	3.8
		5-9	1696	373	22.7	56	1256	83.4	436	34.7	381	30.3	80	6.4	126	10.0	19	1.5	44	3.5
		10-14	1027	272	27.8	33	742	81.6	405	54.6	209	28.2	48	6.5	78	10.5	10	1.3	32	4.3
		15-20	467	126	28.4	7	344	84.1	211	61.3	73	21.2	28	8.1	32	9.3	6	1.7	8	2.3
	Treatment	Chemotherapy, no radiation	2699	562	21.8	25	2165	85.5	656	30.3	594	27.4	94	4.3	221	10.2	21	1.0	81	3.7
		Radiation, no chemotherapy	4	2	50.0	.	3	100.0	2	66.7	1	33.3	1	33.3	.	.	.	.	.	.
		Chemotherapy and radiation	3306	877	27.5	164	2331	83.1	797	34.2	609	26.1	117	5.0	225	9.7	26	1.1	92	3.9
		Unknown	637	156	25.6	22	439	81.0	158	36.0	106	24.1	29	6.6	51	11.6	4	0.9	14	3.2
Males	**All cases**		**3576**	**821**	**23.9**	**115**	**2598**	**83.0**	**964**	**37.1**	**625**	**24.1**	**132**	**5.1**	**196**	**7.5**	**22**	**0.8**	**97**	**3.7**
	Age at baseline	<18	1061	276	27.0	39	771	92.4	96	12.5	24	3.1	1	0.1	33	4.3	2	0.3	6	0.8
		18-19	397	82	21.2	19	300	85.7	25	8.3	183	61.0	11	3.7	29	9.7	2	0.7	16	5.3
		20-24	858	159	19.4	30	603	77.9	210	34.8	293	48.6	44	7.3	55	9.1	14	2.3	35	5.8
		25-29	736	178	25.1	19	520	76.1	340	65.4	63	12.1	47	9.0	55	10.6	4	0.8	31	6.0
		30-34	354	83	24.6	7	268	82.0	198	73.9	40	14.9	17	6.3	19	7.1	.	.	6	2.2
		35+	170	43	26.5	1	136	84.5	95	69.9	22	16.2	12	8.8	5	3.7	.	.	3	2.2
	Years since diagnosis	5-9	480	103	23.4	18	246	90.1	26	10.6	27	11.0	1	0.4	11	4.5	2	0.8	2	0.8
		10-14	1201	304	26.0	49	950	87.6	223	23.5	192	20.2	26	2.7	56	5.9	7	0.7	29	3.1
		15-19	1052	230	22.4	32	785	79.5	325	41.4	289	36.8	57	7.3	75	9.6	11	1.4	35	4.5
		20+	843	184	22.9	16	617	78.8	390	63.2	117	19.0	48	7.8	54	8.8	2	0.3	31	5.0
	Age at diagnosis	<1	65	10	16.7	.	49	84.5	11	22.4	14	28.6	1	2.0	13	26.5	.	.	4	8.2
		1-4	1769	403	23.6	60	1302	84.3	309	23.7	305	23.4	49	3.8	97	7.5	6	0.5	49	3.8
		5-9	924	207	23.3	31	666	82.6	261	39.2	198	29.7	43	6.5	45	6.8	11	1.7	21	3.2
		10-14	527	121	24.1	18	366	78.7	233	63.7	77	21.0	23	6.3	25	6.8	3	0.8	16	4.4
		15-20	291	80	28.9	6	215	84.3	150	69.8	31	14.4	16	7.4	16	7.4	2	0.9	7	3.3
	Treatment	Chemotherapy, no radiation	1349	250	19.4	14	1067	84.1	375	35.1	274	25.7	46	4.3	84	7.9	8	0.7	45	4.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**6646**	**156**	**3.2**	**90**	**1.8**
	Age at baseline	<18	1941	58	4.0	26	1.8
		18-19	730	16	2.9	4	0.7
		20-24	1693	35	2.9	26	2.2
		25-29	1338	22	2.2	17	1.7
		30-34	657	17	3.3	13	2.5
		35+	287	8	3.5	4	1.7
	Years since diagnosis	5-9	844	29	6.3	9	2.0
		10-14	2222	61	3.4	30	1.7
		15-19	2024	34	2.2	25	1.6
		20+	1556	32	2.7	26	2.2
	Age at diagnosis	<1	134	1	0.9	2	1.9
		1-4	3322	86	3.5	40	1.6
		5-9	1696	33	2.6	26	2.1
		10-14	1027	20	2.7	18	2.4
		15-20	467	16	4.7	4	1.2
	Treatment	Chemotherapy, no radiation	2699	58	2.7	36	1.7
		Radiation, no chemotherapy	4	.	.	1	33.3
		Chemotherapy and radiation	3306	87	3.7	48	2.1
		Unknown	637	11	2.5	5	1.1
Males	**All cases**		**3576**	**95**	**3.7**	**46**	**1.8**
	Age at baseline	<18	1061	36	4.7	10	1.3
		18-19	397	12	4.0	1	0.3
		20-24	858	20	3.3	11	1.8
		25-29	736	12	2.3	12	2.3
		30-34	354	9	3.4	9	3.4
		35+	170	6	4.4	3	2.2
	Years since diagnosis	5-9	480	17	6.9	4	1.6
		10-14	1201	38	4.0	15	1.6
		15-19	1052	21	2.7	10	1.3
		20+	843	19	3.1	17	2.8
	Age at diagnosis	<1	65	1	2.0	1	2.0
		1-4	1769	54	4.1	15	1.2
		5-9	924	19	2.9	14	2.1
		10-14	527	9	2.5	12	3.3
		15-20	291	12	5.6	4	1.9
	Treatment	Chemotherapy, no radiation	1349	35	3.3	16	1.5

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	3	2	66.7	.	2	100.0	1	50.0	.	.	1	50.0	.	.	.	.	.	.
		Chemotherapy and radiation	1839	481	27.1	89	1267	82.6	483	38.1	287	22.7	65	5.1	91	7.2	12	0.9	41	3.2
		Unknown	385	88	23.8	12	262	80.6	105	40.1	64	24.4	20	7.6	21	8.0	2	0.8	11	4.2
Females	**All cases**		**3070**	**776**	**26.3**	**96**	**2340**	**85.0**	**649**	**27.7**	**685**	**29.3**	**109**	**4.7**	**301**	**12.9**	**29**	**1.2**	**90**	**3.8**
	Age at baseline	<18	880	223	26.5	39	666	92.6	87	13.1	12	1.8	1	0.2	30	4.5	.	.	5	0.8
		18-19	333	75	23.7	14	257	85.4	15	5.8	143	55.6	5	1.9	35	13.6	2	0.8	17	6.6
		20-24	835	188	23.4	32	604	79.3	135	22.4	311	51.5	44	7.3	114	18.9	8	1.3	43	7.1
		25-29	602	155	26.5	7	471	82.3	242	51.4	116	24.6	34	7.2	75	15.9	14	3.0	15	3.2
		30-34	303	104	35.1	2	248	85.8	133	53.6	63	25.4	18	7.3	36	14.5	4	1.6	6	2.4
		35+	117	31	27.7	2	94	86.2	37	39.4	40	42.6	7	7.4	11	11.7	1	1.1	4	4.3
	Years since diagnosis	5-9	364	85	26.2	16	211	91.3	16	7.6	23	10.9	6	2.8	9	4.3	1	0.5	5	2.4
		10-14	1021	260	26.2	46	820	88.7	164	20.0	176	21.5	22	2.7	77	9.4	6	0.7	21	2.6
		15-19	972	235	25.1	24	753	82.2	224	29.7	325	43.2	29	3.9	119	15.8	12	1.6	37	4.9
		20+	713	196	28.2	10	556	81.6	245	44.1	161	29.0	52	9.4	96	17.3	10	1.8	27	4.9
	Age at diagnosis	<1	69	18	27.7	.	58	92.1	18	31.0	14	24.1	.	.	6	10.3	1	1.7	4	6.9
		1-4	1553	395	26.5	55	1187	85.3	223	18.8	314	26.5	35	2.9	145	12.2	9	0.8	46	3.9
		5-9	772	166	22.1	25	590	84.3	175	29.7	183	31.0	37	6.3	81	13.7	8	1.4	23	3.9
		10-14	500	151	31.7	15	376	84.7	172	45.7	132	35.1	25	6.6	53	14.1	7	1.9	16	4.3
		15-20	176	46	27.5	1	129	83.8	61	47.3	42	32.6	12	9.3	16	12.4	4	3.1	1	0.8
	Treatment	Chemotherapy, no radiation	1350	312	24.2	11	1098	86.9	281	25.6	320	29.1	48	4.4	137	12.5	13	1.2	36	3.3
		Radiation, no chemotherapy	1	.	.	.	1	100.0	1	100.0	1	100.0	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	1467	396	27.9	75	1064	83.7	314	29.5	322	30.3	52	4.9	134	12.6	14	1.3	51	4.8
		Unknown	252	68	28.3	10	177	81.6	53	29.9	42	23.7	9	5.1	30	16.9	2	1.1	3	1.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Radiation, no chemotherapy	3	.	.	1	50.0
		Chemotherapy and radiation	1839	52	4.1	28	2.2
		Unknown	385	8	3.1	1	0.4
Females	**All cases**		**3070**	**61**	**2.6**	**44**	**1.9**
	Age at baseline	<18	880	22	3.3	16	2.4
		18-19	333	4	1.6	3	1.2
		20-24	835	15	2.5	15	2.5
		25-29	602	10	2.1	5	1.1
		30-34	303	8	3.2	4	1.6
		35+	117	2	2.1	1	1.1
	Years since diagnosis	5-9	364	12	5.7	5	2.4
		10-14	1021	23	2.8	15	1.8
		15-19	972	13	1.7	15	2.0
		20+	713	13	2.3	9	1.6
	Age at diagnosis	<1	69	.	.	1	1.7
		1-4	1553	32	2.7	25	2.1
		5-9	772	14	2.4	12	2.0
		10-14	500	11	2.9	6	1.6
		15-20	176	4	3.1	.	.
	Treatment	Chemotherapy, no radiation	1350	23	2.1	20	1.8
		Radiation, no chemotherapy	1	.	.	.	.
		Chemotherapy and radiation	1467	35	3.3	20	1.9
		Unknown	252	3	1.7	4	2.3

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**930**	**196**	**21.9**	**7**	**737**	**86.3**	**293**	**39.8**	**204**	**27.7**	**33**	**4.5**	**129**	**17.5**	**8**	**1.1**	**30**	**4.1**
	Age at baseline	<18	231	42	19.3	2	191	94.1	62	32.5	17	8.9	2	1.0	29	15.2	2	1.0	6	3.1
		18-19	89	15	17.4	.	75	90.4	8	10.7	44	58.7	3	4.0	18	24.0	.	.	3	4.0
		20-24	199	38	19.9	2	142	78.5	32	22.5	73	51.4	7	4.9	41	28.9	.	.	9	6.3
		25-29	201	49	25.0	1	162	85.3	97	59.9	24	14.8	13	8.0	22	13.6	3	1.9	7	4.3
		30-34	134	30	23.1	2	107	84.9	64	59.8	28	26.2	5	4.7	11	10.3	2	1.9	3	2.8
		35+	76	22	30.6	.	60	84.5	30	50.0	18	30.0	3	5.0	8	13.3	1	1.7	2	3.3
	Years since diagnosis	5-9	85	16	21.6	2	44	89.8	7	15.9	9	20.5	3	6.8	2	4.5	.	.	1	2.3
		10-14	320	71	22.8	3	264	86.8	101	38.3	51	19.3	9	3.4	49	18.6	4	1.5	9	3.4
		15-19	323	69	22.2	1	267	87.0	114	42.7	91	34.1	14	5.2	49	18.4	2	0.7	12	4.5
		20+	202	40	20.3	1	162	83.5	71	43.8	53	32.7	7	4.3	29	17.9	2	1.2	8	4.9
	Age at diagnosis	<1	93	16	17.4	.	89	95.7	28	31.5	29	32.6	3	3.4	18	20.2	.	.	5	5.6
		1-4	315	55	18.4	1	259	88.4	70	27.0	69	26.6	6	2.3	54	20.8	2	0.8	11	4.2
		5-9	172	35	21.0	2	126	81.3	48	38.1	44	34.9	5	4.0	24	19.0	3	2.4	5	4.0
		10-14	199	47	24.4	2	144	80.4	81	56.3	34	23.6	7	4.9	16	11.1	1	0.7	7	4.9
		15-20	151	43	30.3	2	119	88.8	66	55.5	28	23.5	12	10.1	17	14.3	2	1.7	2	1.7
	Treatment	Surgery only	3	1	50.0	.	2	100.0	1	50.0	1	50.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	558	113	21.0	4	445	85.9	172	38.7	129	29.0	13	2.9	85	19.1	6	1.3	18	4.0
		Chemotherapy and radiation	296	68	24.0	1	234	87.0	93	39.7	62	26.5	16	6.8	37	15.8	2	0.9	10	4.3
		Unknown	73	14	20.3	2	56	86.2	27	48.2	12	21.4	4	7.1	7	12.5	.	.	2	3.6
Males	**All cases**		**456**	**99**	**22.5**	**5**	**342**	**83.2**	**141**	**41.2**	**87**	**25.4**	**18**	**5.3**	**64**	**18.7**	**5**	**1.5**	**12**	**3.5**
	Age at baseline	<18	126	25	21.2	1	99	91.7	33	33.3	12	12.1	1	1.0	17	17.2	2	2.0	3	3.0
		18-19	45	10	22.7	.	38	95.0	2	5.3	23	60.5	2	5.3	13	34.2	.	.	2	5.3
		20-24	95	14	15.1	2	65	77.4	13	20.0	33	50.8	3	4.6	21	32.3	.	.	2	3.1
		25-29	90	23	25.8	.	70	80.5	43	61.4	10	14.3	8	11.4	7	10.0	1	1.4	2	2.9
		30-34	65	16	25.4	2	42	70.0	31	73.8	5	11.9	3	7.1	4	9.5	2	4.8	1	2.4
		35+	35	11	33.3	.	28	87.5	19	67.9	4	14.3	1	3.6	2	7.1	.	.	2	7.1
	Years since diagnosis	5-9	50	9	20.9	1	21	87.5	4	19.0	6	28.6	2	9.5	.	.	.	.	.	.
		10-14	160	39	25.2	3	127	84.1	49	38.6	22	17.3	6	4.7	24	18.9	4	3.1	4	3.1
		15-19	149	33	22.4	.	121	84.6	53	43.8	41	33.9	7	5.8	26	21.5	.	.	3	2.5
		20+	97	18	18.9	1	73	78.5	35	47.9	18	24.7	3	4.1	14	19.2	1	1.4	5	6.8
	Age at diagnosis	<1	40	6	15.0	.	38	95.0	8	21.1	15	39.5	1	2.6	7	18.4	.	.	3	7.9
		1-4	172	32	19.3	1	139	86.9	39	28.1	38	27.3	3	2.2	37	26.6	2	1.4	4	2.9
		5-9	79	15	19.5	.	53	76.8	22	41.5	17	32.1	4	7.5	9	17.0	1	1.9	2	3.8
		10-14	82	20	25.3	2	51	70.8	34	66.7	9	17.6	2	3.9	4	7.8	1	2.0	2	3.9
		15-20	83	26	33.3	2	61	87.1	38	62.3	8	13.1	8	13.1	7	11.5	1	1.6	1	1.6
	Treatment	Surgery only	1	1	100.0	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	269	53	20.5	3	201	82.4	81	40.3	53	26.4	6	3.0	44	21.9	4	2.0	6	3.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**930**	**22**	**3.0**	**19**	**2.6**
	Age at baseline	<18	231	7	3.7	4	2.1
		18-19	89	.	.	2	2.7
		20-24	199	9	6.3	4	2.8
		25-29	201	3	1.9	7	4.3
		30-34	134	1	0.9	1	0.9
		35+	76	2	3.3	1	1.7
	Years since diagnosis	5-9	85	2	4.5	1	2.3
		10-14	320	10	3.8	6	2.3
		15-19	323	4	1.5	9	3.4
		20+	202	6	3.7	3	1.9
	Age at diagnosis	<1	93	4	4.5	3	3.4
		1-4	315	8	3.1	5	1.9
		5-9	172	2	1.6	4	3.2
		10-14	199	7	4.9	6	4.2
		15-20	151	1	0.8	1	0.8
	Treatment	Surgery only	3	.	.	.	.
		Chemotherapy, no radiation	558	16	3.6	13	2.9
		Chemotherapy and radiation	296	6	2.6	5	2.1
		Unknown	73	.	.	1	1.8
Males	**All cases**		**456**	**11**	**3.2**	**9**	**2.6**
	Age at baseline	<18	126	6	6.1	2	2.0
		18-19	45	.	.	1	2.6
		20-24	95	3	4.6	1	1.5
		25-29	90	1	1.4	4	5.7
		30-34	65	.	.	.	.
		35+	35	1	3.6	1	3.6
	Years since diagnosis	5-9	50	1	4.8	.	.
		10-14	160	7	5.5	4	3.1
		15-19	149	1	0.8	3	2.5
		20+	97	2	2.7	2	2.7
	Age at diagnosis	<1	40	2	5.3	.	.
		1-4	172	6	4.3	4	2.9
		5-9	79	.	.	1	1.9
		10-14	82	3	5.9	3	5.9
		15-20	83	.	.	1	1.6
	Treatment	Surgery only	1	.	.	.	.
		Chemotherapy, no radiation	269	7	3.5	6	3.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	146	36	25.2	1	112	85.5	45	40.2	29	25.9	9	8.0	17	15.2	1	0.9	5	4.5
		Unknown	40	9	24.3	1	28	80.0	14	50.0	5	17.9	3	10.7	3	10.7	.	.	1	3.6
Females	**All cases**		**474**	**97**	**21.4**	**2**	**395**	**89.2**	**152**	**38.5**	**117**	**29.6**	**15**	**3.8**	**65**	**16.5**	**3**	**0.8**	**18**	**4.6**
	Age at baseline	<18	105	17	17.0	1	92	96.8	29	31.5	5	5.4	1	1.1	12	13.0	.	.	3	3.3
		18-19	44	5	11.9	.	37	86.0	6	16.2	21	56.8	1	2.7	5	13.5	.	.	1	2.7
		20-24	104	24	24.5	.	77	79.4	19	24.7	40	51.9	4	5.2	20	26.0	.	.	7	9.1
		25-29	111	26	24.3	1	92	89.3	54	58.7	14	15.2	5	5.4	15	16.3	2	2.2	5	5.4
		30-34	69	14	20.9	.	65	98.5	33	50.8	23	35.4	2	3.1	7	10.8	.	.	2	3.1
		35+	41	11	28.2	.	32	82.1	11	34.4	14	43.8	2	6.3	6	18.8	1	3.1	.	.
	Years since diagnosis	5-9	35	7	22.6	1	23	92.0	3	13.0	3	13.0	1	4.3	2	8.7	.	.	1	4.3
		10-14	160	32	20.5	.	137	89.5	52	38.0	29	21.2	3	2.2	25	18.2	.	.	5	3.6
		15-19	174	36	22.0	1	146	89.0	61	41.8	50	34.2	7	4.8	23	15.8	2	1.4	9	6.2
		20+	105	22	21.6	.	89	88.1	36	40.4	35	39.3	4	4.5	15	16.9	1	1.1	3	3.4
	Age at diagnosis	<1	53	10	19.2	.	51	96.2	20	39.2	14	27.5	2	3.9	11	21.6	.	.	2	3.9
		1-4	143	23	17.3	.	120	90.2	31	25.8	31	25.8	3	2.5	17	14.2	.	.	7	5.8
		5-9	93	20	22.2	2	73	84.9	26	35.6	27	37.0	1	1.4	15	20.5	2	2.7	3	4.1
		10-14	117	27	23.7	.	93	86.9	47	50.5	25	26.9	5	5.4	12	12.9	.	.	5	5.4
		15-20	68	17	26.6	.	58	90.6	28	48.3	20	34.5	4	6.9	10	17.2	1	1.7	1	1.7
	Treatment	Surgery only	2	.	.	.	1	100.0	.	.	1	100.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	289	60	21.4	1	244	89.1	91	37.3	76	31.1	7	2.9	41	16.8	2	0.8	12	4.9
		Chemotherapy and radiation	150	32	22.9	.	122	88.4	48	39.3	33	27.0	7	5.7	20	16.4	1	0.8	5	4.1
		Unknown	33	5	15.6	1	28	93.3	13	46.4	7	25.0	1	3.6	4	14.3	.	.	1	3.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy and radiation	146	4	3.6	3	2.7
		Unknown	40	.	.	.	.
Females	**All cases**		**474**	**11**	**2.8**	**10**	**2.5**
	Age at baseline	<18	105	1	1.1	2	2.2
		18-19	44	.	.	1	2.7
		20-24	104	6	7.8	3	3.9
		25-29	111	2	2.2	3	3.3
		30-34	69	1	1.5	1	1.5
		35+	41	1	3.1	.	.
	Years since diagnosis	5-9	35	1	4.3	1	4.3
		10-14	160	3	2.2	2	1.5
		15-19	174	3	2.1	6	4.1
		20+	105	4	4.5	1	1.1
	Age at diagnosis	<1	53	2	3.9	3	5.9
		1-4	143	2	1.7	1	0.8
		5-9	93	2	2.7	3	4.1
		10-14	117	4	4.3	3	3.2
		15-20	68	1	1.7	.	.
	Treatment	Surgery only	2	.	.	.	.
		Chemotherapy, no radiation	289	9	3.7	7	2.9
		Chemotherapy and radiation	150	2	1.6	2	1.6
		Unknown	33	.	.	1	3.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**4498**	**901**	**21.5**	**144**	**3353**	**87.2**	**1009**	**30.1**	**1006**	**30.0**	**191**	**5.7**	**854**	**25.5**	**41**	**1.2**	**153**	**4.6**
	Age at baseline	<18	953	194	22.6	31	689	95.0	206	29.9	44	6.4	7	1.0	105	15.2	3	0.4	11	1.6
		18-19	376	48	14.0	11	282	90.1	14	5.0	175	62.1	10	3.5	68	24.1	5	1.8	20	7.1
		20-24	1182	222	20.2	36	853	83.7	140	16.4	469	55.0	32	3.8	243	28.5	8	0.9	52	6.1
		25-29	1086	225	21.8	37	815	84.5	342	42.0	169	20.7	76	9.3	245	30.1	12	1.5	38	4.7
		30-34	625	143	24.0	22	487	85.7	208	42.7	109	22.4	44	9.0	130	26.7	11	2.3	24	4.9
		35+	276	69	26.3	7	227	88.7	99	43.6	40	17.6	22	9.7	63	27.8	2	0.9	8	3.5
	Years since diagnosis	5-9	464	72	20.2	19	199	91.7	35	17.6	34	17.1	5	2.5	23	11.6	1	0.5	3	1.5
		10-14	1540	315	21.8	44	1209	89.4	343	28.4	345	28.5	62	5.1	263	21.8	11	0.9	51	4.2
		15-19	1416	275	20.4	43	1093	85.0	346	31.7	401	36.7	57	5.2	281	25.7	17	1.6	58	5.3
		20+	1078	239	23.1	38	852	86.0	285	33.5	226	26.5	67	7.9	287	33.7	12	1.4	41	4.8
	Age at diagnosis	<1	219	31	14.9	6	178	93.2	35	19.7	42	23.6	4	2.2	59	33.1	3	1.7	11	6.2
		1-4	1323	276	22.2	46	1024	90.0	237	23.1	323	31.5	20	2.0	249	24.3	6	0.6	39	3.8
		5-9	1407	260	19.9	45	1024	84.9	264	25.8	357	34.9	66	6.4	259	25.3	16	1.6	56	5.5
		10-14	1069	226	22.7	38	767	83.7	313	40.8	207	27.0	62	8.1	202	26.3	8	1.0	36	4.7
		15-20	480	108	24.9	9	360	91.1	160	44.4	77	21.4	39	10.8	85	23.6	8	2.2	11	3.1
	Treatment	Surgery only	1275	234	19.1	49	972	84.1	372	38.3	295	30.3	63	6.5	164	16.9	14	1.4	41	4.2
		Chemotherapy, no radiation	355	59	17.6	.	299	90.6	108	36.1	102	34.1	9	3.0	90	30.1	6	2.0	20	6.7
		Radiation, no chemotherapy	1170	260	23.6	55	870	89.0	243	27.9	242	27.8	52	6.0	200	23.0	10	1.1	33	3.8
		Chemotherapy and radiation	1256	268	24.1	23	892	88.1	204	22.9	276	30.9	47	5.3	313	35.1	8	0.9	46	5.2
		Unknown	442	80	19.3	17	320	86.7	82	25.6	91	28.4	20	6.3	87	27.2	3	0.9	13	4.1
Males	**All cases**		**2455**	**469**	**20.5**	**86**	**1793**	**86.5**	**598**	**33.4**	**486**	**27.1**	**112**	**6.2**	**446**	**24.9**	**16**	**0.9**	**90**	**5.0**
	Age at baseline	<18	529	105	22.2	23	373	94.4	110	29.5	21	5.6	5	1.3	63	16.9	1	0.3	8	2.1
		18-19	191	26	14.7	7	144	91.7	8	5.6	84	58.3	4	2.8	40	27.8	3	2.1	7	4.9
		20-24	634	106	18.1	17	444	82.8	83	18.7	246	55.4	13	2.9	122	27.5	2	0.5	30	6.8
		25-29	619	118	20.0	20	462	84.2	219	47.4	72	15.6	52	11.3	126	27.3	5	1.1	27	5.8
		30-34	333	75	23.9	14	253	84.6	124	49.0	47	18.6	25	9.9	65	25.7	3	1.2	15	5.9
		35+	149	39	27.5	5	117	85.4	54	46.2	16	13.7	13	11.1	30	25.6	2	1.7	3	2.6
	Years since diagnosis	5-9	264	39	19.5	10	107	92.2	17	15.9	19	17.8	4	3.7	14	13.1	1	0.9	2	1.9
		10-14	832	171	21.9	29	637	88.8	191	30.0	165	25.9	30	4.7	147	23.1	3	0.5	27	4.2
		15-19	772	123	16.8	27	589	85.0	205	34.8	208	35.3	34	5.8	142	24.1	7	1.2	39	6.6
		20+	587	136	23.9	20	460	84.1	185	40.2	94	20.4	44	9.6	143	31.1	5	1.1	22	4.8
	Age at diagnosis	<1	128	18	14.6	5	108	95.6	19	17.6	20	18.5	2	1.9	39	36.1	1	0.9	7	6.5
		1-4	699	139	21.1	25	530	88.5	137	25.8	158	29.8	12	2.3	120	22.6	3	0.6	19	3.6
		5-9	786	143	19.6	25	572	85.2	174	30.4	187	32.7	39	6.8	147	25.7	6	1.0	36	6.3
		10-14	571	114	21.4	25	394	82.9	185	47.0	84	21.3	39	9.9	93	23.6	4	1.0	22	5.6
		15-20	271	55	22.7	6	189	87.9	83	43.9	37	19.6	20	10.6	47	24.9	2	1.1	6	3.2
	Treatment	Surgery only	650	118	18.8	27	490	83.8	201	41.0	135	27.6	37	7.6	81	16.5	4	0.8	28	5.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**4498**	**119**	**3.5**	**86**	**2.6**
	Age at baseline	<18	953	28	4.1	19	2.8
		18-19	376	14	5.0	13	4.6
		20-24	1182	29	3.4	18	2.1
		25-29	1086	26	3.2	24	2.9
		30-34	625	14	2.9	10	2.1
		35+	276	8	3.5	2	0.9
	Years since diagnosis	5-9	464	10	5.0	8	4.0
		10-14	1540	50	4.1	33	2.7
		15-19	1416	33	3.0	29	2.7
		20+	1078	26	3.1	16	1.9
	Age at diagnosis	<1	219	5	2.8	6	3.4
		1-4	1323	38	3.7	30	2.9
		5-9	1407	38	3.7	24	2.3
		10-14	1069	20	2.6	17	2.2
		15-20	480	18	5.0	9	2.5
	Treatment	Surgery only	1275	31	3.2	24	2.5
		Chemotherapy, no radiation	355	5	1.7	8	2.7
		Radiation, no chemotherapy	1170	37	4.3	23	2.6
		Chemotherapy and radiation	1256	35	3.9	22	2.5
		Unknown	442	11	3.4	9	2.8
Males	**All cases**		**2455**	**65**	**3.6**	**47**	**2.6**
	Age at baseline	<18	529	21	5.6	13	3.5
		18-19	191	9	6.3	5	3.5
		20-24	634	13	2.9	7	1.6
		25-29	619	11	2.4	15	3.2
		30-34	333	7	2.8	6	2.4
		35+	149	4	3.4	1	0.9
	Years since diagnosis	5-9	264	8	7.5	5	4.7
		10-14	832	30	4.7	21	3.3
		15-19	772	16	2.7	12	2.0
		20+	587	11	2.4	9	2.0
	Age at diagnosis	<1	128	4	3.7	3	2.8
		1-4	699	22	4.2	16	3.0
		5-9	786	23	4.0	13	2.3
		10-14	571	8	2.0	9	2.3
		15-20	271	8	4.2	6	3.2
	Treatment	Surgery only	650	15	3.1	12	2.4

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]: Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	191	29	15.8	.	159	88.8	60	37.7	42	26.4	6	3.8	54	34.0	1	0.6	11	6.9
		Radiation, no chemotherapy	616	133	23.2	34	438	87.3	149	34.0	114	26.0	31	7.1	85	19.4	5	1.1	17	3.9
		Chemotherapy and radiation	744	145	22.1	17	525	88.4	139	26.5	152	29.0	26	5.0	176	33.5	4	0.8	25	4.8
		Unknown	254	44	18.0	8	181	85.0	49	27.1	43	23.8	12	6.6	50	27.6	2	1.1	9	5.0
Females	**All cases**		**2043**	**432**	**22.7**	**58**	**1560**	**88.0**	**411**	**26.3**	**520**	**33.3**	**79**	**5.1**	**408**	**26.2**	**25**	**1.6**	**63**	**4.0**
	Age at baseline	<18	424	89	23.2	8	316	95.8	96	30.4	23	7.3	2	0.6	42	13.3	2	0.6	3	0.9
		18-19	185	22	13.2	4	138	88.5	6	4.3	91	65.9	6	4.3	28	20.3	2	1.4	13	9.4
		20-24	548	116	22.7	19	409	84.7	57	13.9	223	54.5	19	4.6	121	29.6	6	1.5	22	5.4
		25-29	467	107	24.3	17	353	84.9	123	34.8	97	27.5	24	6.8	119	33.7	7	2.0	11	3.1
		30-34	292	68	24.2	8	234	87.0	84	35.9	62	26.5	19	8.1	65	27.8	8	3.4	9	3.8
		35+	127	30	25.0	2	110	92.4	45	40.9	24	21.8	9	8.2	33	30.0	.	.	5	4.5
	Years since diagnosis	5-9	200	33	21.2	9	92	91.1	18	19.6	15	16.3	1	1.1	9	9.8	.	.	1	1.1
		10-14	708	144	21.7	15	572	90.1	152	26.6	180	31.5	32	5.6	116	20.3	8	1.4	24	4.2
		15-19	644	152	24.6	16	504	85.0	141	28.0	193	38.3	23	4.6	139	27.6	10	2.0	19	3.8
		20+	491	103	22.1	18	392	88.3	100	25.5	132	33.7	23	5.9	144	36.7	7	1.8	19	4.8
	Age at diagnosis	<1	91	13	15.3	1	70	89.7	16	22.9	22	31.4	2	2.9	20	28.6	2	2.9	4	5.7
		1-4	624	137	23.5	21	494	91.7	100	20.2	165	33.4	8	1.6	129	26.1	3	0.6	20	4.0
		5-9	621	117	20.2	20	452	84.5	90	19.9	170	37.6	27	6.0	112	24.8	10	2.2	20	4.4
		10-14	498	112	24.1	13	373	84.6	128	34.3	123	33.0	23	6.2	109	29.2	4	1.1	14	3.8
		15-20	209	53	27.6	3	171	95.0	77	45.0	40	23.4	19	11.1	38	22.2	6	3.5	5	2.9
	Treatment	Surgery only	625	116	19.4	22	482	84.4	171	35.5	160	33.2	26	5.4	83	17.2	10	2.1	13	2.7
		Chemotherapy, no radiation	164	30	19.6	.	140	92.7	48	34.3	60	42.9	3	2.1	36	25.7	5	3.6	9	6.4
		Radiation, no chemotherapy	554	127	24.1	21	432	90.8	94	21.8	128	29.6	21	4.9	115	26.6	5	1.2	16	3.7
		Chemotherapy and radiation	512	123	27.1	6	367	87.6	65	17.7	124	33.8	21	5.7	137	37.3	4	1.1	21	5.7
		Unknown	188	36	21.1	9	139	89.1	33	23.7	48	34.5	8	5.8	37	26.6	1	0.7	4	2.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	191	4	2.5	3	1.9
		Radiation, no chemotherapy	616	22	5.0	13	3.0
		Chemotherapy and radiation	744	17	3.2	12	2.3
		Unknown	254	7	3.9	7	3.9
Females	**All cases**		**2043**	**54**	**3.5**	**39**	**2.5**
	Age at baseline	<18	424	7	2.2	6	1.9
		18-19	185	5	3.6	8	5.8
		20-24	548	16	3.9	11	2.7
		25-29	467	15	4.2	9	2.5
		30-34	292	7	3.0	4	1.7
		35+	127	4	3.6	1	0.9
	Years since diagnosis	5-9	200	2	2.2	3	3.3
		10-14	708	20	3.5	12	2.1
		15-19	644	17	3.4	17	3.4
		20+	491	15	3.8	7	1.8
	Age at diagnosis	<1	91	1	1.4	3	4.3
		1-4	624	16	3.2	14	2.8
		5-9	621	15	3.3	11	2.4
		10-14	498	12	3.2	8	2.1
		15-20	209	10	5.8	3	1.8
	Treatment	Surgery only	625	16	3.3	12	2.5
		Chemotherapy, no radiation	164	1	0.7	5	3.6
		Radiation, no chemotherapy	554	15	3.5	10	2.3
		Chemotherapy and radiation	512	18	4.9	10	2.7
		Unknown	188	4	2.9	2	1.4

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2694**	**534**	**21.1**	**92**	**2025**	**87.0**	**626**	**30.9**	**612**	**30.2**	**107**	**5.3**	**506**	**25.0**	**24**	**1.2**	**85**	**4.2**
	Age at baseline	<18	528	107	21.9	22	392	95.4	108	27.6	20	5.1	2	0.5	53	13.5	.	.	7	1.8
		18-19	215	24	11.9	7	169	91.8	9	5.3	101	59.8	5	3.0	44	26.0	3	1.8	13	7.7
		20-24	715	134	20.0	25	507	82.3	88	17.4	281	55.4	18	3.6	140	27.6	6	1.2	30	5.9
		25-29	665	133	21.1	22	501	84.8	220	43.9	111	22.2	42	8.4	150	29.9	8	1.6	20	4.0
		30-34	387	91	24.5	10	303	85.1	132	43.6	68	22.4	25	8.3	78	25.7	6	2.0	10	3.3
		35+	184	45	25.9	6	153	90.5	69	45.1	31	20.3	15	9.8	41	26.8	1	0.7	5	3.3
	Years since diagnosis	5-9	238	40	21.3	13	104	89.7	17	16.3	16	15.4	1	1.0	10	9.6	.	.	1	1.0
		10-14	906	182	21.2	29	715	89.9	204	28.5	199	27.8	35	4.9	148	20.7	7	1.0	29	4.1
		15-19	831	159	19.8	23	640	84.5	203	31.7	251	39.2	28	4.4	156	24.4	10	1.6	34	5.3
		20+	719	153	22.2	27	566	85.9	202	35.7	146	25.8	43	7.6	192	33.9	7	1.2	21	3.7
	Age at diagnosis	<1	151	20	14.1	4	118	92.2	26	22.0	25	21.2	2	1.7	44	37.3	1	0.8	6	5.1
		1-4	802	155	20.3	39	620	89.6	138	22.3	194	31.3	11	1.8	146	23.5	2	0.3	25	4.0
		5-9	794	143	19.1	22	586	84.8	160	27.3	207	35.3	39	6.7	142	24.2	12	2.0	28	4.8
		10-14	642	148	24.3	23	471	83.5	197	41.8	131	27.8	30	6.4	126	26.8	6	1.3	20	4.2
		15-20	305	68	25.0	4	230	91.3	105	45.7	55	23.9	25	10.9	48	20.9	3	1.3	6	2.6
	Treatment	Surgery only	1049	193	19.0	48	795	83.7	305	38.4	250	31.4	52	6.5	130	16.4	12	1.5	31	3.9
		Chemotherapy, no radiation	255	40	16.7	.	209	88.9	77	36.8	69	33.0	5	2.4	67	32.1	4	1.9	16	7.7
		Radiation, no chemotherapy	730	161	23.6	26	552	90.3	147	26.6	161	29.2	25	4.5	138	25.0	4	0.7	17	3.1
		Chemotherapy and radiation	374	89	26.9	4	267	90.5	41	15.4	76	28.5	15	5.6	107	40.1	2	0.7	13	4.9
		Unknown	286	51	19.2	14	202	85.6	56	27.7	56	27.7	10	5.0	64	31.7	2	1.0	8	4.0
Males	**All cases**		**1409**	**269**	**20.3**	**51**	**1039**	**86.2**	**355**	**34.2**	**283**	**27.2**	**59**	**5.7**	**249**	**24.0**	**8**	**0.8**	**49**	**4.7**
	Age at baseline	<18	279	57	22.2	14	204	94.9	50	24.5	7	3.4	.	.	33	16.2	.	.	6	2.9
		18-19	109	12	11.5	4	89	94.7	6	6.7	54	60.7	2	2.2	23	25.8	1	1.1	4	4.5
		20-24	355	55	16.6	13	242	81.2	46	19.0	134	55.4	7	2.9	66	27.3	1	0.4	18	7.4
		25-29	372	69	19.3	11	278	84.2	138	49.6	48	17.3	28	10.1	77	27.7	4	1.4	12	4.3
		30-34	196	49	26.5	5	150	83.3	78	52.0	27	18.0	12	8.0	34	22.7	1	0.7	6	4.0
		35+	98	27	29.3	4	76	86.4	37	48.7	13	17.1	10	13.2	16	21.1	1	1.3	3	3.9
	Years since diagnosis	5-9	126	21	21.0	5	53	88.3	6	11.3	8	15.1	1	1.9	6	11.3	.	.	.	.
		10-14	479	97	21.4	19	367	89.1	107	29.2	92	25.1	15	4.1	82	22.3	2	0.5	15	4.1
		15-19	422	62	15.3	13	319	84.4	115	36.1	121	37.9	16	5.0	70	21.9	3	0.9	21	6.6
		20+	382	89	24.1	14	300	84.5	127	42.3	62	20.7	27	9.0	91	30.3	3	1.0	13	4.3
	Age at diagnosis	<1	86	14	17.3	3	69	94.5	10	14.5	11	15.9	.	.	30	43.5	.	.	4	5.8
		1-4	404	73	18.8	20	307	87.7	77	25.1	91	29.6	5	1.6	64	20.8	1	0.3	13	4.2
		5-9	422	74	18.6	12	317	86.8	103	32.5	106	33.4	24	7.6	75	23.7	4	1.3	17	5.4
		10-14	329	70	22.5	13	228	80.9	109	47.8	49	21.5	17	7.5	57	25.0	3	1.3	12	5.3
		15-20	168	38	25.5	3	118	87.4	56	47.5	26	22.0	13	11.0	23	19.5	.	.	3	2.5
	Treatment	Surgery only	525	96	18.9	26	390	83.2	161	41.3	110	28.2	30	7.7	64	16.4	3	0.8	22	5.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**2694**	**65**	**3.2**	**50**	**2.5**
	Age at baseline	<18	528	13	3.3	9	2.3
		18-19	215	8	4.7	9	5.3
		20-24	715	14	2.8	11	2.2
		25-29	665	16	3.2	14	2.8
		30-34	387	7	2.3	6	2.0
		35+	184	7	4.6	1	0.7
	Years since diagnosis	5-9	238	3	2.9	4	3.8
		10-14	906	28	3.9	20	2.8
		15-19	831	17	2.7	14	2.2
		20+	719	17	3.0	12	2.1
	Age at diagnosis	<1	151	3	2.5	2	1.7
		1-4	802	19	3.1	16	2.6
		5-9	794	19	3.2	17	2.9
		10-14	642	11	2.3	11	2.3
		15-20	305	13	5.7	4	1.7
	Treatment	Surgery only	1049	28	3.5	19	2.4
		Chemotherapy, no radiation	255	3	1.4	5	2.4
		Radiation, no chemotherapy	730	19	3.4	15	2.7
		Chemotherapy and radiation	374	9	3.4	7	2.6
		Unknown	286	6	3.0	4	2.0
Males	**All cases**		**1409**	**34**	**3.3**	**24**	**2.3**
	Age at baseline	<18	279	9	4.4	5	2.5
		18-19	109	5	5.6	5	5.6
		20-24	355	6	2.5	2	0.8
		25-29	372	7	2.5	9	3.2
		30-34	196	4	2.7	3	2.0
		35+	98	3	3.9	.	.
	Years since diagnosis	5-9	126	2	3.8	2	3.8
		10-14	479	14	3.8	11	3.0
		15-19	422	11	3.4	4	1.3
		20+	382	7	2.3	7	2.3
	Age at diagnosis	<1	86	3	4.3	1	1.4
		1-4	404	9	2.9	6	2.0
		5-9	422	14	4.4	11	3.5
		10-14	329	3	1.3	5	2.2
		15-20	168	5	4.2	1	0.8
	Treatment	Surgery only	525	13	3.3	8	2.1

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	142	20	14.8	.	116	87.9	45	38.8	31	26.7	2	1.7	41	35.3	.	.	9	7.8
		Radiation, no chemotherapy	371	77	22.4	16	270	88.5	94	34.8	77	28.5	16	5.9	51	18.9	2	0.7	5	1.9
		Chemotherapy and radiation	212	49	26.3	3	154	92.8	26	16.9	39	25.3	8	5.2	54	35.1	1	0.6	7	4.5
		Unknown	159	27	17.5	6	109	82.0	29	26.6	26	23.9	3	2.8	39	35.8	2	1.8	6	5.5
Females	**All cases**		**1285**	**265**	**21.9**	**41**	**986**	**87.9**	**271**	**27.5**	**329**	**33.4**	**48**	**4.9**	**257**	**26.1**	**16**	**1.6**	**36**	**3.7**
	Age at baseline	<18	249	50	21.6	8	188	95.9	58	30.9	13	6.9	2	1.1	20	10.6	.	.	1	0.5
		18-19	106	12	12.4	3	80	88.9	3	3.8	47	58.8	3	3.8	21	26.3	2	2.5	9	11.3
		20-24	360	79	23.3	12	265	83.3	42	15.8	147	55.5	11	4.2	74	27.9	5	1.9	12	4.5
		25-29	293	64	23.4	11	223	85.4	82	36.8	63	28.3	14	6.3	73	32.7	4	1.8	8	3.6
		30-34	191	42	22.6	5	153	86.9	54	35.3	41	26.8	13	8.5	44	28.8	5	3.3	4	2.6
		35+	86	18	22.0	2	77	95.1	32	41.6	18	23.4	5	6.5	25	32.5	.	.	2	2.6
	Years since diagnosis	5-9	112	19	21.6	8	51	91.1	11	21.6	8	15.7	.	.	4	7.8	.	.	1	2.0
		10-14	427	85	21.0	10	348	90.9	97	27.9	107	30.7	20	5.7	66	19.0	5	1.4	14	4.0
		15-19	409	97	24.3	10	321	84.7	88	27.4	130	40.5	12	3.7	86	26.8	7	2.2	13	4.0
		20+	337	64	20.1	13	266	87.5	75	28.2	84	31.6	16	6.0	101	38.0	4	1.5	8	3.0
	Age at diagnosis	<1	65	6	9.8	1	49	89.1	16	32.7	14	28.6	2	4.1	14	28.6	1	2.0	2	4.1
		1-4	398	82	21.9	19	313	91.5	61	19.5	103	32.9	6	1.9	82	26.2	1	0.3	12	3.8
		5-9	372	69	19.6	10	269	82.5	57	21.2	101	37.5	15	5.6	67	24.9	8	3.0	11	4.1
		10-14	313	78	26.2	10	243	86.2	88	36.2	82	33.7	13	5.3	69	28.4	3	1.2	8	3.3
		15-20	137	30	24.4	1	112	95.7	49	43.8	29	25.9	12	10.7	25	22.3	3	2.7	3	2.7
	Treatment	Surgery only	524	97	19.1	22	405	84.2	144	35.6	140	34.6	22	5.4	66	16.3	9	2.2	9	2.2
		Chemotherapy, no radiation	113	20	19.0	.	93	90.3	32	34.4	38	40.9	3	3.2	26	28.0	4	4.3	7	7.5
		Radiation, no chemotherapy	359	84	24.8	10	282	92.2	53	18.8	84	29.8	9	3.2	87	30.9	2	0.7	12	4.3
		Chemotherapy and radiation	162	40	27.6	1	113	87.6	15	13.3	37	32.7	7	6.2	53	46.9	1	0.9	6	5.3
		Unknown	127	24	21.4	8	93	90.3	27	29.0	30	32.3	7	7.5	25	26.9	.	.	2	2.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	142	3	2.6	2	1.7
		Radiation, no chemotherapy	371	11	4.1	8	3.0
		Chemotherapy and radiation	212	4	2.6	4	2.6
		Unknown	159	3	2.8	2	1.8
Females	**All cases**		**1285**	**31**	**3.1**	**26**	**2.6**
	Age at baseline	<18	249	4	2.1	4	2.1
		18-19	106	3	3.8	4	5.0
		20-24	360	8	3.0	9	3.4
		25-29	293	9	4.0	5	2.2
		30-34	191	3	2.0	3	2.0
		35+	86	4	5.2	1	1.3
	Years since diagnosis	5-9	112	1	2.0	2	3.9
		10-14	427	14	4.0	9	2.6
		15-19	409	6	1.9	10	3.1
		20+	337	10	3.8	5	1.9
	Age at diagnosis	<1	65	.	.	1	2.0
		1-4	398	10	3.2	10	3.2
		5-9	372	5	1.9	6	2.2
		10-14	313	8	3.3	6	2.5
		15-20	137	8	7.1	3	2.7
	Treatment	Surgery only	524	15	3.7	11	2.7
		Chemotherapy, no radiation	113	.	.	3	3.2
		Radiation, no chemotherapy	359	8	2.8	7	2.5
		Chemotherapy and radiation	162	5	4.4	3	2.7
		Unknown	127	3	3.2	2	2.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1040**	**213**	**22.4**	**33**	**748**	**86.3**	**194**	**25.9**	**228**	**30.5**	**48**	**6.4**	**212**	**28.3**	**11**	**1.5**	**44**	**5.9**
	Age at baseline	<18	246	49	23.3	6	159	93.5	49	30.8	12	7.5	.	.	27	17.0	2	1.3	2	1.3
		18-19	82	11	15.5	3	59	92.2	4	6.8	37	62.7	4	6.8	15	25.4	2	3.4	2	3.4
		20-24	292	58	21.6	6	219	85.9	28	12.8	120	54.8	9	4.1	70	32.0	1	0.5	17	7.8
		25-29	252	58	24.0	10	184	81.4	63	34.2	38	20.7	22	12.0	57	31.0	3	1.6	13	7.1
		30-34	131	27	22.1	7	98	83.8	40	40.8	20	20.4	10	10.2	33	33.7	3	3.1	8	8.2
		35+	37	10	27.8	1	29	82.9	10	34.5	1	3.4	3	10.3	10	34.5	.	.	2	6.9
	Years since diagnosis	5-9	124	18	20.5	1	48	96.0	10	20.8	8	16.7	2	4.2	5	10.4	.	.	1	2.1
		10-14	355	75	22.7	9	272	88.3	66	24.3	87	32.0	16	5.9	63	23.2	2	0.7	12	4.4
		15-19	344	62	19.4	14	258	83.8	79	30.6	84	32.6	14	5.4	79	30.6	5	1.9	18	7.0
		20+	217	58	27.2	9	170	84.6	39	22.9	49	28.8	16	9.4	65	38.2	4	2.4	13	7.6
	Age at diagnosis	<1	28	2	7.4	1	26	100.0	4	15.4	8	30.8	.	.	6	23.1	1	3.8	2	7.7
		1-4	298	72	25.9	6	229	89.1	49	21.4	76	33.2	5	2.2	64	27.9	4	1.7	7	3.1
		5-9	422	87	22.7	18	292	84.4	64	21.9	97	33.2	16	5.5	89	30.5	4	1.4	23	7.9
		10-14	230	38	18.4	7	157	83.1	62	39.5	41	26.1	20	12.7	41	26.1	.	.	10	6.4
		15-20	62	14	25.0	1	44	89.8	15	34.1	6	13.6	7	15.9	12	27.3	2	4.5	2	4.5
	Treatment	Surgery only	8	.	.	.	6	75.0	2	33.3	3	50.0	1	16.7	1	16.7	.	.	.	.
		Chemotherapy, no radiation	53	8	16.0	.	47	94.0	16	34.0	16	34.0	2	4.3	10	21.3	1	2.1	2	4.3
		Radiation, no chemotherapy	208	46	23.0	20	141	83.9	38	27.0	32	22.7	14	9.9	22	15.6	3	2.1	12	8.5
		Chemotherapy and radiation	694	142	22.9	12	495	86.1	128	25.9	161	32.5	24	4.8	167	33.7	6	1.2	27	5.5
		Unknown	77	17	23.3	1	59	89.4	10	16.9	16	27.1	7	11.9	12	20.3	1	1.7	3	5.1
Males	**All cases**		**631**	**121**	**21.0**	**22**	**443**	**85.5**	**131**	**29.6**	**123**	**27.8**	**28**	**6.3**	**130**	**29.3**	**4**	**0.9**	**30**	**6.8**
	Age at baseline	<18	147	26	20.3	6	92	91.1	30	32.6	6	6.5	.	.	17	18.5	.	.	2	2.2
		18-19	47	7	17.9	3	30	90.9	2	6.7	14	46.7	2	6.7	12	40.0	2	6.7	1	3.3
		20-24	185	37	21.9	1	137	85.1	21	15.3	77	56.2	5	3.6	42	30.7	.	.	11	8.0
		25-29	157	31	20.8	6	113	81.9	46	40.7	16	14.2	14	12.4	32	28.3	1	0.9	11	9.7
		30-34	73	14	20.6	5	54	84.4	26	48.1	10	18.5	6	11.1	20	37.0	1	1.9	5	9.3
		35+	22	6	27.3	1	17	81.0	6	35.3	.	.	1	5.9	7	41.2	.	.	.	.
	Years since diagnosis	5-9	76	9	16.4	1	28	96.6	6	21.4	5	17.9	1	3.6	3	10.7	.	.	1	3.6
		10-14	208	40	21.1	6	153	88.4	42	27.5	45	29.4	7	4.6	40	26.1	.	.	7	4.6
		15-19	217	36	17.7	10	163	83.6	55	33.7	51	31.3	9	5.5	48	29.4	3	1.8	15	9.2
		20+	130	36	28.3	5	99	81.8	28	28.3	22	22.2	11	11.1	39	39.4	1	1.0	7	7.1
	Age at diagnosis	<1	16	1	6.3	1	15	100.0	4	26.7	3	20.0	.	.	3	20.0	.	.	2	13.3
		1-4	180	42	24.9	5	135	87.1	31	23.0	42	31.1	4	3.0	38	28.1	2	1.5	4	3.0
		5-9	266	53	22.2	10	182	83.5	46	25.3	56	30.8	9	4.9	60	33.0	2	1.1	17	9.3
		10-14	132	19	16.1	5	88	85.4	43	48.9	19	21.6	12	13.6	21	23.9	.	.	6	6.8
		15-20	37	6	18.2	1	23	85.2	7	30.4	3	13.0	3	13.0	8	34.8	.	.	1	4.3
	Treatment	Surgery only	5	.	.	.	4	80.0	1	25.0	2	50.0	1	25.0	.	.	.	.	.	.
		Chemotherapy, no radiation	27	3	11.1	.	25	92.6	11	44.0	6	24.0	2	8.0	6	24.0	.	.	2	8.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**1040**	**34**	**4.5**	**19**	**2.5**
	Age at baseline	<18	246	10	6.3	4	2.5
		18-19	82	5	8.5	2	3.4
		20-24	292	10	4.6	5	2.3
		25-29	252	5	2.7	5	2.7
		30-34	131	3	3.1	2	2.0
		35+	37	1	3.4	1	3.4
	Years since diagnosis	5-9	124	4	8.3	2	4.2
		10-14	355	12	4.4	6	2.2
		15-19	344	13	5.0	8	3.1
		20+	217	5	2.9	3	1.8
	Age at diagnosis	<1	28	2	7.7	1	3.8
		1-4	298	12	5.2	7	3.1
		5-9	422	14	4.8	6	2.1
		10-14	230	4	2.5	3	1.9
		15-20	62	2	4.5	2	4.5
	Treatment	Surgery only	8	.	.	.	.
		Chemotherapy, no radiation	53	2	4.3	1	2.1
		Radiation, no chemotherapy	208	9	6.4	4	2.8
		Chemotherapy and radiation	694	21	4.2	13	2.6
		Unknown	77	2	3.4	1	1.7
Males	**All cases**		**631**	**17**	**3.8**	**11**	**2.5**
	Age at baseline	<18	147	7	7.6	3	3.3
		18-19	47	3	10.0	.	.
		20-24	185	4	2.9	4	2.9
		25-29	157	1	0.9	2	1.8
		30-34	73	1	1.9	1	1.9
		35+	22	1	5.9	1	5.9
	Years since diagnosis	5-9	76	3	10.7	1	3.6
		10-14	208	7	4.6	4	2.6
		15-19	217	5	3.1	5	3.1
		20+	130	2	2.0	1	1.0
	Age at diagnosis	<1	16	1	6.7	.	.
		1-4	180	7	5.2	6	4.4
		5-9	266	7	3.8	1	0.5
		10-14	132	1	1.1	2	2.3
		15-20	37	1	4.3	2	8.7
	Treatment	Surgery only	5	.	.	.	.
		Chemotherapy, no radiation	27	1	4.0	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	116	25	22.5	13	73	81.1	23	31.5	14	19.2	5	6.8	12	16.4	1	1.4	10	13.7
		Chemotherapy and radiation	436	83	21.3	8	307	85.8	89	29.0	96	31.3	13	4.2	105	34.2	3	1.0	17	5.5
		Unknown	47	10	23.3	1	34	89.5	7	20.6	5	14.7	7	20.6	7	20.6	.	.	1	2.9
Females	**All cases**		**409**	**92**	**24.5**	**11**	**305**	**87.4**	**63**	**20.7**	**105**	**34.4**	**20**	**6.6**	**82**	**26.9**	**7**	**2.3**	**14**	**4.6**
	Age at baseline	<18	99	23	28.0	.	67	97.1	19	28.4	6	9.0	.	.	10	14.9	2	3.0	.	.
		18-19	35	4	12.5	.	29	93.5	2	6.9	23	79.3	2	6.9	3	10.3	.	.	1	3.4
		20-24	107	21	21.0	5	82	87.2	7	8.5	43	52.4	4	4.9	28	34.1	1	1.2	6	7.3
		25-29	95	27	29.0	4	71	80.7	17	23.9	22	31.0	8	11.3	25	35.2	2	2.8	2	2.8
		30-34	58	13	24.1	2	44	83.0	14	31.8	10	22.7	4	9.1	13	29.5	2	4.5	3	6.8
		35+	15	4	28.6	.	12	85.7	4	33.3	1	8.3	2	16.7	3	25.0	.	.	2	16.7
	Years since diagnosis	5-9	48	9	27.3	.	20	95.2	4	20.0	3	15.0	1	5.0	2	10.0	.	.	.	.
		10-14	147	35	25.0	3	119	88.1	24	20.2	42	35.3	9	7.6	23	19.3	2	1.7	5	4.2
		15-19	127	26	22.4	4	95	84.1	24	25.3	33	34.7	5	5.3	31	32.6	2	2.1	3	3.2
		20+	87	22	25.6	4	71	88.8	11	15.5	27	38.0	5	7.0	26	36.6	3	4.2	6	8.5
	Age at diagnosis	<1	12	1	9.1	.	11	100.0	.	.	5	45.5	.	.	3	27.3	1	9.1	.	.
		1-4	118	30	27.5	1	94	92.2	18	19.1	34	36.2	1	1.1	26	27.7	2	2.1	3	3.2
		5-9	156	34	23.6	8	110	85.9	18	16.4	41	37.3	7	6.4	29	26.4	2	1.8	6	5.5
		10-14	98	19	21.6	2	69	80.2	19	27.5	22	31.9	8	11.6	20	29.0	.	.	4	5.8
		15-20	25	8	34.8	.	21	95.5	8	38.1	3	14.3	4	19.0	4	19.0	2	9.5	1	4.8
	Treatment	Surgery only	3	.	.	.	2	66.7	1	50.0	1	50.0	.	.	1	50.0	.	.	.	.
		Chemotherapy, no radiation	26	5	21.7	.	22	95.7	5	22.7	10	45.5	.	.	4	18.2	1	4.5	.	.
		Radiation, no chemotherapy	92	21	23.6	7	68	87.2	15	22.1	18	26.5	9	13.2	10	14.7	2	2.9	2	2.9
		Chemotherapy and radiation	258	59	25.7	4	188	86.6	39	20.7	65	34.6	11	5.9	62	33.0	3	1.6	10	5.3
		Unknown	30	7	23.3	.	25	89.3	3	12.0	11	44.0	.	.	5	20.0	1	4.0	2	8.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Radiation, no chemotherapy	116	4	5.5	2	2.7
		Chemotherapy and radiation	436	11	3.6	8	2.6
		Unknown	47	1	2.9	1	2.9
Females	**All cases**		**409**	**17**	**5.6**	**8**	**2.6**
	Age at baseline	<18	99	3	4.5	1	1.5
		18-19	35	2	6.9	2	6.9
		20-24	107	6	7.3	1	1.2
		25-29	95	4	5.6	3	4.2
		30-34	58	2	4.5	1	2.3
		35+	15	.	.	.	.
	Years since diagnosis	5-9	48	1	5.0	1	5.0
		10-14	147	5	4.2	2	1.7
		15-19	127	8	8.4	3	3.2
		20+	87	3	4.2	2	2.8
	Age at diagnosis	<1	12	1	9.1	1	9.1
		1-4	118	5	5.3	1	1.1
		5-9	156	7	6.4	5	4.5
		10-14	98	3	4.3	1	1.4
		15-20	25	1	4.8	.	.
	Treatment	Surgery only	3	.	.	.	.
		Chemotherapy, no radiation	26	1	4.5	1	4.5
		Radiation, no chemotherapy	92	5	7.4	2	2.9
		Chemotherapy and radiation	258	10	5.3	5	2.7
		Unknown	30	1	4.0	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**3111**	**891**	**29.5**	**54**	**2385**	**85.7**	**1404**	**58.9**	**633**	**26.5**	**179**	**7.5**	**168**	**7.0**	**26**	**1.1**	**75**	**3.1**
	Age at baseline	<18	61	15	25.9	1	44	91.7	5	11.4	.	.	1	2.3	2	4.5	.	.	.	.
		18-19	61	15	25.9	2	41	78.8	1	2.4	29	70.7	.	.	4	9.8	.	.	1	2.4
		20-24	375	62	17.8	18	215	74.1	90	41.9	102	47.4	12	5.6	11	5.1	2	0.9	12	5.6
		25-29	798	226	29.2	16	568	82.4	375	66.0	111	19.5	49	8.6	43	7.6	9	1.6	23	4.0
		30-34	951	286	30.8	11	777	88.1	479	61.6	193	24.8	59	7.6	58	7.5	12	1.5	21	2.7
		35+	865	287	33.8	6	740	90.1	454	61.4	198	26.8	58	7.8	50	6.8	3	0.4	18	2.4
	Years since diagnosis	5-9	242	51	22.6	4	112	83.0	48	42.9	33	29.5	4	3.6	6	5.4	.	.	3	2.7
		10-14	946	280	30.8	19	720	85.0	399	55.4	207	28.8	63	8.8	44	6.1	10	1.4	30	4.2
		15-19	1008	291	29.4	17	805	85.6	483	60.0	211	26.2	55	6.8	68	8.4	10	1.2	23	2.9
		20+	915	269	30.1	14	748	87.0	474	63.4	182	24.3	57	7.6	50	6.7	6	0.8	19	2.5
	Age at diagnosis	1-4	82	17	21.5	5	52	71.2	17	32.7	17	32.7	2	3.8	4	7.7	1	1.9	3	5.8
		5-9	421	88	21.5	14	295	77.2	142	48.1	91	30.8	14	4.7	20	6.8	3	1.0	9	3.1
		10-14	1120	291	26.8	24	859	85.2	523	60.9	216	25.1	65	7.6	67	7.8	12	1.4	29	3.4
		15-20	1488	495	34.2	11	1179	89.4	722	61.2	309	26.2	98	8.3	77	6.5	10	0.8	34	2.9
	Treatment	Surgery only	2	.	.	.	2	100.0	.	.	2	100.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	364	80	22.9	8	276	81.7	172	62.3	63	22.8	19	6.9	17	6.2	4	1.4	6	2.2
		Radiation, no chemotherapy	652	221	34.3	15	524	87.5	326	62.2	145	27.7	47	9.0	16	3.1	7	1.3	15	2.9
		Chemotherapy and radiation	1765	500	29.3	24	1359	86.8	770	56.7	376	27.7	97	7.1	109	8.0	13	1.0	47	3.5
		Unknown	328	90	28.8	7	224	80.9	136	60.7	47	21.0	16	7.1	26	11.6	2	0.9	7	3.1
Males	**All cases**		**1634**	**441**	**28.1**	**28**	**1169**	**81.7**	**772**	**66.0**	**204**	**17.5**	**103**	**8.8**	**66**	**5.6**	**13**	**1.1**	**42**	**3.6**
	Age at baseline	<18	46	14	31.8	1	31	88.6	3	9.7	.	.	1	3.2	2	6.5	.	.	.	.
		18-19	48	11	24.4	1	32	74.4	1	3.1	21	65.6	.	.	2	6.3	.	.	1	3.1
		20-24	239	38	17.2	11	129	69.4	54	41.9	58	45.0	7	5.4	7	5.4	.	.	9	7.0
		25-29	445	111	26.0	11	301	80.3	225	74.8	29	9.6	31	10.3	16	5.3	8	2.7	15	5.0
		30-34	482	133	28.4	3	367	83.4	267	72.8	49	13.4	29	7.9	24	6.5	5	1.4	9	2.5
		35+	374	134	36.8	1	309	87.8	222	71.8	47	15.2	35	11.3	15	4.9	.	.	8	2.6
	Years since diagnosis	5-9	138	29	22.7	2	61	84.7	28	45.9	13	21.3	1	1.6	3	4.9	.	.	1	1.6
		10-14	491	135	29.2	12	352	82.2	203	57.7	82	23.3	33	9.4	14	4.0	4	1.1	21	6.0
		15-19	537	130	24.8	11	393	80.2	277	70.5	58	14.8	34	8.7	30	7.6	5	1.3	8	2.0
		20+	468	147	32.3	3	363	82.3	264	72.7	51	14.0	35	9.6	19	5.2	4	1.1	12	3.3
	Age at diagnosis	1-4	62	14	23.7	2	37	66.1	11	29.7	10	27.0	1	2.7	4	10.8	1	2.7	3	8.1
		5-9	305	68	23.1	9	199	72.6	96	48.2	56	28.1	12	6.0	13	6.5	3	1.5	7	3.5
		10-14	581	140	25.0	10	431	82.4	307	71.2	68	15.8	34	7.9	22	5.1	6	1.4	15	3.5
		15-20	686	219	33.3	7	502	86.9	358	71.3	70	13.9	56	11.2	27	5.4	3	0.6	17	3.4
	Treatment	Surgery only	2	.	.	.	2	100.0	.	.	2	100.0	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	187	41	23.2	4	133	78.2	94	70.7	21	15.8	9	6.8	6	4.5	3	2.3	2	1.5

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**3111**	**106**	**4.4**	**61**	**2.6**
	Age at baseline	<18	61	5	11.4	1	2.3
		18-19	61	1	2.4	.	.
		20-24	375	13	6.0	2	0.9
		25-29	798	33	5.8	13	2.3
		30-34	951	29	3.7	21	2.7
		35+	865	25	3.4	24	3.2
	Years since diagnosis	5-9	242	11	9.8	1	0.9
		10-14	946	36	5.0	17	2.4
		15-19	1008	34	4.2	22	2.7
		20+	915	25	3.3	21	2.8
	Age at diagnosis	1-4	82	3	5.8	.	.
		5-9	421	11	3.7	3	1.0
		10-14	1120	43	5.0	20	2.3
		15-20	1488	49	4.2	38	3.2
	Treatment	Surgery only	2	.	.	.	.
		Chemotherapy, no radiation	364	6	2.2	6	2.2
		Radiation, no chemotherapy	652	21	4.0	20	3.8
		Chemotherapy and radiation	1765	69	5.1	30	2.2
		Unknown	328	10	4.5	5	2.2
Males	**All cases**		**1634**	**55**	**4.7**	**32**	**2.7**
	Age at baseline	<18	46	4	12.9	1	3.2
		18-19	48	1	3.1	.	.
		20-24	239	5	3.9	1	0.8
		25-29	445	18	6.0	6	2.0
		30-34	482	18	4.9	9	2.5
		35+	374	9	2.9	15	4.9
	Years since diagnosis	5-9	138	7	11.5	.	.
		10-14	491	18	5.1	9	2.6
		15-19	537	19	4.8	11	2.8
		20+	468	11	3.0	12	3.3
	Age at diagnosis	1-4	62	2	5.4	.	.
		5-9	305	9	4.5	2	1.0
		10-14	581	18	4.2	9	2.1
		15-20	686	26	5.2	21	4.2
	Treatment	Surgery only	2	.	.	.	.
		Chemotherapy, no radiation	187	6	4.5	2	1.5

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	336	103	30.9	6	255	82.5	177	69.4	39	15.3	31	12.2	5	2.0	4	1.6	10	3.9
		Chemotherapy and radiation	915	240	27.3	13	658	83.4	424	64.4	122	18.5	52	7.9	42	6.4	5	0.8	26	4.0
		Unknown	194	57	31.7	5	121	75.2	77	63.6	20	16.5	11	9.1	13	10.7	1	0.8	4	3.3
Females	**All cases**		**1477**	**450**	**31.1**	**26**	**1216**	**90.0**	**632**	**52.0**	**429**	**35.3**	**76**	**6.3**	**102**	**8.4**	**13**	**1.1**	**33**	**2.7**
	Age at baseline	<18	15	1	7.1	.	13	100.0	2	15.4	.	.	.	.	.	.	.	.	.	.
		18-19	13	4	30.8	1	9	100.0	.	.	8	88.9	.	.	2	22.2	.	.	.	.
		20-24	136	24	18.8	7	86	82.7	36	41.9	44	51.2	5	5.8	4	4.7	2	2.3	3	3.5
		25-29	353	115	33.0	5	267	85.0	150	56.2	82	30.7	18	6.7	27	10.1	1	0.4	8	3.0
		30-34	469	153	33.2	8	410	92.8	212	51.7	144	35.1	30	7.3	34	8.3	7	1.7	12	2.9
		35+	491	153	31.6	5	431	91.9	232	53.8	151	35.0	23	5.3	35	8.1	3	0.7	10	2.3
	Years since diagnosis	5-9	104	22	22.4	2	51	81.0	20	39.2	20	39.2	3	5.9	3	5.9	.	.	2	3.9
		10-14	455	145	32.6	7	368	87.8	196	53.3	125	34.0	30	8.2	30	8.2	6	1.6	9	2.4
		15-19	471	161	34.5	6	412	91.6	206	50.0	153	37.1	21	5.1	38	9.2	5	1.2	15	3.6
		20+	447	122	27.9	11	385	91.9	210	54.5	131	34.0	22	5.7	31	8.1	2	0.5	7	1.8
	Age at diagnosis	1-4	20	3	15.0	3	15	88.2	6	40.0	7	46.7	1	6.7	.	.	.	.	.	.
		5-9	116	20	17.4	5	96	88.9	46	47.9	35	36.5	2	2.1	7	7.3	.	.	2	2.1
		10-14	539	151	28.8	14	428	88.2	216	50.5	148	34.6	31	7.2	45	10.5	6	1.4	14	3.3
		15-20	802	276	35.0	4	677	91.4	364	53.8	239	35.3	42	6.2	50	7.4	7	1.0	17	2.5
	Treatment	Chemotherapy, no radiation	177	39	22.5	4	143	85.1	78	54.5	42	29.4	10	7.0	11	7.7	1	0.7	4	2.8
		Radiation, no chemotherapy	316	118	37.8	9	269	92.8	149	55.4	106	39.4	16	5.9	11	4.1	3	1.1	5	1.9
		Chemotherapy and radiation	850	260	31.3	11	701	90.2	346	49.4	254	36.2	45	6.4	67	9.6	8	1.1	21	3.0
		Unknown	134	33	24.8	2	103	88.8	59	57.3	27	26.2	5	4.9	13	12.6	1	1.0	3	2.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Radiation, no chemotherapy	336	12	4.7	14	5.5
		Chemotherapy and radiation	915	34	5.2	15	2.3
		Unknown	194	3	2.5	1	0.8
Females	**All cases**		**1477**	**51**	**4.2**	**29**	**2.4**
	Age at baseline	<18	15	1	7.7	.	.
		18-19	13	.	.	.	.
		20-24	136	8	9.3	1	1.2
		25-29	353	15	5.6	7	2.6
		30-34	469	11	2.7	12	2.9
		35+	491	16	3.7	9	2.1
	Years since diagnosis	5-9	104	4	7.8	1	2.0
		10-14	455	18	4.9	8	2.2
		15-19	471	15	3.6	11	2.7
		20+	447	14	3.6	9	2.3
	Age at diagnosis	1-4	20	1	6.7	.	.
		5-9	116	2	2.1	1	1.0
		10-14	539	25	5.8	11	2.6
		15-20	802	23	3.4	17	2.5
	Treatment	Chemotherapy, no radiation	177	.	.	4	2.8
		Radiation, no chemotherapy	316	9	3.3	6	2.2
		Chemotherapy and radiation	850	35	5.0	15	2.1
		Unknown	134	7	6.8	4	3.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2117**	**483**	**23.6**	**40**	**1602**	**81.9**	**788**	**49.2**	**428**	**26.7**	**106**	**6.6**	**132**	**8.2**	**23**	**1.4**	**57**	**3.6**
	Age at baseline	<18	212	46	23.0	5	167	92.3	34	20.4	12	7.2	1	0.6	7	4.2	.	.	.	.
		18-19	132	22	18.3	2	97	83.6	10	10.3	61	62.9	1	1.0	6	6.2	2	2.1	7	7.2
		20-24	469	86	19.1	12	323	76.4	102	31.6	162	50.2	17	5.3	29	9.0	4	1.2	22	6.8
		25-29	572	143	26.0	10	421	78.8	255	60.6	76	18.1	38	9.0	46	10.9	8	1.9	13	3.1
		30-34	483	117	24.5	11	379	82.6	250	66.0	64	16.9	33	8.7	27	7.1	6	1.6	11	2.9
		35+	249	69	28.0	.	215	88.1	137	63.7	53	24.7	16	7.4	17	7.9	3	1.4	4	1.9
	Years since diagnosis	5-9	144	29	23.6	3	85	89.5	15	17.6	20	23.5	1	1.2	4	4.7	.	.	4	4.7
		10-14	671	158	24.4	16	510	82.4	213	41.8	139	27.3	28	5.5	42	8.2	7	1.4	21	4.1
		15-19	730	171	24.0	12	560	80.8	287	51.3	181	32.3	32	5.7	42	7.5	10	1.8	21	3.8
		20+	572	125	22.2	9	447	81.3	273	61.1	88	19.7	45	10.1	44	9.8	6	1.3	11	2.5
	Age at diagnosis	<1	15	5	33.3	.	14	100.0	3	21.4	1	7.1	.	.	.	.	.	.	.	.
		1-4	347	66	19.8	6	262	80.9	69	26.3	89	34.0	16	6.1	20	7.6	3	1.1	12	4.6
		5-9	649	123	19.8	16	483	80.9	201	41.6	151	31.3	23	4.8	42	8.7	7	1.4	17	3.5
		10-14	672	148	22.6	15	498	80.5	304	61.0	106	21.3	39	7.8	44	8.8	7	1.4	16	3.2
		15-20	434	141	33.5	3	345	85.6	211	61.2	81	23.5	28	8.1	26	7.5	6	1.7	12	3.5
	Treatment	Surgery only	16	6	40.0	1	13	100.0	5	38.5	2	15.4	1	7.7	2	15.4	.	.	.	.
		Chemotherapy, no radiation	1077	204	19.7	20	822	81.3	389	47.3	237	28.8	54	6.6	77	9.4	14	1.7	27	3.3
		Radiation, no chemotherapy	38	13	34.2	.	31	91.2	24	77.4	5	16.1	2	6.5	.	.	1	3.2	1	3.2
		Chemotherapy and radiation	767	213	28.7	15	567	81.6	291	51.3	143	25.2	41	7.2	34	6.0	4	0.7	20	3.5
		Unknown	219	47	22.1	4	169	82.8	79	46.7	41	24.3	8	4.7	19	11.2	4	2.4	9	5.3
Males	**All cases**		**1437**	**319**	**23.0**	**30**	**1065**	**80.4**	**579**	**54.4**	**236**	**22.2**	**73**	**6.9**	**75**	**7.0**	**10**	**0.9**	**37**	**3.5**
	Age at baseline	<18	146	32	23.4	3	114	92.7	21	18.4	9	7.9	1	0.9	6	5.3	.	.	.	.
		18-19	97	16	18.4	2	71	81.6	9	12.7	44	62.0	1	1.4	4	5.6	2	2.8	5	7.0
		20-24	304	54	18.5	9	195	71.7	65	33.3	100	51.3	13	6.7	11	5.6	2	1.0	15	7.7
		25-29	407	95	24.2	8	305	80.3	205	67.2	39	12.8	27	8.9	29	9.5	4	1.3	8	2.6
		30-34	319	74	23.5	8	243	80.7	183	75.3	19	7.8	21	8.6	17	7.0	2	0.8	5	2.1
		35+	164	48	29.6	.	137	84.6	96	70.1	25	18.2	10	7.3	8	5.8	.	.	4	2.9
	Years since diagnosis	5-9	109	25	26.3	3	68	89.5	13	19.1	15	22.1	.	.	3	4.4	.	.	4	5.9
		10-14	456	99	22.7	12	337	81.2	156	46.3	83	24.6	20	5.9	25	7.4	2	0.6	13	3.9
		15-19	480	108	23.0	8	359	78.6	210	58.5	89	24.8	23	6.4	25	7.0	7	1.9	13	3.6
		20+	392	87	22.5	7	301	79.8	200	66.4	49	16.3	30	10.0	22	7.3	1	0.3	7	2.3
	Age at diagnosis	<1	5	2	40.0	.	4	100.0	1	25.0	.	.	.	.	.	.	.	.	.	.
		1-4	235	50	22.0	4	172	78.9	42	24.4	62	36.0	12	7.0	9	5.2	2	1.2	8	4.7
		5-9	451	78	18.2	12	332	80.0	153	46.1	94	28.3	18	5.4	22	6.6	4	1.2	11	3.3
		10-14	462	95	21.2	13	336	79.1	232	69.0	47	14.0	25	7.4	25	7.4	3	0.9	11	3.3
		15-20	284	94	34.1	1	221	84.0	151	68.3	33	14.9	18	8.1	19	8.6	1	0.5	7	3.2
	Treatment	Surgery only	13	5	41.7	.	11	100.0	5	45.5	2	18.2	1	9.1	2	18.2	.	.	.	.

CCSS data from March 2026 data freeze

[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**2117**	**42**	**2.6**	**47**	**2.9**
	Age at baseline	<18	212	4	2.4	.	.
		18-19	132	2	2.1	2	2.1
		20-24	469	11	3.4	8	2.5
		25-29	572	10	2.4	14	3.3
		30-34	483	12	3.2	12	3.2
		35+	249	3	1.4	11	5.1
	Years since diagnosis	5-9	144	2	2.4	1	1.2
		10-14	671	17	3.3	11	2.2
		15-19	730	16	2.9	16	2.9
		20+	572	7	1.6	19	4.3
	Age at diagnosis	<1	15	.	.	.	.
		1-4	347	8	3.1	7	2.7
		5-9	649	11	2.3	11	2.3
		10-14	672	14	2.8	11	2.2
		15-20	434	9	2.6	18	5.2
	Treatment	Surgery only	16	.	.	.	.
		Chemotherapy, no radiation	1077	16	1.9	25	3.0
		Radiation, no chemotherapy	38	.	.	.	.
		Chemotherapy and radiation	767	18	3.2	14	2.5
		Unknown	219	8	4.7	8	4.7
Males	**All cases**		**1437**	**26**	**2.4**	**33**	**3.1**
	Age at baseline	<18	146	3	2.6	.	.
		18-19	97	2	2.8	1	1.4
		20-24	304	5	2.6	4	2.1
		25-29	407	8	2.6	11	3.6
		30-34	319	6	2.5	9	3.7
		35+	164	2	1.5	8	5.8
	Years since diagnosis	5-9	109	2	2.9	1	1.5
		10-14	456	10	3.0	6	1.8
		15-19	480	8	2.2	12	3.3
		20+	392	6	2.0	14	4.7
	Age at diagnosis	<1	5	.	.	.	.
		1-4	235	6	3.5	3	1.7
		5-9	451	6	1.8	9	2.7
		10-14	462	9	2.7	6	1.8
		15-20	284	5	2.3	15	6.8
	Treatment	Surgery only	13	.	.	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]: Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	728	137	19.5	13	538	78.8	276	51.3	131	24.3	38	7.1	49	9.1	7	1.3	20	3.7
		Radiation, no chemotherapy	28	10	35.7	.	22	88.0	17	77.3	4	18.2	1	4.5	.	.	.	.	.	.
		Chemotherapy and radiation	511	134	27.2	14	373	81.3	218	58.4	78	20.9	25	6.7	12	3.2	1	0.3	10	2.7
		Unknown	157	33	21.7	3	121	82.3	63	52.1	21	17.4	8	6.6	12	9.9	2	1.7	7	5.8
Females	**All cases**		**680**	**164**	**24.9**	**10**	**537**	**85.0**	**209**	**38.9**	**192**	**35.8**	**33**	**6.1**	**57**	**10.6**	**13**	**2.4**	**20**	**3.7**
	Age at baseline	<18	66	14	22.2	2	53	91.4	13	24.5	3	5.7	.	.	1	1.9	.	.	.	.
		18-19	35	6	18.2	.	26	89.7	1	3.8	17	65.4	.	.	2	7.7	.	.	2	7.7
		20-24	165	32	20.1	3	128	84.8	37	28.9	62	48.4	4	3.1	18	14.1	2	1.6	7	5.5
		25-29	165	48	30.6	2	116	75.3	50	43.1	37	31.9	11	9.5	17	14.7	4	3.4	5	4.3
		30-34	164	43	26.5	3	136	86.1	67	49.3	45	33.1	12	8.8	10	7.4	4	2.9	6	4.4
		35+	85	21	25.0	.	78	95.1	41	52.6	28	35.9	6	7.7	9	11.5	3	3.8	.	.
	Years since diagnosis	5-9	35	4	14.3	.	17	89.5	2	11.8	5	29.4	1	5.9	1	5.9	.	.	.	.
		10-14	215	59	28.0	4	173	84.8	57	32.9	56	32.4	8	4.6	17	9.8	5	2.9	8	4.6
		15-19	250	63	25.9	4	201	85.2	77	38.3	92	45.8	9	4.5	17	8.5	3	1.5	8	4.0
		20+	180	38	21.6	2	146	84.4	73	50.0	39	26.7	15	10.3	22	15.1	5	3.4	4	2.7
	Age at diagnosis	<1	10	3	30.0	.	10	100.0	2	20.0	1	10.0	.	.	.	.	.	.	.	.
		1-4	112	16	15.0	2	90	84.9	27	30.0	27	30.0	4	4.4	11	12.2	1	1.1	4	4.4
		5-9	198	45	23.6	4	151	83.0	48	31.8	57	37.7	5	3.3	20	13.2	3	2.0	6	4.0
		10-14	210	53	25.9	2	162	83.5	72	44.4	59	36.4	14	8.6	19	11.7	4	2.5	5	3.1
		15-20	150	47	32.4	2	124	88.6	60	48.4	48	38.7	10	8.1	7	5.6	5	4.0	5	4.0
	Treatment	Surgery only	3	1	33.3	1	2	100.0	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	349	67	19.9	7	284	86.6	113	39.8	106	37.3	16	5.6	28	9.9	7	2.5	7	2.5
		Radiation, no chemotherapy	10	3	30.0	.	9	100.0	7	77.8	1	11.1	1	11.1	.	.	1	11.1	1	11.1
		Chemotherapy and radiation	256	79	31.9	1	194	82.2	73	37.6	65	33.5	16	8.2	22	11.3	3	1.5	10	5.2
		Unknown	62	14	23.0	1	48	84.2	16	33.3	20	41.7	.	.	7	14.6	2	4.2	2	4.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	728	11	2.0	18	3.3
		Radiation, no chemotherapy	28	.	.	.	.
		Chemotherapy and radiation	511	10	2.7	8	2.1
		Unknown	157	5	4.1	7	5.8
Females	**All cases**		**680**	**16**	**3.0**	**14**	**2.6**
	Age at baseline	<18	66	1	1.9	.	.
		18-19	35	.	.	1	3.8
		20-24	165	6	4.7	4	3.1
		25-29	165	2	1.7	3	2.6
		30-34	164	6	4.4	3	2.2
		35+	85	1	1.3	3	3.8
	Years since diagnosis	5-9	35	.	.	.	.
		10-14	215	7	4.0	5	2.9
		15-19	250	8	4.0	4	2.0
		20+	180	1	0.7	5	3.4
	Age at diagnosis	<1	10	.	.	.	.
		1-4	112	2	2.2	4	4.4
		5-9	198	5	3.3	2	1.3
		10-14	210	5	3.1	5	3.1
		15-20	150	4	3.2	3	2.4
	Treatment	Surgery only	3	.	.	.	.
		Chemotherapy, no radiation	349	5	1.8	7	2.5
		Radiation, no chemotherapy	10	.	.	.	.
		Chemotherapy and radiation	256	8	4.1	6	3.1
		Unknown	62	3	6.3	1	2.1

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2277**	**398**	**18.0**	**73**	**1785**	**85.4**	**491**	**27.5**	**517**	**29.0**	**84**	**4.7**	**179**	**10.0**	**11**	**0.6**	**64**	**3.6**
	Age at baseline	<18	832	161	20.0	26	709	93.7	135	19.0	43	6.1	6	0.8	56	7.9	2	0.3	9	1.3
		18-19	305	39	13.3	10	241	86.1	13	5.4	152	63.1	3	1.2	26	10.8	1	0.4	14	5.8
		20-24	670	100	15.2	18	496	79.5	137	27.6	262	52.8	40	8.1	54	10.9	5	1.0	33	6.7
		25-29	374	85	23.5	19	259	76.6	152	58.7	45	17.4	32	12.4	38	14.7	3	1.2	5	1.9
		30-34	77	9	12.2	.	64	87.7	41	64.1	13	20.3	2	3.1	5	7.8	.	.	3	4.7
		35+	19	4	22.2	.	16	88.9	13	81.3	2	12.5	1	6.3	.	.	.	.	.	.
	Years since diagnosis	5-9	176	45	28.7	6	128	94.8	9	7.0	4	3.1	1	0.8	2	1.6	.	.	.	.
		10-14	739	134	18.4	28	627	91.3	126	20.1	93	14.8	10	1.6	61	9.7	3	0.5	14	2.2
		15-19	759	107	14.6	15	584	82.3	121	20.7	313	53.6	31	5.3	53	9.1	3	0.5	31	5.3
		20+	603	112	19.0	24	446	79.9	235	52.7	107	24.0	42	9.4	63	14.1	5	1.1	19	4.3
	Age at diagnosis	<1	331	60	18.8	7	275	89.0	58	21.1	70	25.5	11	4.0	32	11.6	2	0.7	9	3.3
		1-4	1396	241	17.7	47	1102	85.4	274	24.9	316	28.7	46	4.2	106	9.6	8	0.7	40	3.6
		5-9	468	79	17.4	17	352	83.6	126	35.8	119	33.8	22	6.3	35	9.9	.	.	14	4.0
		10-14	59	9	15.8	2	41	80.4	22	53.7	11	26.8	4	9.8	4	9.8	1	2.4	1	2.4
		15-20	23	9	45.0	.	15	78.9	11	73.3	1	6.7	1	6.7	2	13.3	.	.	.	.
	Treatment	Surgery only	35	4	11.8	.	27	81.8	10	37.0	5	18.5	1	3.7	3	11.1	1	3.7	.	.
		Chemotherapy, no radiation	873	139	16.4	12	724	87.1	177	24.4	211	29.1	30	4.1	73	10.1	5	0.7	30	4.1
		Radiation, no chemotherapy	4	1	25.0	.	2	50.0	.	.	1	50.0	1	50.0	.	.	.	.	.	.
		Chemotherapy and radiation	1155	212	18.9	53	875	84.7	272	31.1	261	29.8	43	4.9	86	9.8	5	0.6	30	3.4
		Unknown	210	42	20.8	8	157	83.1	32	20.4	39	24.8	9	5.7	17	10.8	.	.	4	2.5
Males	**All cases**		**1019**	**165**	**16.8**	**35**	**788**	**84.7**	**254**	**32.2**	**184**	**23.4**	**37**	**4.7**	**55**	**7.0**	**2**	**0.3**	**28**	**3.6**
	Age at baseline	<18	403	80	20.6	10	350	94.9	68	19.4	17	4.9	4	1.1	24	6.9	1	0.3	5	1.4
		18-19	126	15	12.5	5	93	81.6	5	5.4	54	58.1	1	1.1	7	7.5	.	.	8	8.6
		20-24	285	36	12.9	9	207	78.4	74	35.7	96	46.4	16	7.7	18	8.7	1	0.5	15	7.2
		25-29	165	30	18.9	11	107	73.8	81	75.7	13	12.1	16	15.0	5	4.7	.	.	.	.
		30-34	32	2	6.7	.	24	80.0	19	79.2	4	16.7	.	.	1	4.2	.	.	.	.
		35+	8	2	25.0	.	7	87.5	7	100.0	.	.	.	.	.	.	.	.	.	.
	Years since diagnosis	5-9	79	20	29.4	3	56	96.6	4	7.1	1	1.8	.	.	1	1.8	.	.	.	.
		10-14	333	63	19.3	11	287	92.6	60	20.9	27	9.4	5	1.7	21	7.3	1	0.3	7	2.4
		15-19	334	43	13.2	8	252	80.8	58	23.0	125	49.6	10	4.0	20	7.9	.	.	17	6.7
		20+	273	39	14.7	13	193	77.2	132	68.4	31	16.1	22	11.4	13	6.7	1	0.5	4	2.1
	Age at diagnosis	<1	169	27	16.9	3	135	86.5	32	23.7	24	17.8	7	5.2	13	9.6	1	0.7	5	3.7
		1-4	628	97	15.8	24	497	85.4	143	28.8	119	23.9	18	3.6	30	6.0	1	0.2	18	3.6
		5-9	192	35	19.1	7	139	82.7	66	47.5	39	28.1	11	7.9	11	7.9	.	.	5	3.6
		10-14	21	4	19.0	1	11	64.7	8	72.7	2	18.2	1	9.1	.	.	.	.	.	.
		15-20	9	2	28.6	.	6	85.7	5	83.3	.	.	.	.	1	16.7	.	.	.	.
	Treatment	Surgery only	19	3	16.7	.	13	76.5	5	38.5	2	15.4	1	7.7	1	7.7	1	7.7	.	.
		Chemotherapy, no radiation	396	55	14.3	7	324	86.2	89	27.5	78	24.1	12	3.7	28	8.6	1	0.3	15	4.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**2277**	**54**	**3.0**	**33**	**1.8**
	Age at baseline	<18	832	32	4.5	10	1.4
		18-19	305	5	2.1	2	0.8
		20-24	670	7	1.4	13	2.6
		25-29	374	9	3.5	6	2.3
		30-34	77	.	.	2	3.1
		35+	19	1	6.3	.	.
	Years since diagnosis	5-9	176	7	5.5	5	3.9
		10-14	739	27	4.3	7	1.1
		15-19	759	10	1.7	11	1.9
		20+	603	10	2.2	10	2.2
	Age at diagnosis	<1	331	9	3.3	3	1.1
		1-4	1396	34	3.1	21	1.9
		5-9	468	8	2.3	8	2.3
		10-14	59	2	4.9	.	.
		15-20	23	1	6.7	1	6.7
	Treatment	Surgery only	35	2	7.4	1	3.7
		Chemotherapy, no radiation	873	24	3.3	15	2.1
		Radiation, no chemotherapy	4	.	.	.	.
		Chemotherapy and radiation	1155	21	2.4	15	1.7
		Unknown	210	7	4.5	2	1.3
Males	**All cases**		**1019**	**24**	**3.0**	**15**	**1.9**
	Age at baseline	<18	403	19	5.4	6	1.7
		18-19	126	2	2.2	.	.
		20-24	285	2	1.0	5	2.4
		25-29	165	1	0.9	3	2.8
		30-34	32	.	.	1	4.2
		35+	8	.	.	.	.
	Years since diagnosis	5-9	79	3	5.4	2	3.6
		10-14	333	14	4.9	4	1.4
		15-19	334	5	2.0	4	1.6
		20+	273	2	1.0	5	2.6
	Age at diagnosis	<1	169	4	3.0	.	.
		1-4	628	18	3.6	8	1.6
		5-9	192	2	1.4	6	4.3
		10-14	21	.	.	.	.
		15-20	9	.	.	1	16.7
	Treatment	Surgery only	19	.	.	.	.
		Chemotherapy, no radiation	396	8	2.5	7	2.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy and radiation	499	86	17.8	23	380	85.0	143	37.6	89	23.4	20	5.3	24	6.3	.	.	10	2.6
		Unknown	105	21	21.2	5	71	78.9	17	23.9	15	21.1	4	5.6	2	2.8	.	.	3	4.2
Females	**All cases**		**1258**	**233**	**19.0**	**38**	**997**	**85.9**	**237**	**23.8**	**333**	**33.4**	**47**	**4.7**	**124**	**12.4**	**9**	**0.9**	**36**	**3.6**
	Age at baseline	<18	429	81	19.4	16	359	92.5	67	18.7	26	7.2	2	0.6	32	8.9	1	0.3	4	1.1
		18-19	179	24	13.8	5	148	89.2	8	5.4	98	66.2	2	1.4	19	12.8	1	0.7	6	4.1
		20-24	385	64	17.0	9	289	80.3	63	21.8	166	57.4	24	8.3	36	12.5	4	1.4	18	6.2
		25-29	209	55	27.1	8	152	78.8	71	46.7	32	21.1	16	10.5	33	21.7	3	2.0	5	3.3
		30-34	45	7	15.9	.	40	93.0	22	55.0	9	22.5	2	5.0	4	10.0	.	.	3	7.5
		35+	11	2	20.0	.	9	90.0	6	66.7	2	22.2	1	11.1	.	.	.	.	.	.
	Years since diagnosis	5-9	97	25	28.1	3	72	93.5	5	6.9	3	4.2	1	1.4	1	1.4	.	.	.	.
		10-14	406	71	17.7	17	340	90.2	66	19.4	66	19.4	5	1.5	40	11.8	2	0.6	7	2.1
		15-19	425	64	15.6	7	332	83.4	63	19.0	188	56.6	21	6.3	33	9.9	3	0.9	14	4.2
		20+	330	73	22.5	11	253	82.1	103	40.7	76	30.0	20	7.9	50	19.8	4	1.6	15	5.9
	Age at diagnosis	<1	162	33	20.6	4	140	91.5	26	18.6	46	32.9	4	2.9	19	13.6	1	0.7	4	2.9
		1-4	768	144	19.4	23	605	85.5	131	21.7	197	32.6	28	4.6	76	12.6	7	1.2	22	3.6
		5-9	276	44	16.2	10	213	84.2	60	28.2	80	37.6	11	5.2	24	11.3	.	.	9	4.2
		10-14	38	5	13.9	1	30	88.2	14	46.7	9	30.0	3	10.0	4	13.3	1	3.3	1	3.3
		15-20	14	7	53.8	.	9	75.0	6	66.7	1	11.1	1	11.1	1	11.1	.	.	.	.
	Treatment	Surgery only	16	1	6.3	.	14	87.5	5	35.7	3	21.4	.	.	2	14.3	.	.	.	.
		Chemotherapy, no radiation	477	84	18.1	5	400	87.9	88	22.0	133	33.3	18	4.5	45	11.3	4	1.0	15	3.8
		Radiation, no chemotherapy	4	1	25.0	.	2	50.0	.	.	1	50.0	1	50.0	.	.	.	.	.	.
		Chemotherapy and radiation	656	126	19.8	30	495	84.5	129	26.1	172	34.7	23	4.6	62	12.5	5	1.0	20	4.0
		Unknown	105	21	20.4	3	86	86.9	15	17.4	24	27.9	5	5.8	15	17.4	.	.	1	1.2

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy and radiation	499	12	3.2	8	2.1
		Unknown	105	4	5.6	.	.
Females	**All cases**		**1258**	**30**	**3.0**	**18**	**1.8**
	Age at baseline	<18	429	13	3.6	4	1.1
		18-19	179	3	2.0	2	1.4
		20-24	385	5	1.7	8	2.8
		25-29	209	8	5.3	3	2.0
		30-34	45	.	.	1	2.5
		35+	11	1	11.1	.	.
	Years since diagnosis	5-9	97	4	5.6	3	4.2
		10-14	406	13	3.8	3	0.9
		15-19	425	5	1.5	7	2.1
		20+	330	8	3.2	5	2.0
	Age at diagnosis	<1	162	5	3.6	3	2.1
		1-4	768	16	2.6	13	2.1
		5-9	276	6	2.8	2	0.9
		10-14	38	2	6.7	.	.
		15-20	14	1	11.1	.	.
	Treatment	Surgery only	16	2	14.3	1	7.1
		Chemotherapy, no radiation	477	16	4.0	8	2.0
		Radiation, no chemotherapy	4	.	.	.	.
		Chemotherapy and radiation	656	9	1.8	7	1.4
		Unknown	105	3	3.5	2	2.3

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1954**	**334**	**18.1**	**58**	**1556**	**88.5**	**452**	**29.0**	**451**	**29.0**	**36**	**2.3**	**170**	**10.9**	**16**	**1.0**	**58**	**3.7**
	Age at baseline	<18	957	175	19.6	35	788	94.7	245	31.1	59	7.5	3	0.4	64	8.1	5	0.6	12	1.5
		18-19	237	32	14.0	4	201	90.1	7	3.5	129	64.2	4	2.0	23	11.4	3	1.5	12	6.0
		20-24	544	81	15.7	16	397	79.7	108	27.2	226	56.9	17	4.3	57	14.4	7	1.8	21	5.3
		25-29	172	30	18.6	3	135	83.3	68	50.4	31	23.0	10	7.4	22	16.3	1	0.7	11	8.1
		30-34	36	13	36.1	.	28	77.8	20	71.4	5	17.9	2	7.1	2	7.1	.	.	1	3.6
		35+	8	3	37.5	.	7	87.5	4	57.1	1	14.3	.	.	2	28.6	.	.	1	14.3
	Years since diagnosis	5-9	160	20	18.0	8	75	94.9	6	8.0	.	.	.	.	3	4.0	.	.	.	.
		10-14	610	117	19.8	22	535	95.4	164	30.7	54	10.1	3	0.6	47	8.8	4	0.7	11	2.1
		15-19	639	100	16.1	14	538	88.3	122	22.7	220	40.9	12	2.2	61	11.3	9	1.7	23	4.3
		20+	545	97	18.6	14	408	80.0	160	39.2	177	43.4	21	5.1	59	14.5	3	0.7	24	5.9
	Age at diagnosis	<1	993	174	18.1	27	841	89.9	223	26.5	231	27.5	14	1.7	84	10.0	5	0.6	30	3.6
		1-4	764	130	18.1	29	591	87.6	172	29.1	178	30.1	16	2.7	75	12.7	10	1.7	21	3.6
		5-9	148	20	16.3	2	92	82.9	38	41.3	35	38.0	4	4.3	5	5.4	.	.	5	5.4
		10-14	30	6	24.0	.	19	79.2	12	63.2	3	15.8	2	10.5	4	21.1	1	5.3	1	5.3
		15-20	19	4	26.7	.	13	100.0	7	53.8	4	30.8	.	.	2	15.4	.	.	1	7.7
	Treatment	Surgery only	548	65	12.2	6	468	88.8	140	29.9	147	31.4	9	1.9	44	9.4	4	0.9	18	3.8
		Chemotherapy, no radiation	562	108	20.0	7	472	88.9	138	29.2	137	29.0	9	1.9	62	13.1	4	0.8	18	3.8
		Radiation, no chemotherapy	138	36	27.3	18	97	84.3	17	17.5	16	16.5	3	3.1	9	9.3	.	.	.	.
		Chemotherapy and radiation	532	98	20.6	23	387	89.6	125	32.3	118	30.5	14	3.6	52	13.4	5	1.3	18	4.7
		Unknown	174	27	16.3	4	132	85.7	32	24.2	33	25.0	1	0.8	3	2.3	3	2.3	4	3.0
Males	**All cases**		**953**	**165**	**18.4**	**26**	**740**	**87.0**	**231**	**31.2**	**206**	**27.8**	**21**	**2.8**	**75**	**10.1**	**6**	**0.8**	**30**	**4.1**
	Age at baseline	<18	479	85	19.1	16	392	94.2	130	33.2	31	7.9	2	0.5	38	9.7	3	0.8	8	2.0
		18-19	104	22	21.6	1	89	89.9	3	3.4	56	62.9	2	2.2	7	7.9	1	1.1	5	5.6
		20-24	275	36	14.1	6	185	75.2	59	31.9	107	57.8	8	4.3	20	10.8	1	0.5	8	4.3
		25-29	78	15	20.3	3	60	82.2	28	46.7	12	20.0	8	13.3	9	15.0	1	1.7	7	11.7
		30-34	14	4	28.6	.	12	85.7	10	83.3	.	.	1	8.3	.	.	.	.	1	8.3
		35+	3	3	100.0	.	2	66.7	1	50.0	.	.	.	.	1	50.0	.	.	1	50.0
	Years since diagnosis	5-9	75	7	14.3	5	31	93.9	3	9.7	.	.	.	.	1	3.2	.	.	.	.
		10-14	304	56	19.1	10	265	94.6	85	32.1	25	9.4	1	0.4	25	9.4	1	0.4	6	2.3
		15-19	308	58	19.2	4	254	86.4	65	25.6	97	38.2	9	3.5	25	9.8	5	2.0	12	4.7
		20+	266	44	17.5	7	190	77.9	78	41.1	84	44.2	11	5.8	24	12.6	.	.	12	6.3
	Age at diagnosis	<1	516	85	17.0	12	425	87.6	116	27.3	117	27.5	7	1.6	43	10.1	3	0.7	16	3.8
		1-4	344	67	20.7	13	261	87.0	88	33.7	74	28.4	9	3.4	31	11.9	2	0.8	9	3.4
		5-9	74	7	12.3	1	43	82.7	20	46.5	14	32.6	4	9.3	.	.	.	.	4	9.3
		10-14	13	4	40.0	.	7	70.0	5	71.4	.	.	1	14.3	.	.	1	14.3	.	.
		15-20	6	2	40.0	.	4	100.0	2	50.0	1	25.0	.	.	1	25.0	.	.	1	25.0
	Treatment	Surgery only	263	30	11.7	3	219	86.2	66	30.1	67	30.6	4	1.8	17	7.8	2	0.9	9	4.1

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**1954**	**52**	**3.3**	**26**	**1.7**
	Age at baseline	<18	957	31	3.9	14	1.8
		18-19	237	2	1.0	2	1.0
		20-24	544	8	2.0	7	1.8
		25-29	172	8	5.9	2	1.5
		30-34	36	2	7.1	.	.
		35+	8	1	14.3	1	14.3
	Years since diagnosis	5-9	160	6	8.0	2	2.7
		10-14	610	23	4.3	11	2.1
		15-19	639	9	1.7	6	1.1
		20+	545	14	3.4	7	1.7
	Age at diagnosis	<1	993	27	3.2	13	1.5
		1-4	764	18	3.0	11	1.9
		5-9	148	2	2.2	1	1.1
		10-14	30	3	15.8	.	.
		15-20	19	2	15.4	1	7.7
	Treatment	Surgery only	548	5	1.1	6	1.3
		Chemotherapy, no radiation	562	22	4.7	8	1.7
		Radiation, no chemotherapy	138	4	4.1	4	4.1
		Chemotherapy and radiation	532	18	4.7	7	1.8
		Unknown	174	3	2.3	1	0.8
Males	**All cases**		**953**	**23**	**3.1**	**16**	**2.2**
	Age at baseline	<18	479	16	4.1	11	2.8
		18-19	104	.	.	1	1.1
		20-24	275	3	1.6	3	1.6
		25-29	78	3	5.0	1	1.7
		30-34	14	1	8.3	.	.
		35+	3	.	.	.	.
	Years since diagnosis	5-9	75	1	3.2	2	6.5
		10-14	304	12	4.5	8	3.0
		15-19	308	5	2.0	4	1.6
		20+	266	5	2.6	2	1.1
	Age at diagnosis	<1	516	12	2.8	7	1.6
		1-4	344	9	3.4	8	3.1
		5-9	74	1	2.3	1	2.3
		10-14	13	1	14.3	.	.
		15-20	6	.	.	.	.
	Treatment	Surgery only	263	2	0.9	4	1.8

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	279	57	21.2	2	233	88.6	75	32.2	71	30.5	4	1.7	33	14.2	1	0.4	9	3.9
		Radiation, no chemotherapy	62	15	25.4	8	41	78.8	8	19.5	6	14.6	2	4.9	2	4.9	.	.	.	.
		Chemotherapy and radiation	259	45	19.8	10	181	88.3	65	35.9	49	27.1	11	6.1	23	12.7	1	0.6	10	5.5
		Unknown	90	18	21.4	3	66	85.7	17	25.8	13	19.7	.	.	.	.	2	3.0	2	3.0
Females	**All cases**		**1001**	**169**	**17.8**	**32**	**816**	**89.9**	**221**	**27.1**	**245**	**30.0**	**15**	**1.8**	**95**	**11.6**	**10**	**1.2**	**28**	**3.4**
	Age at baseline	<18	478	90	20.1	19	396	95.2	115	29.0	28	7.1	1	0.3	26	6.6	2	0.5	4	1.0
		18-19	133	10	7.9	3	112	90.3	4	3.6	73	65.2	2	1.8	16	14.3	2	1.8	7	6.3
		20-24	269	45	17.2	10	212	84.1	49	23.1	119	56.1	9	4.2	37	17.5	6	2.8	13	6.1
		25-29	94	15	17.2	.	75	84.3	40	53.3	19	25.3	2	2.7	13	17.3	.	.	4	5.3
		30-34	22	9	40.9	.	16	72.7	10	62.5	5	31.3	1	6.3	2	12.5	.	.	.	.
		35+	5	.	.	.	5	100.0	3	60.0	1	20.0	.	.	1	20.0	.	.	.	.
	Years since diagnosis	5-9	85	13	21.0	3	44	95.7	3	6.8	.	.	.	.	2	4.5	.	.	.	.
		10-14	306	61	20.5	12	270	96.1	79	29.3	29	10.7	2	0.7	22	8.1	3	1.1	5	1.9
		15-19	331	42	13.2	10	284	90.2	57	20.1	123	43.3	3	1.1	36	12.7	4	1.4	11	3.9
		20+	279	53	19.6	7	218	82.0	82	37.6	93	42.7	10	4.6	35	16.1	3	1.4	12	5.5
	Age at diagnosis	<1	477	89	19.2	15	416	92.2	107	25.7	114	27.4	7	1.7	41	9.9	2	0.5	14	3.4
		1-4	420	63	15.9	16	330	88.0	84	25.5	104	31.5	7	2.1	44	13.3	8	2.4	12	3.6
		5-9	74	13	19.7	1	49	83.1	18	36.7	21	42.9	.	.	5	10.2	.	.	1	2.0
		10-14	17	2	13.3	.	12	85.7	7	58.3	3	25.0	1	8.3	4	33.3	.	.	1	8.3
		15-20	13	2	20.0	.	9	100.0	5	55.6	3	33.3	.	.	1	11.1	.	.	.	.
	Treatment	Surgery only	285	35	12.7	3	249	91.2	74	29.7	80	32.1	5	2.0	27	10.8	2	0.8	9	3.6
		Chemotherapy, no radiation	283	51	18.9	5	239	89.2	63	26.4	66	27.6	5	2.1	29	12.1	3	1.3	9	3.8
		Radiation, no chemotherapy	76	21	28.8	10	56	88.9	9	16.1	10	17.9	1	1.8	7	12.5	.	.	.	.
		Chemotherapy and radiation	273	53	21.4	13	206	90.7	60	29.1	69	33.5	3	1.5	29	14.1	4	1.9	8	3.9
		Unknown	84	9	11.0	1	66	85.7	15	22.7	20	30.3	1	1.5	3	4.5	1	1.5	2	3.0

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	279	9	3.9	5	2.1
		Radiation, no chemotherapy	62	2	4.9	3	7.3
		Chemotherapy and radiation	259	8	4.4	3	1.7
		Unknown	90	2	3.0	1	1.5
Females	**All cases**		**1001**	**29**	**3.6**	**10**	**1.2**
	Age at baseline	<18	478	15	3.8	3	0.8
		18-19	133	2	1.8	1	0.9
		20-24	269	5	2.4	4	1.9
		25-29	94	5	6.7	1	1.3
		30-34	22	1	6.3	.	.
		35+	5	1	20.0	1	20.0
	Years since diagnosis	5-9	85	5	11.4	.	.
		10-14	306	11	4.1	3	1.1
		15-19	331	4	1.4	2	0.7
		20+	279	9	4.1	5	2.3
	Age at diagnosis	<1	477	15	3.6	6	1.4
		1-4	420	9	2.7	3	0.9
		5-9	74	1	2.0	.	.
		10-14	17	2	16.7	.	.
		15-20	13	2	22.2	1	11.1
	Treatment	Surgery only	285	3	1.2	2	0.8
		Chemotherapy, no radiation	283	13	5.4	3	1.3
		Radiation, no chemotherapy	76	2	3.6	1	1.8
		Chemotherapy and radiation	273	10	4.9	4	1.9
		Unknown	84	1	1.5	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1760**	**398**	**23.5**	**55**	**1306**	**84.8**	**590**	**45.2**	**347**	**26.6**	**70**	**5.4**	**124**	**9.5**	**13**	**1.0**	**48**	**3.7**
	Age at baseline	<18	341	79	24.3	13	262	92.9	53	20.2	14	5.3	2	0.8	11	4.2	.	.	1	0.4
		18-19	125	20	16.7	7	91	88.3	6	6.6	56	61.5	2	2.2	15	16.5	2	2.2	7	7.7
		20-24	425	78	19.5	14	271	76.1	95	35.1	129	47.6	17	6.3	31	11.4	2	0.7	20	7.4
		25-29	393	107	27.8	16	293	82.5	179	61.1	62	21.2	24	8.2	34	11.6	4	1.4	10	3.4
		30-34	299	65	22.5	3	240	87.3	162	67.5	49	20.4	12	5.0	22	9.2	5	2.1	7	2.9
		35+	177	49	28.5	2	149	88.2	95	63.8	37	24.8	13	8.7	11	7.4	.	.	3	2.0
	Years since diagnosis	5-9	182	42	24.9	8	98	92.5	19	19.4	15	15.3	3	3.1	6	6.1	1	1.0	3	3.1
		10-14	521	108	21.6	24	402	88.5	142	35.3	97	24.1	17	4.2	34	8.5	4	1.0	13	3.2
		15-19	541	113	21.6	14	415	83.7	196	47.2	138	33.3	22	5.3	38	9.2	5	1.2	17	4.1
		20+	516	135	27.1	9	391	80.8	233	59.6	97	24.8	28	7.2	46	11.8	3	0.8	15	3.8
	Age at diagnosis	<1	124	29	23.8	6	97	86.6	24	24.7	23	23.7	1	1.0	8	8.2	.	.	1	1.0
		1-4	562	126	23.4	20	410	83.3	136	33.2	101	24.6	15	3.7	44	10.7	3	0.7	13	3.2
		5-9	397	81	21.5	11	290	82.2	108	37.2	106	36.6	19	6.6	30	10.3	3	1.0	17	5.9
		10-14	348	85	25.4	12	256	85.6	159	62.1	60	23.4	13	5.1	26	10.2	4	1.6	9	3.5
		15-20	329	77	24.1	6	253	89.1	163	64.4	57	22.5	22	8.7	16	6.3	3	1.2	8	3.2
	Treatment	Surgery only	171	33	19.8	6	140	88.6	72	51.4	37	26.4	10	7.1	5	3.6	4	2.9	5	3.6
		Chemotherapy, no radiation	361	68	19.3	21	264	82.8	121	45.8	67	25.4	13	4.9	21	8.0	1	0.4	4	1.5
		Radiation, no chemotherapy	63	15	23.8	1	52	91.2	29	55.8	15	28.8	5	9.6	3	5.8	.	.	1	1.9
		Chemotherapy and radiation	974	237	25.6	24	718	85.2	313	43.6	193	26.9	38	5.3	80	11.1	7	1.0	31	4.3
		Unknown	191	45	24.5	3	132	81.0	55	41.7	35	26.5	4	3.0	15	11.4	1	0.8	7	5.3
Males	**All cases**		**951**	**187**	**20.6**	**29**	**682**	**82.9**	**344**	**50.4**	**144**	**21.1**	**45**	**6.6**	**64**	**9.4**	**3**	**0.4**	**21**	**3.1**
	Age at baseline	<18	192	43	23.8	7	140	91.5	32	22.9	8	5.7	1	0.7	8	5.7	.	.	1	0.7
		18-19	66	8	12.7	4	49	92.5	5	10.2	29	59.2	.	.	10	20.4	1	2.0	2	4.1
		20-24	242	42	18.5	7	148	72.5	56	37.8	70	47.3	9	6.1	13	8.8	.	.	9	6.1
		25-29	208	44	21.8	8	152	81.3	108	71.1	14	9.2	16	10.5	20	13.2	2	1.3	3	2.0
		30-34	159	28	18.3	2	120	83.3	89	74.2	15	12.5	9	7.5	9	7.5	.	.	5	4.2
		35+	84	22	26.5	1	73	89.0	54	74.0	8	11.0	10	13.7	4	5.5	.	.	1	1.4
	Years since diagnosis	5-9	100	20	22.2	6	49	94.2	10	20.4	5	10.2	1	2.0	1	2.0	.	.	1	2.0
		10-14	288	55	19.9	10	221	87.7	92	41.6	51	23.1	7	3.2	20	9.0	.	.	8	3.6
		15-19	282	43	15.9	7	203	79.6	106	52.2	53	26.1	14	6.9	20	9.9	2	1.0	5	2.5
		20+	281	69	25.4	6	209	79.2	136	65.1	35	16.7	23	11.0	23	11.0	1	0.5	7	3.3
	Age at diagnosis	<1	52	10	19.2	3	39	83.0	13	33.3	9	23.1	1	2.6	2	5.1	.	.	1	2.6
		1-4	331	68	21.6	11	236	82.8	85	36.0	49	20.8	11	4.7	29	12.3	2	0.8	4	1.7
		5-9	225	42	19.8	6	151	77.4	62	41.1	55	36.4	10	6.6	13	8.6	.	.	7	4.6
		10-14	186	40	22.6	7	135	84.4	91	67.4	21	15.6	9	6.7	14	10.4	1	0.7	6	4.4
		15-20	157	27	17.6	2	121	89.0	93	76.9	10	8.3	14	11.6	6	5.0	.	.	3	2.5
	Treatment	Surgery only	74	12	16.4	4	55	80.9	36	65.5	8	14.5	7	12.7	.	.	.	.	1	1.8

CCSS data from March 2026 data freeze

[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**1760**	**60**	**4.6**	**26**	**2.0**
	Age at baseline	<18	341	16	6.1	8	3.1
		18-19	125	2	2.2	1	1.1
		20-24	425	13	4.8	5	1.8
		25-29	393	16	5.5	9	3.1
		30-34	299	5	2.1	2	0.8
		35+	177	8	5.4	1	0.7
	Years since diagnosis	5-9	182	12	12.2	3	3.1
		10-14	521	18	4.5	9	2.2
		15-19	541	12	2.9	6	1.4
		20+	516	18	4.6	8	2.0
	Age at diagnosis	<1	124	5	5.2	4	4.1
		1-4	562	23	5.6	9	2.2
		5-9	397	8	2.8	4	1.4
		10-14	348	9	3.5	3	1.2
		15-20	329	15	5.9	6	2.4
	Treatment	Surgery only	171	8	5.7	4	2.9
		Chemotherapy, no radiation	361	13	4.9	7	2.7
		Radiation, no chemotherapy	63	3	5.8	.	.
		Chemotherapy and radiation	974	30	4.2	13	1.8
		Unknown	191	6	4.5	2	1.5
Males	**All cases**		**951**	**27**	**4.0**	**12**	**1.8**
	Age at baseline	<18	192	11	7.9	4	2.9
		18-19	66	1	2.0	.	.
		20-24	242	4	2.7	2	1.4
		25-29	208	5	3.3	4	2.6
		30-34	159	2	1.7	2	1.7
		35+	84	4	5.5	.	.
	Years since diagnosis	5-9	100	5	10.2	2	4.1
		10-14	288	14	6.3	4	1.8
		15-19	282	2	1.0	2	1.0
		20+	281	6	2.9	4	1.9
	Age at diagnosis	<1	52	1	2.6	1	2.6
		1-4	331	12	5.1	5	2.1
		5-9	225	3	2.0	2	1.3
		10-14	186	4	3.0	2	1.5
		15-20	157	7	5.8	2	1.7
	Treatment	Surgery only	74	2	3.6	2	3.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	212	34	16.6	10	156	82.1	81	51.9	28	17.9	9	5.8	10	6.4	1	0.6	2	1.3
		Radiation, no chemotherapy	32	7	21.9	.	27	93.1	14	51.9	7	25.9	5	18.5	.	.	.	.	1	3.7
		Chemotherapy and radiation	524	113	22.9	12	375	83.9	179	47.7	86	22.9	22	5.9	47	12.5	1	0.3	13	3.5
		Unknown	109	21	20.0	3	69	77.5	34	49.3	15	21.7	2	2.9	7	10.1	1	1.4	4	5.8
Females	**All cases**		**809**	**211**	**27.0**	**26**	**624**	**87.0**	**246**	**39.4**	**203**	**32.5**	**25**	**4.0**	**60**	**9.6**	**10**	**1.6**	**27**	**4.3**
	Age at baseline	<18	149	36	25.0	6	122	94.6	21	17.2	6	4.9	1	0.8	3	2.5	.	.	.	.
		18-19	59	12	21.1	3	42	84.0	1	2.4	27	64.3	2	4.8	5	11.9	1	2.4	5	11.9
		20-24	183	36	20.8	7	123	80.9	39	31.7	59	48.0	8	6.5	18	14.6	2	1.6	11	8.9
		25-29	185	63	34.4	8	141	83.9	71	50.4	48	34.0	8	5.7	14	9.9	2	1.4	7	5.0
		30-34	140	37	27.2	1	120	91.6	73	60.8	34	28.3	3	2.5	13	10.8	5	4.2	2	1.7
		35+	93	27	30.3	1	76	87.4	41	53.9	29	38.2	3	3.9	7	9.2	.	.	2	2.6
	Years since diagnosis	5-9	82	22	27.8	2	49	90.7	9	18.4	10	20.4	2	4.1	5	10.2	1	2.0	2	4.1
		10-14	233	53	23.9	14	181	89.6	50	27.6	46	25.4	10	5.5	14	7.7	4	2.2	5	2.8
		15-19	259	70	27.6	7	212	88.0	90	42.5	85	40.1	8	3.8	18	8.5	3	1.4	12	5.7
		20+	235	66	29.1	3	182	82.7	97	53.3	62	34.1	5	2.7	23	12.6	2	1.1	8	4.4
	Age at diagnosis	<1	72	19	27.1	3	58	89.2	11	19.0	14	24.1	.	.	6	10.3	.	.	.	.
		1-4	231	58	26.0	9	174	84.1	51	29.3	52	29.9	4	2.3	15	8.6	1	0.6	9	5.2
		5-9	172	39	23.6	5	139	88.0	46	33.1	51	36.7	9	6.5	17	12.2	3	2.2	10	7.2
		10-14	162	45	28.7	5	121	87.1	68	56.2	39	32.2	4	3.3	12	9.9	3	2.5	3	2.5
		15-20	172	50	29.9	4	132	89.2	70	53.0	47	35.6	8	6.1	10	7.6	3	2.3	5	3.8
	Treatment	Surgery only	97	21	22.3	2	85	94.4	36	42.4	29	34.1	3	3.5	5	5.9	4	4.7	4	4.7
		Chemotherapy, no radiation	149	34	23.1	11	108	83.7	40	37.0	39	36.1	4	3.7	11	10.2	.	.	2	1.9
		Radiation, no chemotherapy	31	8	25.8	1	25	89.3	15	60.0	8	32.0	.	.	3	12.0	.	.	.	.
		Chemotherapy and radiation	450	124	28.8	12	343	86.6	134	39.1	107	31.2	16	4.7	33	9.6	6	1.7	18	5.2
		Unknown	82	24	30.4	.	63	85.1	21	33.3	20	31.7	2	3.2	8	12.7	.	.	3	4.8

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	212	5	3.2	3	1.9
		Radiation, no chemotherapy	32	1	3.7	.	.
		Chemotherapy and radiation	524	16	4.3	6	1.6
		Unknown	109	3	4.3	1	1.4
Females	**All cases**		**809**	**33**	**5.3**	**14**	**2.2**
	Age at baseline	<18	149	5	4.1	4	3.3
		18-19	59	1	2.4	1	2.4
		20-24	183	9	7.3	3	2.4
		25-29	185	11	7.8	5	3.5
		30-34	140	3	2.5	.	.
		35+	93	4	5.3	1	1.3
	Years since diagnosis	5-9	82	7	14.3	1	2.0
		10-14	233	4	2.2	5	2.8
		15-19	259	10	4.7	4	1.9
		20+	235	12	6.6	4	2.2
	Age at diagnosis	<1	72	4	6.9	3	5.2
		1-4	231	11	6.3	4	2.3
		5-9	172	5	3.6	2	1.4
		10-14	162	5	4.1	1	0.8
		15-20	172	8	6.1	4	3.0
	Treatment	Surgery only	97	6	7.1	2	2.4
		Chemotherapy, no radiation	149	8	7.4	4	3.7
		Radiation, no chemotherapy	31	2	8.0	.	.
		Chemotherapy and radiation	450	14	4.1	7	2.0
		Unknown	82	3	4.8	1	1.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**2100**	**506**	**25.8**	**55**	**1571**	**87.3**	**777**	**49.5**	**440**	**28.0**	**97**	**6.2**	**252**	**16.0**	**15**	**1.0**	**63**	**4.0**
	Age at baseline	<18	96	14	18.2	3	51	98.1	17	33.3	3	5.9	.	.	5	9.8	1	2.0	1	2.0
		18-19	72	9	15.3	3	42	91.3	.	.	33	78.6	1	2.4	3	7.1	1	2.4	4	9.5
		20-24	389	78	22.5	14	235	82.2	65	27.7	116	49.4	10	4.3	44	18.7	4	1.7	15	6.4
		25-29	568	134	25.0	15	428	85.8	220	51.4	85	19.9	42	9.8	85	19.9	4	0.9	18	4.2
		30-34	567	162	29.5	13	467	88.6	276	59.1	110	23.6	23	4.9	66	14.1	4	0.9	17	3.6
		35+	408	109	27.6	7	348	89.2	199	57.2	93	26.7	21	6.0	49	14.1	1	0.3	8	2.3
	Years since diagnosis	5-9	243	41	22.9	9	83	85.6	20	24.1	29	34.9	4	4.8	11	13.3	2	2.4	5	6.0
		10-14	681	166	25.5	18	511	85.6	242	47.4	155	30.3	35	6.8	85	16.6	3	0.6	18	3.5
		15-19	677	170	26.2	19	560	88.7	283	50.5	152	27.1	38	6.8	84	15.0	6	1.1	32	5.7
		20+	499	129	26.6	9	417	87.8	232	55.6	104	24.9	20	4.8	72	17.3	4	1.0	8	1.9
	Age at diagnosis	<1	9	.	.	.	8	100.0	4	50.0	.	.	.	.	2	25.0	.	.	.	.
		1-4	88	13	16.5	4	70	94.6	19	27.1	27	38.6	1	1.4	17	24.3	.	.	3	4.3
		5-9	369	79	22.5	12	275	86.2	100	36.4	108	39.3	11	4.0	31	11.3	7	2.5	16	5.8
		10-14	842	199	25.3	23	616	85.1	314	51.0	155	25.2	37	6.0	116	18.8	6	1.0	24	3.9
		15-20	792	215	29.1	16	602	89.2	340	56.5	150	24.9	48	8.0	86	14.3	2	0.3	20	3.3
	Treatment	Surgery only	119	25	21.2	6	101	91.8	57	56.4	34	33.7	3	3.0	8	7.9	3	3.0	.	.
		Chemotherapy, no radiation	1191	289	26.0	33	912	86.4	432	47.4	255	28.0	63	6.9	161	17.7	9	1.0	44	4.8
		Radiation, no chemotherapy	17	6	40.0	3	11	91.7	8	72.7	2	18.2	.	.	1	9.1	.	.	.	.
		Chemotherapy and radiation	582	136	25.1	12	417	88.9	211	50.6	122	29.3	24	5.8	59	14.1	2	0.5	14	3.4
		Unknown	191	50	28.2	1	130	85.0	69	53.1	27	20.8	7	5.4	23	17.7	1	0.8	5	3.8
Males	**All cases**		**1086**	**251**	**25.0**	**31**	**766**	**84.3**	**418**	**54.6**	**162**	**21.1**	**65**	**8.5**	**110**	**14.4**	**2**	**0.3**	**34**	**4.4**
	Age at baseline	<18	48	6	16.7	.	24	100.0	7	29.2	2	8.3	.	.	1	4.2	1	4.2	.	.
		18-19	36	3	9.7	1	18	90.0	.	.	13	72.2	1	5.6	1	5.6	1	5.6	1	5.6
		20-24	194	36	20.9	10	115	83.9	27	23.5	66	57.4	4	3.5	23	20.0	.	.	10	8.7
		25-29	299	69	24.9	11	203	80.9	111	54.7	26	12.8	31	15.3	35	17.2	.	.	7	3.4
		30-34	284	82	29.8	5	224	85.2	158	70.5	27	12.1	14	6.3	25	11.2	.	.	10	4.5
		35+	225	55	25.6	4	182	85.0	115	63.2	28	15.4	15	8.2	25	13.7	.	.	6	3.3
	Years since diagnosis	5-9	133	17	17.9	6	43	87.8	11	25.6	13	30.2	3	7.0	8	18.6	1	2.3	2	4.7
		10-14	349	87	26.2	10	247	83.7	129	52.2	64	25.9	26	10.5	31	12.6	1	0.4	11	4.5
		15-19	349	87	26.0	8	279	85.6	152	54.5	59	21.1	24	8.6	40	14.3	.	.	16	5.7
		20+	255	60	24.5	7	197	82.4	126	64.0	26	13.2	12	6.1	31	15.7	.	.	5	2.5
	Age at diagnosis	<1	4	.	.	.	4	100.0	3	75.0	.	.	.	.	.	.	.	.	.	.
		1-4	47	7	16.7	2	37	92.5	9	24.3	16	43.2	1	2.7	8	21.6	.	.	2	5.4
		5-9	189	39	21.7	7	130	81.8	48	36.9	44	33.8	7	5.4	17	13.1	2	1.5	10	7.7
		10-14	403	96	25.6	14	278	82.5	154	55.4	60	21.6	24	8.6	42	15.1	.	.	9	3.2
		15-20	443	109	26.9	8	317	85.9	204	64.4	42	13.2	33	10.4	43	13.6	.	.	13	4.1
	Treatment	Surgery only	48	12	25.5	3	40	90.9	27	67.5	8	20.0	3	7.5	3	7.5	1	2.5	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**2100**	**84**	**5.3**	**36**	**2.3**
	Age at baseline	<18	96	1	2.0	.	.
		18-19	72	4	9.5	.	.
		20-24	389	13	5.5	3	1.3
		25-29	568	24	5.6	17	4.0
		30-34	567	18	3.9	9	1.9
		35+	408	24	6.9	7	2.0
	Years since diagnosis	5-9	243	4	4.8	1	1.2
		10-14	681	32	6.3	19	3.7
		15-19	677	31	5.5	8	1.4
		20+	499	17	4.1	8	1.9
	Age at diagnosis	<1	9	.	.	.	.
		1-4	88	4	5.7	1	1.4
		5-9	369	12	4.4	1	0.4
		10-14	842	27	4.4	16	2.6
		15-20	792	41	6.8	18	3.0
	Treatment	Surgery only	119	4	4.0	2	2.0
		Chemotherapy, no radiation	1191	50	5.5	24	2.6
		Radiation, no chemotherapy	17	.	.	.	.
		Chemotherapy and radiation	582	17	4.1	7	1.7
		Unknown	191	13	10.0	3	2.3
Males	**All cases**		**1086**	**43**	**5.6**	**17**	**2.2**
	Age at baseline	<18	48	1	4.2	.	.
		18-19	36	2	11.1	.	.
		20-24	194	4	3.5	.	.
		25-29	299	12	5.9	7	3.4
		30-34	284	9	4.0	4	1.8
		35+	225	15	8.2	6	3.3
	Years since diagnosis	5-9	133	2	4.7	.	.
		10-14	349	16	6.5	9	3.6
		15-19	349	15	5.4	3	1.1
		20+	255	10	5.1	5	2.5
	Age at diagnosis	<1	4	.	.	.	.
		1-4	47	1	2.7	.	.
		5-9	189	6	4.6	1	0.8
		10-14	403	12	4.3	4	1.4
		15-20	443	24	7.6	12	3.8
	Treatment	Surgery only	48	3	7.5	1	2.5

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Chemotherapy, no radiation	612	133	23.5	19	444	83.5	233	52.5	94	21.2	42	9.5	68	15.3	1	0.2	24	5.4
		Radiation, no chemotherapy	9	2	25.0	2	6	100.0	4	66.7	1	16.7	.	.	1	16.7	.	.	.	.
		Chemotherapy and radiation	297	74	27.0	6	200	86.6	106	53.0	49	24.5	14	7.0	27	13.5	.	.	7	3.5
		Unknown	120	30	26.8	1	76	79.2	48	63.2	10	13.2	6	7.9	11	14.5	.	.	3	3.9
Females	**All cases**		**1014**	**255**	**26.6**	**24**	**805**	**90.3**	**359**	**44.6**	**278**	**34.5**	**32**	**4.0**	**142**	**17.6**	**13**	**1.6**	**29**	**3.6**
	Age at baseline	<18	48	8	19.5	3	27	96.4	10	37.0	1	3.7	.	.	4	14.8	.	.	1	3.7
		18-19	36	6	21.4	2	24	92.3	.	.	20	83.3	.	.	2	8.3	.	.	3	12.5
		20-24	195	42	24.0	4	120	80.5	38	31.7	50	41.7	6	5.0	21	17.5	4	3.3	5	4.2
		25-29	269	65	25.0	4	225	90.7	109	48.4	59	26.2	11	4.9	50	22.2	4	1.8	11	4.9
		30-34	283	80	29.2	8	243	92.0	118	48.6	83	34.2	9	3.7	41	16.9	4	1.6	7	2.9
		35+	183	54	30.0	3	166	94.3	84	50.6	65	39.2	6	3.6	24	14.5	1	0.6	2	1.2
	Years since diagnosis	5-9	110	24	28.6	3	40	83.3	9	22.5	16	40.0	1	2.5	3	7.5	1	2.5	3	7.5
		10-14	332	79	24.8	8	264	87.4	113	42.8	91	34.5	9	3.4	54	20.5	2	0.8	7	2.7
		15-19	328	83	26.3	11	281	92.1	131	46.6	93	33.1	14	5.0	44	15.7	6	2.1	16	5.7
		20+	244	69	28.8	2	220	93.2	106	48.2	78	35.5	8	3.6	41	18.6	4	1.8	3	1.4
	Age at diagnosis	<1	5	.	.	.	4	100.0	1	25.0	.	.	.	.	2	50.0	.	.	.	.
		1-4	41	6	16.2	2	33	97.1	10	30.3	11	33.3	.	.	9	27.3	.	.	1	3.0
		5-9	180	40	23.4	5	145	90.6	52	35.9	64	44.1	4	2.8	14	9.7	5	3.4	6	4.1
		10-14	439	103	25.1	9	338	87.3	160	47.3	95	28.1	13	3.8	74	21.9	6	1.8	15	4.4
		15-20	349	106	31.6	8	285	93.1	136	47.7	108	37.9	15	5.3	43	15.1	2	0.7	7	2.5
	Treatment	Surgery only	71	13	18.3	3	61	92.4	30	49.2	26	42.6	.	.	5	8.2	2	3.3	.	.
		Chemotherapy, no radiation	579	156	28.5	14	468	89.3	199	42.5	161	34.4	21	4.5	93	19.9	8	1.7	20	4.3
		Radiation, no chemotherapy	8	4	57.1	1	5	83.3	4	80.0	1	20.0	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	285	62	23.2	6	217	91.2	105	48.4	73	33.6	10	4.6	32	14.7	2	0.9	7	3.2
		Unknown	71	20	30.8	.	54	94.7	21	38.9	17	31.5	1	1.9	12	22.2	1	1.9	2	3.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Chemotherapy, no radiation	612	21	4.7	10	2.3
		Radiation, no chemotherapy	9	.	.	.	.
		Chemotherapy and radiation	297	7	3.5	4	2.0
		Unknown	120	12	15.8	2	2.6
Females	**All cases**		**1014**	**41**	**5.1**	**19**	**2.4**
	Age at baseline	<18	48	.	.	.	.
		18-19	36	2	8.3	.	.
		20-24	195	9	7.5	3	2.5
		25-29	269	12	5.3	10	4.4
		30-34	283	9	3.7	5	2.1
		35+	183	9	5.4	1	0.6
	Years since diagnosis	5-9	110	2	5.0	1	2.5
		10-14	332	16	6.1	10	3.8
		15-19	328	16	5.7	5	1.8
		20+	244	7	3.2	3	1.4
	Age at diagnosis	<1	5	.	.	.	.
		1-4	41	3	9.1	1	3.0
		5-9	180	6	4.1	.	.
		10-14	439	15	4.4	12	3.6
		15-20	349	17	6.0	6	2.1
	Treatment	Surgery only	71	1	1.6	1	1.6
		Chemotherapy, no radiation	579	29	6.2	14	3.0
		Radiation, no chemotherapy	8	.	.	.	.
		Chemotherapy and radiation	285	10	4.6	3	1.4
		Unknown	71	1	1.9	1	1.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**738**	**158**	**22.9**	**15**	**539**	**88.7**	**270**	**50.1**	**162**	**30.1**	**32**	**5.9**	**63**	**11.7**	**3**	**0.6**	**24**	**4.5**
	Age at baseline	<18	61	9	17.0	.	36	100.0	15	41.7	3	8.3	.	.	3	8.3	.	.	1	2.8
		18-19	36	5	17.9	1	17	89.5	.	.	12	70.6	.	.	1	5.9	.	.	1	5.9
		20-24	170	28	18.2	4	111	88.1	32	28.8	61	55.0	5	4.5	17	15.3	1	0.9	9	8.1
		25-29	204	48	25.0	4	153	86.0	80	52.3	34	22.2	14	9.2	20	13.1	2	1.3	7	4.6
		30-34	164	41	25.6	3	133	88.7	94	70.7	24	18.0	8	6.0	10	7.5	.	.	4	3.0
		35+	103	27	26.2	3	89	89.9	49	55.1	28	31.5	5	5.6	12	13.5	.	.	2	2.2
	Years since diagnosis	5-9	104	18	22.2	2	30	93.8	7	23.3	9	30.0	2	6.7	3	10.0	.	.	2	6.7
		10-14	247	55	23.6	2	190	88.8	86	45.3	70	36.8	11	5.8	21	11.1	1	0.5	8	4.2
		15-19	223	47	21.9	6	184	88.0	97	52.7	53	28.8	12	6.5	16	8.7	1	0.5	13	7.1
		20+	164	38	23.6	5	135	88.2	80	59.3	30	22.2	7	5.2	23	17.0	1	0.7	1	0.7
	Age at diagnosis	<1	5	.	.	.	4	100.0	1	25.0	.	.	.	.	1	25.0	.	.	.	.
		1-4	54	6	12.5	2	43	97.7	14	32.6	13	30.2	.	.	11	25.6	.	.	3	7.0
		5-9	183	37	21.0	3	141	89.2	59	41.8	55	39.0	5	3.5	11	7.8	3	2.1	6	4.3
		10-14	278	59	23.0	9	191	85.7	105	55.0	54	28.3	13	6.8	20	10.5	.	.	8	4.2
		15-20	218	56	27.2	1	160	89.4	91	56.9	40	25.0	14	8.8	20	12.5	.	.	7	4.4
	Treatment	Surgery only	1	.	.	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	210	37	18.6	5	173	90.1	82	47.4	52	30.1	12	6.9	22	12.7	2	1.2	11	6.4
		Radiation, no chemotherapy	2	.	.	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	463	105	24.4	10	327	88.4	169	51.7	98	30.0	17	5.2	37	11.3	1	0.3	11	3.4
		Unknown	62	16	27.1	.	37	84.1	17	45.9	12	32.4	3	8.1	4	10.8	.	.	2	5.4
Males	**All cases**		**386**	**88**	**24.4**	**10**	**268**	**86.2**	**132**	**49.3**	**74**	**27.6**	**19**	**7.1**	**32**	**11.9**	**.**	**.**	**15**	**5.6**
	Age at baseline	<18	27	5	20.8	.	17	100.0	6	35.3	2	11.8	.	.	1	5.9	.	.	.	.
		18-19	20	1	6.3	.	7	87.5	.	.	5	71.4	.	.	.	.	.	.	.	.
		20-24	88	15	18.5	4	59	90.8	13	22.0	36	61.0	3	5.1	9	15.3	.	.	9	15.3
		25-29	105	29	29.9	2	73	83.0	35	47.9	13	17.8	11	15.1	11	15.1	.	.	2	2.7
		30-34	90	23	26.4	2	67	84.8	53	79.1	6	9.0	3	4.5	5	7.5	.	.	3	4.5
		35+	56	15	26.8	2	45	83.3	25	55.6	12	26.7	2	4.4	6	13.3	.	.	1	2.2
	Years since diagnosis	5-9	56	8	17.4	2	19	95.0	6	31.6	6	31.6	1	5.3	3	15.8	.	.	2	10.5
		10-14	121	33	29.5	2	85	87.6	37	43.5	32	37.6	8	9.4	7	8.2	.	.	4	4.7
		15-19	123	26	22.0	1	99	85.3	49	49.5	26	26.3	7	7.1	10	10.1	.	.	8	8.1
		20+	86	21	24.7	5	65	83.3	40	61.5	10	15.4	3	4.6	12	18.5	.	.	1	1.5
	Age at diagnosis	<1	2	.	.	.	2	100.0	1	50.0	.	.	.	.	.	.	.	.	.	.
		1-4	29	5	19.2	1	24	100.0	7	29.2	8	33.3	.	.	6	25.0	.	.	2	8.3
		5-9	91	18	20.2	2	66	85.7	24	36.4	24	36.4	4	6.1	6	9.1	.	.	5	7.6
		10-14	147	37	27.2	7	98	84.5	50	51.0	28	28.6	9	9.2	11	11.2	.	.	4	4.1
		15-20	117	28	25.9	.	78	84.8	50	64.1	14	17.9	6	7.7	9	11.5	.	.	4	5.1
	Treatment	Chemotherapy, no radiation	111	18	17.3	4	88	88.0	39	44.3	26	29.5	7	8.0	13	14.8	.	.	7	8.0

CCSS data from March 2026 data freeze

[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator

[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)

[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance

n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**738**	**17**	**3.2**	**11**	**2.0**
	Age at baseline	<18	61	.	.	.	.
		18-19	36	2	11.8	.	.
		20-24	170	3	2.7	2	1.8
		25-29	204	4	2.6	8	5.2
		30-34	164	4	3.0	1	0.8
		35+	103	4	4.5	.	.
	Years since diagnosis	5-9	104	1	3.3	.	.
		10-14	247	7	3.7	9	4.7
		15-19	223	7	3.8	2	1.1
		20+	164	2	1.5	.	.
	Age at diagnosis	<1	5	.	.	.	.
		1-4	54	1	2.3	.	.
		5-9	183	4	2.8	.	.
		10-14	278	4	2.1	7	3.7
		15-20	218	8	5.0	4	2.5
	Treatment	Surgery only	1	.	.	.	.
		Chemotherapy, no radiation	210	6	3.5	5	2.9
		Radiation, no chemotherapy	2	.	.	.	.
		Chemotherapy and radiation	463	9	2.8	5	1.5
		Unknown	62	2	5.4	1	2.7
Males	**All cases**		**386**	**8**	**3.0**	**4**	**1.5**
	Age at baseline	<18	27	.	.	.	.
		18-19	20	1	14.3	.	.
		20-24	88	1	1.7	.	.
		25-29	105	2	2.7	4	5.5
		30-34	90	2	3.0	.	.
		35+	56	2	4.4	.	.
	Years since diagnosis	5-9	56	.	.	.	.
		10-14	121	4	4.7	3	3.5
		15-19	123	2	2.0	1	1.0
		20+	86	2	3.1	.	.
	Age at diagnosis	<1	2	.	.	.	.
		1-4	29	1	4.2	.	.
		5-9	91	1	1.5	.	.
		10-14	147	2	2.0	3	3.1
		15-20	117	4	5.1	1	1.3
	Treatment	Chemotherapy, no radiation	111	2	2.3	2	2.3

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	1	.	.	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	237	60	27.3	6	157	85.8	81	51.6	41	26.1	10	6.4	17	10.8	.	.	7	4.5
		Unknown	37	10	27.8	.	22	81.5	11	50.0	7	31.8	2	9.1	2	9.1	.	.	1	4.5
Females	**All cases**		**352**	**70**	**21.3**	**5**	**271**	**91.2**	**138**	**50.9**	**88**	**32.5**	**13**	**4.8**	**31**	**11.4**	**3**	**1.1**	**9**	**3.3**
	Age at baseline	<18	34	4	13.8	.	19	100.0	9	47.4	1	5.3	.	.	2	10.5	.	.	1	5.3
		18-19	16	4	33.3	1	10	90.9	.	.	7	70.0	.	.	1	10.0	.	.	1	10.0
		20-24	82	13	17.8	.	52	85.2	19	36.5	25	48.1	2	3.8	8	15.4	1	1.9	.	.
		25-29	99	19	20.0	2	80	88.9	45	56.3	21	26.3	3	3.8	9	11.3	2	2.5	5	6.3
		30-34	74	18	24.7	1	66	93.0	41	62.1	18	27.3	5	7.6	5	7.6	.	.	1	1.5
		35+	47	12	25.5	1	44	97.8	24	54.5	16	36.4	3	6.8	6	13.6	.	.	1	2.3
	Years since diagnosis	5-9	48	10	28.6	.	11	91.7	1	9.1	3	27.3	1	9.1	.	.	.	.	.	.
		10-14	126	22	18.2	.	105	89.7	49	46.7	38	36.2	3	2.9	14	13.3	1	1.0	4	3.8
		15-19	100	21	21.6	5	85	91.4	48	56.5	27	31.8	5	5.9	6	7.1	1	1.2	5	5.9
		20+	78	17	22.4	.	70	93.3	40	57.1	20	28.6	4	5.7	11	15.7	1	1.4	.	.
	Age at diagnosis	<1	3	.	.	.	2	100.0	.	.	.	.	.	.	1	50.0	.	.	.	.
		1-4	25	1	4.5	1	19	95.0	7	36.8	5	26.3	.	.	5	26.3	.	.	1	5.3
		5-9	92	19	21.8	1	75	92.6	35	46.7	31	41.3	1	1.3	5	6.7	3	4.0	1	1.3
		10-14	131	22	18.3	2	93	86.9	55	59.1	26	28.0	4	4.3	9	9.7	.	.	4	4.3
		15-20	101	28	28.6	1	82	94.3	41	50.0	26	31.7	8	9.8	11	13.4	.	.	3	3.7
	Treatment	Surgery only	1	.	.	.	1	100.0	1	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy, no radiation	99	19	20.0	1	85	92.4	43	50.6	26	30.6	5	5.9	9	10.6	2	2.4	4	4.7
		Radiation, no chemotherapy	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	226	45	21.4	4	170	90.9	88	51.8	57	33.5	7	4.1	20	11.8	1	0.6	4	2.4
		Unknown	25	6	26.1	.	15	88.2	6	40.0	5	33.3	1	6.7	2	13.3	.	.	1	6.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Radiation, no chemotherapy	1	.	.	.	.
		Chemotherapy and radiation	237	4	2.5	2	1.3
		Unknown	37	2	9.1	.	.
Females	**All cases**		**352**	**9**	**3.3**	**7**	**2.6**
	Age at baseline	<18	34	.	.	.	.
		18-19	16	1	10.0	.	.
		20-24	82	2	3.8	2	3.8
		25-29	99	2	2.5	4	5.0
		30-34	74	2	3.0	1	1.5
		35+	47	2	4.5	.	.
	Years since diagnosis	5-9	48	1	9.1	.	.
		10-14	126	3	2.9	6	5.7
		15-19	100	5	5.9	1	1.2
		20+	78	.	.	.	.
	Age at diagnosis	<1	3	.	.	.	.
		1-4	25	.	.	.	.
		5-9	92	3	4.0	.	.
		10-14	131	2	2.2	4	4.3
		15-20	101	4	4.9	3	3.7
	Treatment	Surgery only	1	.	.	.	.
		Chemotherapy, no radiation	99	4	4.7	3	3.5
		Radiation, no chemotherapy	1	.	.	.	.
		Chemotherapy and radiation	226	5	2.9	3	1.8
		Unknown	25	.	.	1	6.7

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
Both sexes	**All cases**		**1259**	**326**	**27.7**	**34**	**947**	**86.0**	**464**	**49.0**	**247**	**26.1**	**64**	**6.8**	**180**	**19.0**	**9**	**1.0**	**38**	**4.0**
	Age at baseline	<18	29	3	15.8	3	11	100.0	.	.	.	.	.	.	1	9.1	1	9.1	.	.
		18-19	30	4	16.0	1	20	90.9	.	.	16	80.0	1	5.0	2	10.0	.	.	3	15.0
		20-24	199	44	25.3	8	110	76.9	31	28.2	46	41.8	5	4.5	25	22.7	2	1.8	6	5.5
		25-29	344	85	26.2	8	260	85.0	128	49.2	48	18.5	28	10.8	64	24.6	2	0.8	11	4.2
		30-34	374	116	32.0	10	307	88.0	167	54.4	80	26.1	14	4.6	53	17.3	3	1.0	12	3.9
		35+	283	74	27.3	4	239	88.5	138	57.7	57	23.8	16	6.7	35	14.6	1	0.4	6	2.5
	Years since diagnosis	5-9	132	21	23.1	6	49	81.7	13	26.5	18	36.7	2	4.1	7	14.3	2	4.1	3	6.1
		10-14	397	107	27.9	13	293	83.5	138	47.1	77	26.3	24	8.2	62	21.2	.	.	10	3.4
		15-19	423	114	28.1	12	348	88.3	175	50.3	85	24.4	25	7.2	66	19.0	5	1.4	19	5.5
		20+	307	84	28.3	3	257	86.8	138	53.7	67	26.1	13	5.1	45	17.5	2	0.8	6	2.3
	Age at diagnosis	1-4	25	6	26.1	1	20	87.0	5	25.0	9	45.0	1	5.0	5	25.0	.	.	.	.
		5-9	168	37	23.4	7	121	82.9	37	30.6	45	37.2	6	5.0	20	16.5	2	1.7	10	8.3
		10-14	534	134	26.7	11	402	84.6	196	48.8	96	23.9	24	6.0	92	22.9	5	1.2	15	3.7
		15-20	532	149	30.2	15	404	88.4	226	55.9	97	24.0	33	8.2	63	15.6	2	0.5	13	3.2
	Treatment	Surgery only	86	18	20.9	4	72	90.0	42	58.3	22	30.6	3	4.2	5	6.9	1	1.4	.	.
		Chemotherapy, no radiation	957	248	27.8	27	721	85.3	340	47.2	197	27.3	51	7.1	138	19.1	7	1.0	33	4.6
		Radiation, no chemotherapy	10	4	44.4	1	8	100.0	6	75.0	1	12.5	.	.	1	12.5	.	.	.	.
		Chemotherapy and radiation	83	23	30.3	1	57	89.1	26	45.6	12	21.1	6	10.5	19	33.3	.	.	2	3.5
		Unknown	123	33	29.5	1	89	85.6	50	56.2	15	16.9	4	4.5	17	19.1	1	1.1	3	3.4
Males	**All cases**		**648**	**159**	**26.6**	**16**	**456**	**82.2**	**262**	**57.5**	**73**	**16.0**	**45**	**9.9**	**76**	**16.7**	**1**	**0.2**	**19**	**4.2**
	Age at baseline	<18	20	1	9.1	.	6	100.0	.	.	.	.	.	.	.	.	1	16.7	.	.
		18-19	12	2	18.2	.	8	88.9	.	.	5	62.5	1	12.5	1	12.5	.	.	1	12.5
		20-24	95	20	24.7	4	48	75.0	13	27.1	24	50.0	1	2.1	13	27.1	.	.	1	2.1
		25-29	183	40	23.7	7	122	78.7	69	56.6	12	9.8	20	16.4	24	19.7	.	.	5	4.1
		30-34	179	58	33.1	3	143	84.1	96	67.1	18	12.6	10	7.0	19	13.3	.	.	7	4.9
		35+	159	38	25.3	2	129	85.4	84	65.1	14	10.9	13	10.1	19	14.7	.	.	5	3.9
	Years since diagnosis	5-9	74	9	19.6	3	23	82.1	5	21.7	7	30.4	2	8.7	4	17.4	1	4.3	.	.
		10-14	209	54	26.7	6	146	80.2	83	56.8	26	17.8	18	12.3	23	15.8	.	.	7	4.8
		15-19	211	58	28.6	6	167	84.8	97	58.1	27	16.2	16	9.6	30	18.0	.	.	8	4.8
		20+	154	38	26.0	1	120	81.1	77	64.2	13	10.8	9	7.5	19	15.8	.	.	4	3.3
	Age at diagnosis	1-4	14	2	16.7	.	10	76.9	2	20.0	5	50.0	1	10.0	2	20.0	.	.	.	.
		5-9	84	20	25.6	3	53	74.6	20	37.7	13	24.5	3	5.7	11	20.8	1	1.9	5	9.4
		10-14	246	59	25.7	5	173	81.2	99	57.2	31	17.9	15	8.7	30	17.3	.	.	5	2.9
		15-20	304	78	28.2	8	220	85.3	141	64.1	24	10.9	26	11.8	33	15.0	.	.	9	4.1
	Treatment	Surgery only	30	10	33.3	1	25	86.2	18	72.0	3	12.0	3	12.0	2	8.0	.	.	.	.
		Chemotherapy, no radiation	489	115	25.5	14	348	82.1	190	54.6	64	18.4	35	10.1	55	15.8	1	0.3	17	4.9

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
Both sexes	**All cases**		**1259**	**65**	**6.9**	**24**	**2.5**
	Age at baseline	<18	29	1	9.1	.	.
		18-19	30	2	10.0	.	.
		20-24	199	9	8.2	1	0.9
		25-29	344	20	7.7	9	3.5
		30-34	374	14	4.6	8	2.6
		35+	283	19	7.9	6	2.5
	Years since diagnosis	5-9	132	3	6.1	1	2.0
		10-14	397	25	8.5	10	3.4
		15-19	423	23	6.6	6	1.7
		20+	307	14	5.4	7	2.7
	Age at diagnosis	1-4	25	3	15.0	1	5.0
		5-9	168	7	5.8	1	0.8
		10-14	534	23	5.7	9	2.2
		15-20	532	32	7.9	13	3.2
	Treatment	Surgery only	86	3	4.2	1	1.4
		Chemotherapy, no radiation	957	44	6.1	19	2.6
		Radiation, no chemotherapy	10	.	.	.	.
		Chemotherapy and radiation	83	7	12.3	2	3.5
		Unknown	123	11	12.4	2	2.2
Males	**All cases**		**648**	**35**	**7.7**	**13**	**2.9**
	Age at baseline	<18	20	1	16.7	.	.
		18-19	12	1	12.5	.	.
		20-24	95	3	6.3	.	.
		25-29	183	10	8.2	3	2.5
		30-34	179	7	4.9	4	2.8
		35+	159	13	10.1	6	4.7
	Years since diagnosis	5-9	74	2	8.7	.	.
		10-14	209	12	8.2	6	4.1
		15-19	211	13	7.8	2	1.2
		20+	154	8	6.7	5	4.2
	Age at diagnosis	1-4	14	.	.	.	.
		5-9	84	5	9.4	1	1.9
		10-14	246	10	5.8	1	0.6
		15-20	304	20	9.1	11	5.0
	Treatment	Surgery only	30	3	12.0	1	4.0
		Chemotherapy, no radiation	489	19	5.5	8	2.3

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Difficulty obtaining (Q.1/U.1)		Current insurance (Q.2/U.2) [1]			How health insurance provided (Q.3/U.3) [2]:											
									Place of employment		Spouse or parent		Self purchase		Public assistance		Military		Other	
			All cases	N	%	Canadian	Yes	%	N	%	N	%	N	%	N	%	N	%	N	%
		Radiation, no chemotherapy	6	2	40.0	.	5	100.0	3	60.0	1	20.0	.	.	1	20.0	.	.	.	.
		Chemotherapy and radiation	44	12	30.8	.	27	84.4	16	59.3	2	7.4	3	11.1	10	37.0	.	.	.	.
		Unknown	79	20	27.8	1	51	78.5	35	68.6	3	5.9	4	7.8	8	15.7	.	.	2	3.9
Females	**All cases**		**611**	**167**	**28.8**	**18**	**491**	**89.9**	**202**	**41.1**	**174**	**35.4**	**19**	**3.9**	**104**	**21.2**	**8**	**1.6**	**19**	**3.9**
	Age at baseline	<18	9	2	25.0	3	5	100.0	.	.	.	.	.	.	1	20.0	.	.	.	.
		18-19	18	2	14.3	1	12	92.3	.	.	11	91.7	.	.	1	8.3	.	.	2	16.7
		20-24	104	24	25.8	4	62	78.5	18	29.0	22	35.5	4	6.5	12	19.4	2	3.2	5	8.1
		25-29	161	45	28.8	1	138	91.4	59	42.8	36	26.1	8	5.8	40	29.0	2	1.4	6	4.3
		30-34	195	58	31.0	7	164	91.6	71	43.3	62	37.8	4	2.4	34	20.7	3	1.8	5	3.0
		35+	124	36	29.8	2	110	92.4	54	49.1	43	39.1	3	2.7	16	14.5	1	0.9	1	0.9
	Years since diagnosis	5-9	58	12	26.7	3	26	81.3	8	30.8	11	42.3	.	.	3	11.5	1	3.8	3	11.5
		10-14	188	53	29.3	7	147	87.0	55	37.4	51	34.7	6	4.1	39	26.5	.	.	3	2.0
		15-19	212	56	27.7	6	181	91.9	78	43.1	58	32.0	9	5.0	36	19.9	5	2.8	11	6.1
		20+	153	46	30.5	2	137	92.6	61	44.5	54	39.4	4	2.9	26	19.0	2	1.5	2	1.5
	Age at diagnosis	1-4	11	4	36.4	1	10	100.0	3	30.0	4	40.0	.	.	3	30.0	.	.	.	.
		5-9	84	17	21.3	4	68	90.7	17	25.0	32	47.1	3	4.4	9	13.2	1	1.5	5	7.4
		10-14	288	75	27.7	6	229	87.4	97	42.4	65	28.4	9	3.9	62	27.1	5	2.2	10	4.4
		15-20	228	71	32.7	7	184	92.5	85	46.2	73	39.7	7	3.8	30	16.3	2	1.1	4	2.2
	Treatment	Surgery only	56	8	14.3	3	47	92.2	24	51.1	19	40.4	.	.	3	6.4	1	2.1	.	.
		Chemotherapy, no radiation	468	133	30.1	13	373	88.6	150	40.2	133	35.7	16	4.3	83	22.3	6	1.6	16	4.3
		Radiation, no chemotherapy	4	2	50.0	1	3	100.0	3	100.0	.	.	.	.	.	.	.	.	.	.
		Chemotherapy and radiation	39	11	29.7	1	30	93.8	10	33.3	10	33.3	3	10.0	9	30.0	.	.	2	6.7
		Unknown	44	13	32.5	.	38	97.4	15	39.5	12	31.6	.	.	9	23.7	1	2.6	1	2.6

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included

				Plan exclusions (Q.3a/U.3a) [3]		Extra premium (Q.3b/U.3b) [3]	
			All cases	N	%	N	%
		Radiation, no chemotherapy	6	.	.	.	.
		Chemotherapy and radiation	44	3	11.1	2	7.4
		Unknown	79	10	19.6	2	3.9
Females	**All cases**		**611**	**30**	**6.1**	**11**	**2.2**
	Age at baseline	<18	9	.	.	.	.
		18-19	18	1	8.3	.	.
		20-24	104	6	9.7	1	1.6
		25-29	161	10	7.2	6	4.3
		30-34	195	7	4.3	4	2.4
		35+	124	6	5.5	.	.
	Years since diagnosis	5-9	58	1	3.8	1	3.8
		10-14	188	13	8.8	4	2.7
		15-19	212	10	5.5	4	2.2
		20+	153	6	4.4	2	1.5
	Age at diagnosis	1-4	11	3	30.0	1	10.0
		5-9	84	2	2.9	.	.
		10-14	288	13	5.7	8	3.5
		15-20	228	12	6.5	2	1.1
	Treatment	Surgery only	56	.	.	.	.
		Chemotherapy, no radiation	468	25	6.7	11	2.9
		Radiation, no chemotherapy	4	.	.	.	.
		Chemotherapy and radiation	39	4	13.3	.	.
		Unknown	44	1	2.6	.	.

CCSS data from March 2026 data freeze
[1] % for 'Current insurance' excludes those responding 'Canadian Resident' from the denominator
[2] % for 'How health insurance provided' reflects skip patterns in the data. Denominator is based on those who currently have health insurance(not Canadian)
[3] % for 'Plan exclusions' and 'Extra Premium' reflect skip patterns in the data. Denominator is based on those who currently have health insurance
n=10 participants with no baseline information are not included